

PDS4 Data Dictionary - Abridged - V.1.0.0.0

PDS4 Data Design Working Group

Version 1.0.0.0 - Fri May 03 13:44:24 PDT 2013

Generated from the PDS4 Information Model Version 1.0.0.0

Table Of Contents

1. [Introduction](#)
 2. [Audience](#)
 3. [Acknowledgements](#)
 4. [Scope](#)
 5. [Related Documents](#)
 6. [Terminology](#)
 7. [Product/Class Definitions](#)
 8. [Attribute Definitions](#)
 9. [Data Type Definitions](#)
 10. [Indices](#)
 11. [Product Index](#)
 12. [Class Index](#)
 13. [Attribute Index](#)
-

1. Introduction

The Planetary Data System (PDS) PDS4 Data Dictionary defines the organization and components of PDS4 product labels. Components of a product label include classes and their attributes.

2. Audience

The PDS4 Data Dictionary - Abridged - has been abstracted from the unabridged version with the needs of data providers and data end users in mind. It contains full definitions but not all the fine detail or repetition necessary to support the underlying Information Model.

3. Acknowledgements

The PDS4 Data Dictionary and the PDS4 Information Model is a joint effort involving representatives from each of the PDS nodes functioning as the PDS4 Data Design Working Group.

4. Scope

The PDS4 Data Dictionary defines the common and discipline level classes and attributes used to create PDS4 product labels. It also defines the meta-attributes (i.e. attributes about attributes) used to define attributes. This abridged version includes only one entry for each attribute where the unabridge version includes an entry for each use of an attribute in a class.

5. Related Documents

a. Controlling Documents

- PDS4 Information Model Specification - The PDS4 Information Model is used as the source for class, attribute, and data type definitions. The model is presented in document format as the PDS4 Information Model Specification.
- ISO/IEC 11179:3 Registry Metamodel and Basic Attributes Specification, 2003. - The ISO/IEC 11179 specification provides the schema for the PDS4 data dictionary.

b. Reference Documents

- Planetary Science Data Dictionary - The online version of the PDS3 data dictionary was used

as the source for a few data elements being carried over from the PDS3 data standards.

6. Terminology

This document uses very specific engineering terminology to describe the various structures involved. It is particularly important that readers who have absorbed the PDS Standards Reference bear in mind that terms which are familiar in that context can have very different meanings in the present document.

Following are some definitions of essential terms used throughout this document.

- An *attribute* is a property or characteristic that provides a unit of information. For example, ‘color’ and ‘length’ are possible attributes.
- A *class* is a set of attributes (including a name) which defines a family. A class is generic — a template from which individual members of the family may be constructed.
- A *conceptual object* is an object which is intangible (and, because it is intangible, does not fit into a digital archive). Examples of ‘conceptual objects’ include the Cassini mission and NASA’s strategic plan for solar system exploration. Note that a PDF describing the Cassini mission is a digital object, not a conceptual object (nor a component of a conceptual object).
- A *data element* is a unit of data for which the definition, identification, representation and *permissible values* are specified by means of a set of attributes. For example, the concept of a *calibration_lamp_state_flag* is used in the PDS archive to indicate whether the lamp used for onboard camera calibration was turned on or off during the capture of an image. The *data element* aspect of this concept is the named attribute (or data element) *calibration_lamp_state_flag*.
- A *data object* is a physical, conceptual, or digital object.
- A *digital object* is an object which is real data — for example, a binary image of a redwood tree or an ASCII table of atmospheric composition versus altitude.
- *Formal* as used in the definition of attributes that are names indicates that an established procedure was involved in creating the name.
- A *unique identifier* is a special type of identifier used to provide a reference number which is unique in a context.
- *Local* refers to the context within a single label.
- *Logical* as used in the definition of logical identifier indicates that the identifier logically groups a set of objects.
- A *physical object* is an object which is physical or tangible (and, therefore, does not itself fit into a digital archive). Examples of ‘physical objects’ include the planet Saturn and the Venus Express magnetometer. Note that an ASCII file describing Saturn is a digital object, not a physical object (nor a component of a physical object).
- A *resource* is the target (referent) of any Uniform Resource Identifier; the thing to which a URI points.

7. PDS4 Class Definitions - Fri May 03 13:44:24 PDT 2013

Generated from the PDS4 Information Model Version 1.0.0.0

- **Archival_Information_Package**

description: **The Archival Information Package (AIP) class defines an Information Package consisting of the Content Information and the associated Preservation Description Information (PDI), which is preserved within an archive that conforms to the Open Archive Information System (OAIS) Reference Model.**

role: **Concrete**

attribute: [**description**](#)

- **End_Archival_Information_Package**

- **DIP_Deep_Archive**

description: **The Dissemination Information Package Deep Archive class is an Information Package derived from one or more AIPs and is received by the National Space Science Data Center (NSSDC).**

role: **Concrete**

attribute: [**description**](#)

- End DIP_Deep_Archive
-

- **Dissemination_Information_Package**

description: The Dissemination Information Package (DIP) class defines an Information Package, derived from one or more AIPs, that is received by a consumer.

role: **Concrete**

attribute: [description](#)

- End Dissemination_Information_Package
-

- **Encoded_Header**

description: The Encoded Header class describes a header that has been encoded using an encoding scheme that is compliant to an external standard.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [object_length](#) Optional

attribute: [encoding_standard_id](#) value: TIFF

attribute: [description](#) Optional

- End Encoded_Header
-

- **Header**

description: The Header class describes a data object header.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [object_length](#)

attribute: [parsing_standard_id](#) value: 7-Bit ASCII Text, FITS 3.0, ISIS2, ISIS3, PDS DSV 1, PDS ODL 2, PDS3, Pre-PDS3, UTF-8 Text, VICAR1, VICAR2

attribute: [description](#) Optional

- End Header
-

- **Ingest_LDD**

description: The Ingest_LDD class provides a form for collecting class and attribute definitions.

role: **Concrete**

attribute: [name](#)

attribute: [ldd_version_id](#)

attribute: [full_name](#)

attribute: [steward_id](#)

attribute: [namespace_id](#)

attribute: [comment](#) Optional

attribute: [last_modification_date_time](#)

- **DD_Attribute - occurs 1 to * times**

description: The DD_Attribute class defines an attribute for a data dictionary.

role: **Concrete**

attribute: [name](#)

attribute: [version_id](#)

attribute: [local_identifier](#)

attribute: [nullable_flag](#)

attribute: [submitter_name](#)

attribute: [definition](#)

attribute: [comment](#) Optional

- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **DD_Value_Domain occurs 1 times**

description: The DD_Value_Domain class defines an attribute's permissible values and their constraints.

role: **Concrete**

attribute: [enumeration_flag](#)

attribute: [value_data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_Short_String_Collapsed, ASCII_Short_String_Preserved, ASCII_Text_Collapsed, ASCII_Text_Preserved, ASCII_Time, ASCII_VID, UTF8_Short_String_Collapsed, UTF8_Short_String_Preserved, UTF8_Text_Preserved, Vector_Cartesian_3, Vector_Cartesian_3_Acceleration, Vector_Cartesian_3_Pointing, Vector_Cartesian_3_Position, Vector_Cartesian_3_Velocity

attribute: [formation_rule](#) Optional

attribute: [minimum_characters](#) Optional

attribute: [maximum_characters](#) Optional

attribute: [minimum_value](#) Optional

attribute: [maximum_value](#) Optional

attribute: [pattern](#) Optional

attribute: [unit_of_measure_type](#) value: Units_of_Acceleration, Units_of_Amount_Of_Substance, Units_of_Angle, Units_of_Angular_Velocity, Units_of_Area, Units_of_Frame_Rate, Units_of_Frequency, Units_of_Length, Units_of_Map_Scale, Units_of_Mass, Units_of_Misc, Units_of_None, Units_of_Optical_Path_Length, Units_of_Pressure, Units_of_Radiance, Units_of_Rates, Units_of_Solid_Angle, Units_of_Storage, Units_of_Temperature, Units_of_Time, Units_of_Velocity, Units_of_Voltage, Units_of_Volume Optional

attribute: [specified_unit_id](#) Optional

- **DD_Permissible_Value - occurs 0 to * times**

description: The DD_Permissible_Value class lists permissible values and their meanings.

role: **Concrete**

attribute: [value](#)

attribute: [value_meaning](#)

- **End DD_Permissible_Value**

- **End DD_Value_Domain**

- **Terminological_Entry** - occurs 0 to * times

description: The terminological_entry class provides the name (designation) and definition of the attribute in a specified natural language.

role: **Concrete**

attribute: [name](#)

attribute: [definition](#)

attribute: [language](#) value: English, Russian

attribute: [preferred_flag](#)

 - **External_Reference_Extended** - occurs 0 to * times

description: The External_Reference_Extended class is used to reference a source outside the PDS registry system. This extension is used in the local data dictionary.

role: **Concrete**

attribute: [name](#) Optional

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

attribute: [url](#) Optional
 - **End External_Reference_Extended**
- **End Terminological_Entry**
- **End DD_Attribute**
- **DD_Class** - occurs 0 to * times

description: The DD_Class class defines a class for a data dictionary.

role: **Concrete**

attribute: [name](#)

attribute: [version_id](#)

attribute: [local_identifier](#)

attribute: [submitter_name](#)

attribute: [definition](#)

attribute: [abstract_flag](#) Optional

 - **Internal_Reference** - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
 - **End Internal_Reference**
- **DD_Association** - occurs 1 to * times

description: The DD_Association class defines the association between two classes or a class and an attribute in a data dictionary.

role: **Concrete**

attribute: [local_identifier](#)

attribute: [reference_type](#) value: [attribute_of](#), [component_of](#), [extension_of](#), [restriction_of](#), [subclass_of](#)

attribute: [minimum_occurrences](#)

attribute: [maximum_occurrences](#)

attribute: [constant_value](#) Optional

 - **End DD_Association**
 - **DD_Association_External** - occurs 1 to * times

- description: The DD_Association_External class defines the association between classes and attributes within the local data dictionary and those external to the local data dictionary.
- role: **Concrete**
- attribute: [name](#)
- attribute: [namespace_id](#)
- attribute: [reference_type](#) value: attribute_of, component_of, extension_of, restriction_of, subclass_of
- attribute: [minimum_occurrences](#)
- attribute: [maximum_occurrences](#)
- **End** DD_Association_External
 - **Terminological_Entry** - occurs 0 to * times

description: The terminological_entry class provides the name (designation) and definition of the attribute in a specified natural language.

role: **Concrete**

attribute: [name](#)

attribute: [definition](#)

attribute: [language](#) value: English, Russian

attribute: [preferred_flag](#)

 - **External_Reference_Extended** - occurs 0 to * times

description: The External_Reference_Extended class is used to reference a source outside the PDS registry system. This extension is used in the local data dictionary.

role: **Concrete**

attribute: [name](#) Optional

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

attribute: [url](#) Optional
 - **End** External_Reference_Extended
 - **End** Terminological_Entry
 - **End** DD_Class
- **End** Ingest_LDD
-

• Product_AIP

description: The Product AIP class defines a product for the Archival Information Package.

role: **Concrete**

- **Identification_Area** occurs 1 times

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_AIP

- **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and

identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End Citation_Information**

- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End Modification_Detail**

- **End Modification_History**

- **End Identification_Area**

- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional
attribute: [reference_text](#)
attribute: [description](#) Optional

- **End External_Reference**

- **End Reference_List**

- **Archival_Information_Package occurs 1 times**

description: The Archival Information Package (AIP) class defines an Information Package consisting of the Content Information and the associated Preservation Description Information (PDI), which is preserved within an archive that conforms to the Open Archive Information System (OAIS) Reference Model.

role: **Concrete**

attribute: [description](#)

- **End Archival_Information_Package**

- **Information_Package_Component - occurs 1 to * times**

description: The Information_Package_Component class associates a Bundle, Collections or Basic Products with Checksum and Storage Manifests.

role: **Concrete**

attribute: [checksum_manifest_checksum](#) Optional

attribute: [checksum_type](#) Optional

attribute: [transfer_manifest_checksum](#) Optional

- **Internal_Reference - occurs 1 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [jid_reference](#) Optional

attribute: [jidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **File_Area_Checksum_Manifest - occurs 0 to 1 times**

description: The File Area Checksum Manifest class describes a file that contains a two column table for file references and checksums.

role: **Concrete**

- **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

attribute: [file_name](#)

attribute: [local_identifier](#) Optional

attribute: [creation_date_time](#) Optional

attribute: [file_size](#) Optional

attribute: [records](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [comment](#) Optional

- **End File**

- **Checksum_Manifest occurs 1 times**

description: The Checksum_Manifest class defines a two column table for file references and checksums. The table structure is compatible with the output from an MD5 checksum utility.

role: **Concrete**

attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [object_length](#) Optional
 attribute: [record_delimiter](#) value: carriage-return line-feed
 attribute: [parsing_standard_id](#) value: MD5Deep 4.n
 attribute: [description](#) Optional

- **End Checksum_Manifest**
- **End File_Area_Checksum_Manifest**
- **File_Area_Transfer_Manifest - occurs 0 to 1 times**

description: The File Area Transfer Manifest class describes a file that contains a two column table that maps the logical identifiers and version ids of products to their file specification names.

role: **Concrete**

 - **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

attribute: [file_name](#)
 attribute: [local_identifier](#) Optional
 attribute: [creation_date_time](#) Optional
 attribute: [file_size](#) Optional
 attribute: [records](#) Optional
 attribute: [md5_checksum](#) Optional
 attribute: [comment](#) Optional
 - **End File**
- **Transfer_Manifest occurs 1 times - Base_Class:Table_Base**

description: The Transfer_Manifest class defines a table that maps product LIDVIDs to the file_specificaiton_names of the products' XML label files.

role: **Concrete**

attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [records](#)
 attribute: [record_delimiter](#) value: carriage-return line-feed
 attribute: [description](#) Optional
- **Uniformly_Sampled - occurs 0 to 1 times**

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.

role: **Concrete**

attribute: [sampling_parameter_name](#)
 attribute: [sampling_parameter_interval](#)
 attribute: [sampling_parameter_unit](#)
 attribute: [first_sampling_parameter_value](#)
 attribute: [last_sampling_parameter_value](#)
 attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic Optional
- **End Uniformly_Sampled**
- **Record_Character occurs 1 times**

description: The Record_Character class is a component of the table

class and defines a record of the table.

role: **Concrete**

attribute: **record_length**

attribute: **fields**

attribute: **groups**

- **Field_Character - occurs 1 to * times**

description: **The Field_Character class defines a field of a character record or a field of a character group.**

role: **Concrete**

attribute: **name**

attribute: **field_number** Optional

attribute: **field_location**

attribute: **data_type** value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: **field_length**

attribute: **field_format** Optional

attribute: **unit** Optional

attribute: **scaling_factor** Optional

attribute: **value_offset** Optional

attribute: **description** Optional

- **Special_Constants - occurs 0 to 1 times**

description: **The Special Constants class provides a set of values used to indicate special cases that occur in the data.**

role: **Concrete**

attribute: **saturated_constant** Optional

attribute: **missing_constant** Optional

attribute: **error_constant** Optional

attribute: **invalid_constant** Optional

attribute: **unknown_constant** Optional

attribute: **not_applicable_constant** Optional

attribute: **valid_maximum** value: 254, 32767, 65522 Optional

attribute: **high_instrument_saturation** value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: **high_representation_saturation** value: -32764, 255, 4, 65535, FF7FFFFF, FFFFBBBB Optional

attribute: **valid_minimum** value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: **low_instrument_saturation** value: -32766, 0, 2, FF7FFFFD, FFFFDDDD Optional

attribute: **low_representation_saturation** value: -32767, 1, 16#FF7FFFFC#, 16#FFFFFF# Optional

- **End** Special_Constants
- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: **local_identifier** Optional

attribute: **maximum** Optional

attribute: **minimum** Optional

attribute: **mean** Optional

attribute: **standard deviation** Optional

attribute: **median** Optional

attribute: **description** Optional
- **End** Field_Statistics
- **End** Field_Character
- **Group_Field_Character - occurs 1 to * times**

description: The Group_Field_Character class allows a group of table fields.

role: **Concrete**

attribute: **group_number** Optional

attribute: **repetitions**

attribute: **group_location**

attribute: **fields**

attribute: **group_length**

attribute: **groups**

 - **Field_Character - occurs 1 to * times**

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: **name**

attribute: **field_number** Optional

attribute: **field_location**

attribute: **data_type** value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: **field_length**

attribute: **field_format** Optional

attribute: **unit** Optional

attribute: **scaling_factor** Optional

attribute: **value_offset** Optional

attribute: **description** Optional
 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: saturated constant Optional

attribute: missing constant Optional

attribute: error constant Optional

attribute: invalid constant Optional

attribute: unknown constant Optional

attribute: not applicable constant Optional

attribute: valid maximum value: 254, 32767, 65522 °
optional

attribute: high instrument saturation value: -32765,
255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: high representation saturation value: -327
64, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: valid minimum value: -32752, 1, 3, 5,
FF7FFFFA, FFEFFFFFF Optional

attribute: low instrument saturation value: -32766,
0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: low representation saturation value: -327
7, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- End Special_Constants

- Field_Statistics - occurs 0 to 1 times

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: Concrete

attribute: local identifier Optional

attribute: maximum Optional

attribute: minimum Optional

attribute: mean Optional

attribute: standard deviation Optional

attribute: median Optional

attribute: description Optional

- End Field_Statistics

- End Field_Character

- End Group_Field_Character

- End Record_Character

- End Transfer_Manifest

- End File_Area_Transfer_Manifest

- End Information_Package_Component

- End Product_AIP

- Product_Attribute_Definition

description: The Product Attribute Definition provides an attribute definition in XML encoding.

role: Concrete

- Identification_Area occurs 1 times

description: The identification area consists of attributes that identify and name an object.
role: Concrete

- attribute: [logical_identifier](#)
- attribute: [version_id](#)
- attribute: [title](#)
- attribute: [information_model_version](#) value: 1.0.0.0
- attribute: [product_class](#) value: Product_Attribute_Definition
- **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

 - attribute: [alternate_id](#) Optional
 - attribute: [alternate_title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [publication_year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End Modification_Detail**
 - **End Modification_History**
 - **End Identification_Area**
 - **Reference_List** - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference** - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products

in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

- **End External_Reference**

- **End Reference_List**

- **DD_Attribute_Full occurs 1 times**

description: The DD_Attribute_Full class provides a more complete definition of an attribute in the data dictionary.

role: **Concrete**

attribute: [name](#)

attribute: [version_id](#)

attribute: [class_name](#)

attribute: [local_identifier](#)

attribute: [steward_id](#) value: atm, geo, img, naif, ops, pds, ppi, rings, rs, sbn

attribute: [type](#) value: PDS3, PDS4

attribute: [namespace_id](#)

attribute: [nullable_flag](#)

attribute: [submitter_name](#)

attribute: [definition](#)

attribute: [comment](#) Optional

attribute: [registered_by](#)

attribute: [registration_authority_id](#) value: 0001_NASA_PDS_1

attribute: [attribute_concept](#) value: ADDRESS, ANGLE, ATTRIBUTE, BIT, CHECKSUM, COLLECTION, CONSTANT, COSINE, COUNT, DELIMITER, DESCRIPTION, DEVIATION, DIRECTION, DISTANCE, DOI, DURATION, FACTOR, FLAG, FORMAT, GROUP, HOME, ID, LATITUDE, LENGTH, LIST, LOCATION, LOGICAL, LONGITUDE, MASK, MAXIMUM, MEAN, MEDIAN, MINIMUM, NAME, NOTE, NUMBER, OFFSET, ORDER, PARALLEL, PASSWORD, PATH, PATTERN, PIXEL, QUATERNION, RADIUS, RATIO, REFERENCE, RESOLUTION, ROLE, ROTATION, SCALE, SEQUENCE, SET, SIZE, STATUS, SUMMARY, SYNTAX, TEMPERATURE, TEXT, TITLE, TYPE, UNIT, UNKNOWN, VALUE, VECTOR

- **DD_Value_Domain_Full - occurs 0 to 1 times**

description: The DD_Value_Domain_Full class provides a more complete definition of a attribute's value domain.

role: **Concrete**

attribute: [enumeration_flag](#)

attribute: [value_data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI,

ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY,

ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD,

ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name,

ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID,

ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16,
 ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real,
 ASCII_Short_String_Collapsed, ASCII_Short_String_Preserved,
 ASCII_Text_Collapsed, ASCII_Text_Preserved, ASCII_Time, ASCII_VID,
 UTF8_Short_String_Collapsed, UTF8_Short_String_Preserved,
 UTF8_Text_Preserved

attribute: [formation_rule](#) Optional
 attribute: [minimum_characters](#) Optional
 attribute: [maximum_characters](#) Optional
 attribute: [minimum_value](#) Optional
 attribute: [maximum_value](#) Optional
 attribute: [pattern](#) Optional
 attribute: [unit_of_measure_type](#) value: Units_of_Amount_Of_Substance,
 Units_of_Angle, Units_of_Angular_Velocity, Units_of_Area, Units_of_Frame_Rate,
 Units_of_Frequency, Units_of_Length, Units_of_Map_Scale, Units_of_Mass,
 Units_of_Misc, Units_of_None, Units_of_Optical_Path_Length, Units_of_Pressure,
 Units_of_Radiance, Units_of_Rates, Units_of_Solid_Angle, Units_of_Storage,
 Units_of_Temperature, Units_of_Time, Units_of_Velocity, Units_of_Voltage,
 Units_of_Volume Optional
 attribute: [conceptual_domain](#) value: BOOLEAN, INTEGER, NAME, NUMERIC, REAL,
 SHORT_STRING, TEXT, TIME, TYPE, UNKNOWN
 attribute: [specified_unit_id](#) Optional

- **DD_Permissible_Value_Full** - occurs 0 to * times

description: The DD_Permissible_Value_Full class lists permissible values, their meanings, and the dates when active.
 role: Concrete
 attribute: [value](#)
 attribute: [value_meaning](#) Optional
 attribute: [value_begin_date](#)
 attribute: [value_end_date](#)
- **End DD_Permissible_Value_Full**

- **End DD_Value_Domain_Full**
- **Terminological_Entry** - occurs 1 to * times

description: The terminological_entry class provides the name (designation) and definition of the attribute in a specified natural language.
 role: Concrete
 attribute: [name](#)
 attribute: [definition](#)
 attribute: [language](#) value: English, Russian
 attribute: [preferred_flag](#)

 - **External_Reference_Extended** - occurs 0 to * times

description: The External_Reference_Extended class is used to reference a source outside the PDS registry system. This extension is used in the local data dictionary.
 role: Concrete
 attribute: [name](#) Optional
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional
 attribute: [url](#) Optional
 - **End External_Reference_Extended**

- **End Terminological_Entry**
 - **End DD_Attribute_Full**
 - **End Product_Attribute_Definition**
-

- **Product_Browse**

description: The Product Browse class defines a product consisting of one encoded byte stream digital object.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Browse

- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End Citation_Information**

- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)
 attribute: [version_id](#)
 attribute: [description](#)
 • **End** Modification_Detail
 • **End** Modification_History
 • **End** Identification_Area
 • **Reference_List - occurs 0 to 1 times**
 description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.
 role: **Concrete**
 • **Internal_Reference - occurs 0 to * times**
 description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.
 role: **Concrete**
 attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional
 • **End** Internal_Reference
 • **External_Reference - occurs 0 to * times**
 description: The External_Reference class is used to reference a source outside the PDS registry system.
 role: **Concrete**
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional
 • **End** External_Reference
 • **End** Reference_List
 • **File_Area_Browse - occurs 1 to * times**
 description: The File Area Browse class describes a file and one or more tagged_data_objects contained within the file.
 role: **Concrete**
 • **File occurs 1 times**
 description: The File class consists of attributes that describe a file in a data store.
 role: **Concrete**
 attribute: [file_name](#)
 attribute: [local_identifier](#) Optional
 attribute: [creation_date_time](#) Optional
 attribute: [file_size](#) Optional
 attribute: [records](#) Optional
 attribute: [md5_checksum](#) Optional
 attribute: [comment](#) Optional
 • **End** File
 • **Array_2D - occurs 1 to * times**
 description: The Array 2D class is the parent class for all two dimensional array based classes.
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional

attribute: offset
 attribute: axes value: 2
 attribute: axis_index_order value: Last Index Fastest
 attribute: description Optional

- **Element_Array** occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.
 role: Concrete

attribute: data_type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: unit Optional

attribute: scaling_factor Optional

attribute: value_offset Optional
- **End Element_Array**
- **Axis_Array** occurs 2 times

description: The Axis Array class is used as a component of the array class and defines an axis of the array.
 role: Concrete

attribute: axis_name

attribute: elements

attribute: sequence_number
 - **Band_Bin_Set** - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.
 role: Concrete

 - **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.
 role: Concrete

attribute: band_number

attribute: band_width

attribute: center_wavelength

attribute: detector_number Optional

attribute: filter_number Optional

attribute: grating_position Optional

attribute: original_band Optional

attribute: standard_deviation Optional

attribute: scaling_factor Optional

attribute: value_offset Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: Concrete

attribute: saturated constant Optional
 attribute: missing constant Optional
 attribute: error constant Optional
 attribute: invalid constant Optional
 attribute: unknown constant Optional
 attribute: not applicable constant Optional
 attribute: valid maximum value: 254, 32767, 65522 Optional
 attribute: high instrument saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: high representation saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
 attribute: valid minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
 attribute: low instrument saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: low representation saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFEFFFFF# Optional

- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: local identifier Optional
 attribute: maximum Optional
 attribute: minimum Optional
 attribute: mean Optional
 attribute: standard deviation Optional
 attribute: bit mask Optional
 attribute: median Optional
 attribute: md5 checksum Optional
 attribute: maximum scaled value Optional
 attribute: minimum scaled value Optional
 attribute: description Optional

 - **End Object_Statistics**
- **End Array_2D**
- **Array_2D_Image - occurs 1 to * times**

description: The Array 2D Image class is an extension of the Array 2D class and defines a two dimensional image.

role: **Concrete**

attribute: name Optional
 attribute: local identifier Optional
 attribute: offset
 attribute: axes value: 2
 attribute: axis index order value: Last Index Fastest
 attribute: description Optional

 - **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

attribute: data type value: ComplexLSB16, ComplexLSB8, ComplexMSB16,

**ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle,
 IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte,
 SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4,
 SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2,
 UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4,
 UnsignedMSB8**
 attribute: **unit** Optional
 attribute: **scaling_factor** Optional
 attribute: **value_offset** Optional

- **End Element_Array**
- **Axis_Array occurs 2 times**

description: **The Axis Array class is used as a component of the array class and defines an axis of the array.**

role: **Concrete**

attribute: **axis_name**

attribute: **elements**

attribute: **sequence_number**

 - **Band_Bin_Set - occurs 0 to 1 times**

description: **The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.**

role: **Concrete**

 - **Band_Bin - occurs 1 to * times**

description: **The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.**

role: **Concrete**

attribute: **band_number**

attribute: **band_width**

attribute: **center_wavelength**

attribute: **detector_number** Optional

attribute: **filter_number** Optional

attribute: **grating_position** Optional

attribute: **original_band** Optional

attribute: **standard_deviation** Optional

attribute: **scaling_factor** Optional

attribute: **value_offset** Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
 - **End Axis_Array**
 - **Special_Constants - occurs 0 to 1 times**

description: **The Special Constants class provides a set of values used to indicate special cases that occur in the data.**

role: **Concrete**

attribute: **saturated_constant** Optional

attribute: **missing_constant** Optional

attribute: **error_constant** Optional

attribute: **invalid_constant** Optional

attribute: **unknown_constant** Optional

attribute: **not_applicable_constant** Optional

attribute: **valid_maximum** value: **254, 32767, 65522** Optional

attribute: **high_instrument_saturation** value: **-32765, 255, 3, 65534, FF7FFFFE,**

- FFFCFFFF** Optional
attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535,
- FF7FFFFFFF, FFFFBFFFFF** Optional
attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD,
- FFFDFFFF** Optional
attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFEFFFFF# Optional
- **End Special_Constants**
 - **Object_Statistics - occurs 0 to 1 times**
description: **The Object Statistics class provides a set of values that provide metrics about the object.**
role: **Concrete**
attribute: [local_identifier](#) Optional
attribute: [maximum](#) Optional
attribute: [minimum](#) Optional
attribute: [mean](#) Optional
attribute: [standard_deviation](#) Optional
attribute: [bit_mask](#) Optional
attribute: [median](#) Optional
attribute: [md5_checksum](#) Optional
attribute: [maximum_scaled_value](#) Optional
attribute: [minimum_scaled_value](#) Optional
attribute: [description](#) Optional
 - **End Object_Statistics**
 - **Display_2D_Image - occurs 0 to 1 times**
description: **The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.**
role: **Concrete**
attribute: [line_display_direction](#) value: Down, Up
attribute: [sample_display_direction](#) value: Right
 - **End Display_2D_Image**
 - **End Array_2D_Image**
 - **Array_2D_Map - occurs 1 to * times**
description: **The Array 2D Map class is an extension of the Array 2D class and defines a two dimensional map.**
role: **Concrete**
attribute: [name](#) Optional
attribute: [local_identifier](#) Optional
attribute: [offset](#)
attribute: [axes](#) value: 2
attribute: [axis_index_order](#) value: Last Index Fastest
attribute: [description](#) Optional
 - **Element_Array occurs 1 times**
description: **The Element Array class is used as a component of the array class and defines an element of the array.**
role: **Concrete**
attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte,

- SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8
- attribute: [unit](#) Optional
- attribute: [scaling_factor](#) Optional
- attribute: [value_offset](#) Optional
- **End Element_Array**
 - **Axis_Array occurs 2 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: [axis_name](#)

attribute: [elements](#)

attribute: [sequence_number](#)

 - **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

 - **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: [band_number](#)

attribute: [band_width](#)

attribute: [center_wavelength](#)

attribute: [detector_number](#) Optional

attribute: [filter_number](#) Optional

attribute: [grating_position](#) Optional

attribute: [original_band](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
 - **End Axis_Array**
 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535,

FF7FFFFFF, FFFFBFFFF Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD,

FFFDFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#,
16#FFFEEEE# Optional

- **End Special_Constants**

- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [bit_mask](#) Optional

attribute: [median](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [maximum_scaled_value](#) Optional

attribute: [minimum_scaled_value](#) Optional

attribute: [description](#) Optional

- **End Object_Statistics**

- **Display_2D_Image - occurs 0 to 1 times**

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: **Concrete**

attribute: [line_display_direction](#) value: Down, Up

attribute: [sample_display_direction](#) value: Right

- **End Display_2D_Image**

- **End Array_2D_Map**

- **Array_2D_Spectrum - occurs 1 to * times**

description: The Array 2D Spectrum class is an extension of the Array 2D class and defines a two dimensional spectrum.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [axes](#) value: 2

attribute: [axis_index_order](#) value: Last Index Fastest

attribute: [description](#) Optional

- **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16,

ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle,

IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte,

SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4,

SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2,

- UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8**
- attribute: [unit](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
- **End Element_Array**
 - **Axis_Array occurs 2 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

 - attribute: [axis_name](#)
 - attribute: [elements](#)
 - attribute: [sequence_number](#)
 - **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

 - **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

 - attribute: [band_number](#)
 - attribute: [band_width](#)
 - attribute: [center_wavelength](#)
 - attribute: [detector_number](#) Optional
 - attribute: [filter_number](#) Optional
 - attribute: [grating_position](#) Optional
 - attribute: [original_band](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
 - **End Axis_Array**
 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

 - attribute: [saturated_constant](#) Optional
 - attribute: [missing_constant](#) Optional
 - attribute: [error_constant](#) Optional
 - attribute: [invalid_constant](#) Optional
 - attribute: [unknown_constant](#) Optional
 - attribute: [not_applicable_constant](#) Optional
 - attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
 - attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 - attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFFF, FFFFBBBB Optional
 - attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFFF Optional

- attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
- attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

 - attribute: [local_identifier](#) Optional
 - attribute: [maximum](#) Optional
 - attribute: [minimum](#) Optional
 - attribute: [mean](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [bit_mask](#) Optional
 - attribute: [median](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [maximum_scaled_value](#) Optional
 - attribute: [minimum_scaled_value](#) Optional
 - attribute: [description](#) Optional
- **End Object_Statistics**
- **Display_2D_Image - occurs 0 to 1 times**

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: **Concrete**

 - attribute: [line_display_direction](#) value: Down, Up
 - attribute: [sample_display_direction](#) value: Right
 - **End Display_2D_Image**
- **End Array_2D_Spectrum**
- **Array_3D - occurs 1 to * times**

description: The Array 3D class is the parent class for all three dimensional array based classes.

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [axes](#) value: 3
 - attribute: [axis_index_order](#) value: Last Index Fastest
 - attribute: [description](#) Optional
 - **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

 - attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

- attribute: [unit](#) Optional
- attribute: [scaling_factor](#) Optional
- attribute: [value_offset](#) Optional
- **End Element_Array**
- **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

 - attribute: [axis_name](#)
 - attribute: [elements](#)
 - attribute: [sequence_number](#)
 - **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

 - **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

 - attribute: [band_number](#)
 - attribute: [band_width](#)
 - attribute: [center_wavelength](#)
 - attribute: [detector_number](#) Optional
 - attribute: [filter_number](#) Optional
 - attribute: [grating_position](#) Optional
 - attribute: [original_band](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
 - **End Axis_Array**
 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

 - attribute: [saturated_constant](#) Optional
 - attribute: [missing_constant](#) Optional
 - attribute: [error_constant](#) Optional
 - attribute: [invalid_constant](#) Optional
 - attribute: [unknown_constant](#) Optional
 - attribute: [not_applicable_constant](#) Optional
 - attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
 - attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 - attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFFF, FFFFBBBB Optional
 - attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFFF Optional
 - attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

- attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFFFF# Optional
- **End Special_Constants**
 - **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [bit_mask](#) Optional

attribute: [median](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [maximum_scaled_value](#) Optional

attribute: [minimum_scaled_value](#) Optional

attribute: [description](#) Optional
 - **End Object_Statistics**
 - **End Array_3D**
 - **Array_3D_Image - occurs 1 to * times**

description: The Array 3D Image class is an extension of the Array 3D class and defines a three dimensional image.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [axes](#) value: 3

attribute: [axis_index_order](#) value: Last Index Fastest

attribute: [description](#) Optional
 - **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional
 - **End Element_Array**
 - **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: [axis_name](#)

- attribute: [elements](#)
- attribute: [sequence number](#)
- **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

 - **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

 - attribute: [band number](#)
 - attribute: [band width](#)
 - attribute: [center wavelength](#)
 - attribute: [detector number](#) Optional
 - attribute: [filter number](#) Optional
 - attribute: [grating position](#) Optional
 - attribute: [original band](#) Optional
 - attribute: [standard deviation](#) Optional
 - attribute: [scaling factor](#) Optional
 - attribute: [value offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

 - attribute: [saturated constant](#) Optional
 - attribute: [missing constant](#) Optional
 - attribute: [error constant](#) Optional
 - attribute: [invalid constant](#) Optional
 - attribute: [unknown constant](#) Optional
 - attribute: [not applicable constant](#) Optional
 - attribute: [valid maximum](#) value: 254, 32767, 65522 Optional
 - attribute: [high instrument saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 - attribute: [high representation saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFFF, FFFFBBBB Optional
 - attribute: [valid minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 - attribute: [low instrument saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFFFF Optional
 - attribute: [low representation saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFFFF# Optional
 - **End Special_Constants**
 - **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

 - attribute: [local identifier](#) Optional
 - attribute: [maximum](#) Optional

- attribute: minimum Optional
- attribute: mean Optional
- attribute: standard deviation Optional
- attribute: bit mask Optional
- attribute: median Optional
- attribute: md5 checksum Optional
- attribute: maximum scaled value Optional
- attribute: minimum scaled value Optional
- attribute: description Optional
- **End Object_Statistics**
- **End Array_3D_Image**
- **Array_3D_Movie - occurs 1 to * times**

description: The Array 3D Movie class is an extension of the Array 3D class and defines a movie as a set of two dimensional images in a time series.

role: **Concrete**

 - attribute: name Optional
 - attribute: local identifier Optional
 - attribute: offset
 - attribute: axes value: 3
 - attribute: axis index order value: **Last Index Fastest**
 - attribute: description Optional- **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

 - attribute: data type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8
 - attribute: unit Optional
 - attribute: scaling factor Optional
 - attribute: value offset Optional- **End Element_Array**
- **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

 - attribute: axis name
 - attribute: elements
 - attribute: sequence number- **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

- **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

- role: **Concrete**
 - attribute: [band_number](#)
 - attribute: [band_width](#)
 - attribute: [center_wavelength](#)
 - attribute: [detector_number](#) Optional
 - attribute: [filter_number](#) Optional
 - attribute: [grating_position](#) Optional
 - attribute: [original_band](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
- **End Band_Bin**
- **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

 - role: **Concrete**
 - attribute: [saturated_constant](#) Optional
 - attribute: [missing_constant](#) Optional
 - attribute: [error_constant](#) Optional
 - attribute: [invalid_constant](#) Optional
 - attribute: [unknown_constant](#) Optional
 - attribute: [not_applicable_constant](#) Optional
 - attribute: [valid_maximum](#) value: **254, 32767, 65522** Optional
 - attribute: [high_instrument_saturation](#) value: **-32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF** Optional
 - attribute: [high_representation_saturation](#) value: **-32764, 255, 4, 65535, FF7FFFFFFF, FFFFBBBB** Optional
 - attribute: [valid_minimum](#) value: **-32752, 1, 3, 5, FF7FFFFA, FFEFFFFFFF** Optional
 - attribute: [low_instrument_saturation](#) value: **-32766, 0, 2, FF7FFFFD, FFFDFFFFFF** Optional
 - attribute: [low_representation_saturation](#) value: **-32767, 1, 16#FF7FFFFC#, 16#FFFFFF#** Optional
 - **End Special_Constants**
 - **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

 - role: **Concrete**
 - attribute: [local_identifier](#) Optional
 - attribute: [maximum](#) Optional
 - attribute: [minimum](#) Optional
 - attribute: [mean](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [bit_mask](#) Optional
 - attribute: [median](#) Optional
 - attribute: [md5_checksum](#) Optional

- attribute: maximum_scaled_value Optional
- attribute: minimum_scaled_value Optional
- attribute: description Optional
- End Object_Statistics
- End Array_3D_Movie
- **Array_3D_Spectrum - occurs 1 to * times**

description: **The Array 3D Spectrum class is an extension of the Array 3D class and defines a three dimensional spectrum.**

role: **Concrete**

 - attribute: name Optional
 - attribute: local_identifier Optional
 - attribute: offset
 - attribute: axes value: 3
 - attribute: axis_index_order value: **Last Index Fastest**
 - attribute: description Optional
- Element_Array occurs 1 times

description: **The Element Array class is used as a component of the array class and defines an element of the array.**

role: **Concrete**

 - attribute: data_type value: **ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8**
 - attribute: unit Optional
 - attribute: scaling_factor Optional
 - attribute: value_offset Optional
- End Element_Array
- Axis_Array occurs 3 times

description: **The Axis Array class is used as a component of the array class and defines an axis of the array.**

role: **Concrete**

 - attribute: axis_name
 - attribute: elements
 - attribute: sequence_number
- Band_Bin_Set - occurs 0 to 1 times

description: **The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.**

role: **Concrete**

 - Band_Bin - occurs 1 to * times

description: **The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.**

role: **Concrete**

 - attribute: band_number
 - attribute: band_width
 - attribute: center_wavelength
 - attribute: detector_number Optional
 - attribute: filter_number Optional

- attribute: [grating_position](#) Optional
- attribute: [original_band](#) Optional
- attribute: [standard_deviation](#) Optional
- attribute: [scaling_factor](#) Optional
- attribute: [value_offset](#) Optional
- **End Band_Bin**
- **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

 - attribute: [saturated_constant](#) Optional
 - attribute: [missing_constant](#) Optional
 - attribute: [error_constant](#) Optional
 - attribute: [invalid_constant](#) Optional
 - attribute: [unknown_constant](#) Optional
 - attribute: [not_applicable_constant](#) Optional
 - attribute: [valid_maximum](#) value: **254, 32767, 65522** Optional
 - attribute: [high_instrument_saturation](#) value: **-32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF** Optional
 - attribute: [high_representation_saturation](#) value: **-32764, 255, 4, 65535, FF7FFFFFFF, FFFFBBBB** Optional
 - attribute: [valid_minimum](#) value: **-32752, 1, 3, 5, FF7FFFFA, FFEFFFFFFF** Optional
 - attribute: [low_instrument_saturation](#) value: **-32766, 0, 2, FF7FFFFD, FFFDDDDD** Optional
 - attribute: [low_representation_saturation](#) value: **-32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF#** Optional
- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

 - attribute: [local_identifier](#) Optional
 - attribute: [maximum](#) Optional
 - attribute: [minimum](#) Optional
 - attribute: [mean](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [bit_mask](#) Optional
 - attribute: [median](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [maximum_scaled_value](#) Optional
 - attribute: [minimum_scaled_value](#) Optional
 - attribute: [description](#) Optional
- **End Object_Statistics**
- **End Array_3D_Spectrum**
- **Encoded_Header - occurs 1 to * times**

description: The Encoded Header class describes a header that has been encoded using an encoding scheme that is compliant to an external standard.

- role: **Concrete**
 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#) Optional
 - attribute: [encoding_standard_id](#) value: **TIFF**
 - attribute: [description](#) Optional
- **End Encoded_Header**
- **Encoded_Image - occurs 1 to * times**

description: **The Encoded Image class is used for ancillary images in standard formats, such as JPEG.**

 - role: **Concrete**
 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#) Optional
 - attribute: [encoding_standard_id](#) value: **GIF, J2C, JPEG, PDF, PDF/A, PNG, TIFF**
 - attribute: [description](#) Optional
 - **End Encoded_Image**
 - **Header - occurs 1 to * times**

description: **The Header class describes a data object header.**

 - role: **Concrete**
 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#)
 - attribute: [parsing_standard_id](#) value: **7-Bit ASCII Text, FITS 3.0, ISIS2, ISIS3, PDS DSV 1, PDS ODL 2, PDS3, Pre-PDS3, UTF-8 Text, VICAR1, VICAR2**
 - attribute: [description](#) Optional
 - **End Header**
 - **Stream_Text - occurs 1 to * times**

description: **The Stream text class defines a text object.**

 - role: **Concrete**
 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#) Optional
 - attribute: [record_delimiter](#) value: **carriage-return line-feed**
 - attribute: [parsing_standard_id](#)
 - attribute: [description](#) Optional
 - **End Stream_Text**
 - **Table_Binary - occurs 1 to * times**

description: **The Table Binary class is an extension of table base and defines a simple binary table.**

 - role: **Concrete**
 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)

attribute: [records](#)

attribute: [record_delimiter](#) Optional

attribute: [description](#) Optional

- **Uniformly_Sampled - occurs 0 to 1 times**

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.

role: **Concrete**

attribute: [sampling_parameter_name](#)

attribute: [sampling_parameter_interval](#)

attribute: [sampling_parameter_unit](#)

attribute: [first_sampling_parameter_value](#)

attribute: [last_sampling_parameter_value](#)

attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic

Optional
- **End Uniformly_Sampled**
- **Record_Binary occurs 1 times**

description: The Record_Binary class is a component of the table class and defines a record of the table.

role: **Concrete**

attribute: [record_length](#)

attribute: [fields](#)

attribute: [groups](#)

 - **Field_Binary - occurs 1 to * times**

description: The Field_Binary class defines a field of a binary record or a field of a binary group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UTF8_String, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: [field_length](#)

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFBFFFF Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **Packed_Data_Fields - occurs 0 to 1 times**

description: The Packed_Data_Fields class contains field definitions for extracting packed data from the associated byte string field.

role: **Concrete**

attribute: [bit_fields](#)

attribute: [description](#) Optional

- **Field_Bit - occurs 1 to * times**

description: The Field_Bit class provides parameters for extracting one field out of a string of bytes which contains packed data (that is, data values either smaller than a single byte, or crossing byte boundaries, or both).

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [start_bit](#)

- attribute: stop_bit
 attribute: data_type value: **SignedBitString**,
UnsignedBitString
 attribute: field_format Optional
 attribute: unit Optional
 attribute: scaling_factor Optional
 attribute: value_offset Optional
 attribute: description Optional
 - **Special_Constants - occurs 0 to 1 times**
 description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: **Concrete**
 attribute: saturated_constant Optional
 attribute: missing_constant Optional
 attribute: error_constant Optional
 attribute: invalid_constant Optional
 attribute: unknown_constant Optional
 attribute: not_applicable_constant Optional
 attribute: valid_maximum value: 254, 32767, 65522 °
 attribute: high_instrument_saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: high_representation_saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
 attribute: valid_minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: low_instrument_saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: low_representation_saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
 - End Special_Constants
 - End Field_Bit
 - End Packed_Data_Fields
- End Field_Binary
- **Group_Field_Binary - occurs 1 to * times**
 description: The Group_Field_Binary class allows a group of table fields.
 role: **Concrete**
 attribute: group_number Optional
 attribute: repetitions
 attribute: group_location
 attribute: fields
 attribute: group_length
 attribute: groups
 - **Field_Binary - occurs 1 to * times**
 description: The Field_Binary class defines a field of a binary record or a field of a binary group.
 role: **Concrete**
 attribute: name

attribute: **field_number** Optional
 attribute: **field_location**
 attribute: **data_type** value: ASCII_AnyURI, ASCII_Boolean,
 ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time,
 ASCII_Date_Time_DOY, ASCII_Date_Time_UTC,
 ASCII_Date_Time_YMD, ASCII_Date_YMD,
 ASCII_Directory_Path_Name, ASCII_File_Name,
 ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID,
 ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum,
 ASCII_NonNegative_Integer, ASCII_Numeric_Base16,
 ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real,
 ASCII_String, ASCII_Time, ASCII_VID, ComplexLSB16,
 ComplexLSB8, ComplexMSB16, ComplexMSB8,
 IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble,
 IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2,
 SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4,
 SignedMSB8, UTF8_String, UnsignedBitString, UnsignedByte,
 UnsignedLSB2, UnsignedLSB4, UnsignedLSB8,
 UnsignedMSB2, UnsignedMSB4, UnsignedMSB8
 attribute: **field_length**
 attribute: **field_format** Optional
 attribute: **unit** Optional
 attribute: **scaling_factor** Optional
 attribute: **value_offset** Optional
 attribute: **description** Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: **Concrete**
 attribute: **saturated_constant** Optional
 attribute: **missing_constant** Optional
 attribute: **error_constant** Optional
 attribute: **invalid_constant** Optional
 attribute: **unknown_constant** Optional
 attribute: **not_applicable_constant** Optional
 attribute: **valid_maximum** value: 254, 32767, 65522 Optional
 attribute: **high_instrument_saturation** value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: **high_representation_saturation** value: -32764, 255, 4, 65535, FF7FFFFF, FFFFBBBB Optional
 attribute: **valid_minimum** value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: **low_instrument_saturation** value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: **low_representation_saturation** value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional
- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of

metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **Packed_Data_Fields - occurs 0 to 1 times**

description: The Packed_Data_Fields class contains field definitions for extracting packed data from the associated byte string field.

role: **Concrete**

attribute: [bit_fields](#)

attribute: [description](#) Optional

- **Field_Bit - occurs 1 to * times**

description: The Field_Bit class provides parameters for extracting one field out of a string of bytes which contains packed data (that is, data values either smaller than a single byte, or crossing byte boundaries, or both).

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [start_bit](#)

attribute: [stop_bit](#)

attribute: [data_type](#) value: **SignedBitString, UnsignedBitString**

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: **254, 32767, 65522** Optional

attribute: [high_instrument_saturation](#) value: -3

- 2765, 255, 3, 65534, FF7FFFFE, FFFCFFFF** Opt
 optional
 attribute: **high_representation_saturation** value: -32764, 255, 4, 65535, FF7FFFFFF, FFFF
FFFFBFFFFF Optional
 attribute: **valid_minimum** value: -32752, 1, 3, 5, FF7FFFFFFA, FFEFFFFFF Optional
 attribute: **low_instrument_saturation** value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: **low_representation_saturation** value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
- **End Special_Constants**
 - **End Field_Bit**
 - **End Packed_Data_Fields**
 - **End Field_Binary**
 - **End Group_Field_Binary**
 - **End Record_Binary**
 - **End Table_Binary**
 - **Table_Character - occurs 1 to * times**

description: **The Table Character class is an extension of table base and defines a simple character table.**
 role: **Concrete**
 attribute: **name** Optional
 attribute: **local_identifier** Optional
 attribute: **offset**
 attribute: **records**
 attribute: **record_delimiter** value: **carriage-return line-feed**
 attribute: **description** Optional

 - **Uniformly_Sampled - occurs 0 to 1 times**

description: **The Uniformly_Sampled class provides parameters for a uniformly sampled table.**
 role: **Concrete**
 attribute: **sampling_parameter_name**
 attribute: **sampling_parameter_interval**
 attribute: **sampling_parameter_unit**
 attribute: **first_sampling_parameter_value**
 attribute: **last_sampling_parameter_value**
 attribute: **sampling_parameter_scale** value: **Exponential, Linear, Logarithmic**
 Optional
 - **End Uniformly_Sampled**
 - **Record_Character occurs 1 times**

description: **The Record_Character class is a component of the table class and defines a record of the table.**
 role: **Concrete**
 attribute: **record_length**
 attribute: **fields**
 attribute: **groups**

 - **Field_Character - occurs 1 to * times**

description: **The Field_Character class defines a field of a character record or a field of a character group.**

role: **Concrete**
attribute: [name](#)
attribute: [field_number](#) Optional
attribute: [field_location](#)
attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String
attribute: [field_length](#)
attribute: [field_format](#) Optional
attribute: [unit](#) Optional
attribute: [scaling_factor](#) Optional
attribute: [value_offset](#) Optional
attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional
attribute: [missing_constant](#) Optional
attribute: [error_constant](#) Optional
attribute: [invalid_constant](#) Optional
attribute: [unknown_constant](#) Optional
attribute: [not_applicable_constant](#) Optional
attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional
attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDFFFF Optional
attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFFFF# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional
attribute: [maximum](#) Optional
attribute: [minimum](#) Optional
attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional
 attribute: [median](#) Optional
 attribute: [description](#) Optional
 • **End Field_Statistics**
 • **End Field_Character**
 • **Group_Field_Character - occurs 1 to * times**
 description: **The Group_Field_Character class allows a group of table fields.**
 role: **Concrete**
 attribute: [group number](#) Optional
 attribute: [repetitions](#)
 attribute: [group location](#)
 attribute: [fields](#)
 attribute: [group length](#)
 attribute: [groups](#)
 • **Field_Character - occurs 1 to * times**
 description: **The Field_Character class defines a field of a character record or a field of a character group.**
 role: **Concrete**
 attribute: [name](#)
 attribute: [field number](#) Optional
 attribute: [field location](#)
 attribute: [data type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String
 attribute: [field length](#)
 attribute: [field format](#) Optional
 attribute: [unit](#) Optional
 attribute: [scaling factor](#) Optional
 attribute: [value offset](#) Optional
 attribute: [description](#) Optional
 • **Special_Constants - occurs 0 to 1 times**
 description: **The Special Constants class provides a set of values used to indicate special cases that occur in the data.**
 role: **Concrete**
 attribute: [saturated constant](#) Optional
 attribute: [missing constant](#) Optional
 attribute: [error constant](#) Optional
 attribute: [invalid constant](#) Optional
 attribute: [unknown constant](#) Optional
 attribute: [not applicable constant](#) Optional
 attribute: [valid maximum](#) value: **254, 32767, 65522** Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFF, FFFFBBBB Optional
 attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDFFF Optional
 attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**

description: **The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.**

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional
- **End Field_Statistics**
- **End Field_Character**
- **End Group_Field_Character**
- **End Record_Character**
- **End Table_Character**
- **Table_Delimited - occurs 1 to * times**

description: **The Table_Delimited class defines a simple table (spreadsheet) with delimited fields and records.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [records](#)

attribute: [object_length](#) Optional

attribute: [record_delimiter](#) value: carriage-return line-feed

attribute: [parsing_standard_id](#) value: PDS DSV 1

attribute: [description](#) Optional

attribute: [field_delimiter](#) value: comma, horizontal tab, semicolon, vertical bar

 - **Uniformly_Sampled - occurs 0 to 1 times**

description: **The Uniformly_Sampled class provides parameters for a uniformly sampled table.**

role: **Concrete**

attribute: [sampling_parameter_name](#)

attribute: [sampling_parameter_interval](#)

attribute: [sampling_parameter_unit](#)

attribute: [first_sampling_parameter_value](#)

attribute: [last_sampling_parameter_value](#)

attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic
Optional

- **End Uniformly_Sampled**
- **Record_Delimited occurs 1 times**

description: The Record_Delimited class is a component of the delimited table (spreadsheet) class and defines a record of the delimited table.

role: Concrete

attribute: [maximum_record_length](#) Optional

attribute: [fields](#)

attribute: [groups](#)

- **Field_Delimited - occurs 1 to * times**

description: The Field_Delimited class defines a field of a delimited record or a field of a delimited group.

role: Concrete

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [maximum_field_length](#) Optional

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2,

- FF7FFFFD, FFFDFFFF** Optional
attribute: [low_representation_saturation](#) value: -32767, 1,
16#FF7FFFFC#, 16#FFFFFF# Optional
- **End Special_Constants**
 - **Field_Statistics - occurs 0 to 1 times**
description: **The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.**
role: **Concrete**
attribute: [local_identifier](#) Optional
attribute: [maximum](#) Optional
attribute: [minimum](#) Optional
attribute: [mean](#) Optional
attribute: [standard_deviation](#) Optional
attribute: [median](#) Optional
attribute: [description](#) Optional
 - **End Field_Statistics**
 - **End Field_Delimited**
 - **Group_Field_Delimited - occurs 1 to * times**
description: **The Field_Group_Delimited class allows a group of delimited fields.**
role: **Concrete**
attribute: [group_number](#) Optional
attribute: [repetitions](#)
attribute: [fields](#)
attribute: [groups](#)
 - **Field_Delimited - occurs 1 to * times**
description: **The Field_Delimited class defines a field of a delimited record or a field of a delimited group.**
role: **Concrete**
attribute: [name](#)
attribute: [field_number](#) Optional
attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean,
ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time,
ASCII_Date_Time_DOY, ASCII_Date_Time_UTC,
ASCII_Date_Time_YMD, ASCII_Date_YMD,
ASCII_Directory_Path_Name, ASCII_File_Name,
ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID,
ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum,
ASCII_NonNegative_Integer, ASCII_Numeric_Base16,
ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real,
ASCII_String, ASCII_Time, ASCII_VID, UTF8_String
attribute: [maximum_field_length](#) Optional
attribute: [field_format](#) Optional
attribute: [unit](#) Optional
attribute: [scaling_factor](#) Optional
attribute: [value_offset](#) Optional
attribute: [description](#) Optional
 - **Special_Constants - occurs 0 to 1 times**
description: **The Special Constants class provides a set of values used to indicate special cases that occur in the**

data.

role: **Concrete**

attribute: [saturated constant](#) Optional

attribute: [missing constant](#) Optional

attribute: [error constant](#) Optional

attribute: [invalid constant](#) Optional

attribute: [unknown constant](#) Optional

attribute: [not applicable constant](#) Optional

attribute: [valid maximum](#) value: 254, 32767, 65522 Optional

attribute: [high instrument saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high representation saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFFFFFFF Optional

attribute: [low instrument saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low representation saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **End Field_Delimited**

- **End Group_Field_Delimited**

- **End Record_Delimited**

- **End Table_Delimited**

- **End File_Area_Browse**

- **End Product_Browse**

• **Product_Bundle**

description: A Product_Bundle is an aggregate product and has a table of references to one or more collections.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical identifier](#)

attribute: [version id](#)

attribute: [title](#)

- attribute: [information_model_version](#) value: 1.0.0.0
- attribute: [product_class](#) value: Product_Bundle
- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

 - attribute: [alternate_id](#) Optional
 - attribute: [alternate_title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [publication_year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End Modification_Detail**
 - **End Modification_History**
 - **End Identification_Area**
 - **Context_Area - occurs 0 to 1 times**

description: The Context Area provides context information for a product.

role: **Concrete**

 - attribute: [comment](#) Optional
 - **Time_Coordinates - occurs 0 to 1 times**

description: The Time_Coordinates class provides a list of time coordinates.

role: **Concrete**

 - attribute: [start_date_time](#)
 - attribute: [stop_date_time](#)
 - attribute: [local_mean_solar_time](#) Optional

- attribute: [local_true_solar_time](#) Optional
 attribute: [solar_longitude](#) Optional
- **End Time_Coordinates**
- **Primary_Result_Summary - occurs 0 to 1 times**
 description: The Primary_Result_Summary class provides a high-level description of the types of products included in the collection or bundle
 role: **Concrete**
 attribute: [type](#) value: Altimetry, Astrometry, Count, E/B-Field Vectors, Gravity Model, Image, Lightcurves, Magnetometry, Map, Meteorology, Null Result, Occultation, Photometry, Physical Parameters, Polarimetry, Radiometry, Reference, Shape Model, Spectrum Optional
 attribute: [purpose](#) value: Calibration, Checkout, Engineering, Navigation, Science
 attribute: [data_regime](#) value: Dust, Electric Field, Electrons, Far Infrared, Gamma Ray, Infrared, Ions, Magnetic Field, Microwave, Millimeter, Near Infrared, Particles, Pressure, Radio, Sub-Millimeter, Temperature, Ultraviolet, Visible, X-Ray
 attribute: [processing_level_id](#) value: Calibrated, Derived, Partially Processed, Raw, Telemetry
 attribute: [description](#) Optional
- **End Primary_Result_Summary**
- **Investigation_Area - occurs 0 to * times**
 description: The Investigation_Area class provides information about an investigation (mission, observing campaign or other coordinated, large-scale data collection effort).
 role: **Concrete**
 attribute: [name](#)
 attribute: [type](#) value: Individual Investigation, Mission, Observing Campaign, Other Investigation
 - **Internal_Reference - occurs 1 to * times**
 description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.
 role: **Concrete**
 attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional
 - **End Internal_Reference**
- **End Investigation_Area**
- **Observing_System - occurs 0 to * times**
 description: The Observing System class describes the entire suite used to collect the data.
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [description](#) Optional
 - **Observing_System_Component - occurs 1 to * times**
 description: The Observing System Component class references one or more subsystems used to collect data. A subsystem can be an instrument_host, instrument, or any other similar product. Each subsystem is categorized as either a sensor or a source. If the observing system includes both a sensor and a source, Observing System Component occurs twice (once for each type) otherwise it only occurs once.
 role: **Concrete**

attribute: [name](#)
attribute: [type](#) value: Artificial Illumination, Instrument, Laboratory, Literature Search, Naked Eye, Observatory, Spacecraft, Telescope
attribute: [description](#) Optional

- **Internal_Reference - occurs 0 to 1 times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

- **End External_Reference**

- **End Observing_System_Component**

- **End Observing_System**

- **Target_Identification - occurs 0 to * times**

description: The Target_Identification class provides detailed target identification information.

role: **Concrete**

attribute: [name](#)

attribute: [alternate_designation](#) Optional

attribute: [type](#)

attribute: [description](#) Optional

- **Internal_Reference - occurs 0 to 1 times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **End Target_Identification**

- **Mission_Area - occurs 0 to 1 times**

description: The mission area allows the insertion of mission specific metadata.

role: **Concrete**

- **End Mission_Area**

- **Discipline_Area - occurs 0 to 1 times**

description: The Discipline area allows the insertion of discipline specific metadata.

role: **Concrete**

- **End Discipline_Area**

- **End Context_Area**

- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

- **End External_Reference**

- **End Reference_List**

- **Bundle occurs 1 times**

description: The Bundle class describes a collection of collections.

role: **Concrete**

attribute: [bundle_type](#) value: Archive, Supplemental

attribute: [description](#) Optional

- **End Bundle**

- **File_Area_Text - occurs 0 to 1 times**

description: The File Area Text class describes a file that contains a text stream object.

role: **Concrete**

- **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

attribute: [file_name](#)

attribute: [local_identifier](#) Optional

attribute: [creation_date_time](#) Optional

attribute: [file_size](#) Optional

attribute: [records](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [comment](#) Optional

- **End File**

- **Stream_Text occurs 1 times**

description: The Stream text class defines a text object.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [object_length](#) Optional

- attribute: [record delimiter](#) value: carriage-return line-feed
 - attribute: [parsing standard id](#)
 - attribute: [description](#) Optional
 - **End Stream_Text**
 - **End File_Area_Text**
 - **Bundle_Member_Entry - occurs 1 to * times**

description: The Bundle Member Entry class provides a member reference to a collection.

role: **Concrete**

 - attribute: [iid reference](#) Optional
 - attribute: [lidvid reference](#) Optional
 - attribute: [member status](#) value: Primary, Secondary
 - attribute: [reference type](#) value: bundle_has_browse_collection, bundle_has_calibration_collection, bundle_has_context_collection, bundle_has_data_collection, bundle_has_document_collection, bundle_has_geometry_collection, bundle_has_member_collection, bundle_has_schema_collection, bundle_has_spice_kernel_collection
 - **End Bundle_Member_Entry**
 - **End Product_Bundle**
-

• **Product_Class_Definition**

description: The Product Class Definition provides a class definition in XML encoding.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

 - attribute: [logical identifier](#)
 - attribute: [version id](#)
 - attribute: [title](#)
 - attribute: [information model version](#) value: 1.0.0.0
 - attribute: [product class](#) value: Product_Class_Definition
 - **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

 - attribute: [alternate id](#) Optional
 - attribute: [alternate title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author list](#) Optional
 - attribute: [editor list](#) Optional
 - attribute: [publication year](#)

- attribute: [description](#)
 attribute: [keyword](#) Optional
- **End** Citation_Information
- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End** Modification_Detail
 - **End** Modification_History
- **End** Identification_Area
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End** Internal_Reference
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End** External_Reference
- **End** Reference_List
- **DD_Class_Full occurs 1 times**

description: The DD_Class_Full class provides a more complete definition of a class for a data dictionary.

role: **Concrete**

 - attribute: [name](#)
 - attribute: [version_id](#)
 - attribute: [local_identifier](#)
 - attribute: [steward_id](#) value: atm, geo, img, naif, ops, pds, ppi, rings, rs, sbn
 - attribute: [type](#) value: PDS3, PDS4
 - attribute: [namespace_id](#)

- attribute: [submitter_name](#)
 - attribute: [definition](#)
 - attribute: [comment](#) Optional
 - attribute: [registered_by](#)
 - attribute: [registration_authority_id](#)
 - attribute: [abstract_flag](#) Optional
 - **DD_Association - occurs 0 to * times**

description: The DD_Association class defines the association between two classes or a class and an attribute in a data dictionary.

role: **Concrete**

attribute: [local_identifier](#)

attribute: [reference_type](#) value: [attribute_of](#), [component_of](#), [extension_of](#), [restriction_of](#), [subclass_of](#)

attribute: [minimum_occurrences](#)

attribute: [maximum_occurrences](#)

attribute: [constant_value](#) Optional
 - **End DD_Association**
 - **Terminological_Entry - occurs 0 to * times**

description: The terminological_entry class provides the name (designation) and definition of the attribute in a specified natural language.

role: **Concrete**

attribute: [name](#)

attribute: [definition](#)

attribute: [language](#) value: English, Russian

attribute: [preferred_flag](#)

 - **External_Reference_Extended - occurs 0 to * times**

description: The External_Reference_Extended class is used to reference a source outside the PDS registry system. This extension is used in the local data dictionary.

role: **Concrete**

attribute: [name](#) Optional

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

attribute: [url](#) Optional
 - **End External_Reference_Extended**
 - **End Terminological_Entry**
 - **End DD_Class_Full**
 - **End Product_Class_Definition**
-

• **Product_Collection**

description: A Product_Collection has a table of references to one or more basic products. The references are stored in a table called the inventory.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Collection

- Alias_List - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: Concrete

- Alias - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: Concrete

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- End Alias

- End Alias_List

- Citation_Information - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: Concrete

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- End Citation_Information

- Modification_History - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: Concrete

- Modification_Detail - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: Concrete

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- End Modification_Detail

- End Modification_History

- End Identification_Area

- Context_Area - occurs 0 to 1 times

description: The Context Area provides context information for a product.

role: Concrete

attribute: [comment](#) Optional

- Time_Coordinates - occurs 0 to 1 times

description: The Time_Coordinates class provides a list of time coordinates.

role: Concrete

attribute: [start_date_time](#)

attribute: [stop_date_time](#)

- attribute: [local_mean_solar_time](#) Optional
- attribute: [local_true_solar_time](#) Optional
- attribute: [solar_longitude](#) Optional
- **End Time_Coordinates**
- **Primary_Result_Summary - occurs 0 to 1 times**

description: The Primary_Result_Summary class provides a high-level description of the types of products included in the collection or bundle

role: **Concrete**

attribute: [type](#) value: Altimetry, Astrometry, Count, E/B-Field Vectors, Gravity Model, Image, Lightcurves, Magnetometry, Map, Meteorology, Null Result, Occultation, Photometry, Physical Parameters, Polarimetry, Radiometry, Reference, Shape Model, Spectrum Optional

attribute: [purpose](#) value: Calibration, Checkout, Engineering, Navigation, Science

attribute: [data_regime](#) value: Dust, Electric Field, Electrons, Far Infrared, Gamma Ray, Infrared, Ions, Magnetic Field, Microwave, Millimeter, Near Infrared, Particles, Pressure, Radio, Sub-Millimeter, Temperature, Ultraviolet, Visible, X-Ray

attribute: [processing_level_id](#) value: Calibrated, Derived, Partially Processed, Raw, Telemetry

attribute: [description](#) Optional
- **End Primary_Result_Summary**
- **Investigation_Area - occurs 0 to * times**

description: The Investigation_Area class provides information about an investigation (mission, observing campaign or other coordinated, large-scale data collection effort).

role: **Concrete**

attribute: [name](#)

attribute: [type](#) value: Individual Investigation, Mission, Observing Campaign, Other Investigation

 - **Internal_Reference - occurs 1 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
 - **End Internal_Reference**
- **End Investigation_Area**
- **Observing_System - occurs 0 to * times**

description: The Observing System class describes the entire suite used to collect the data.

role: **Concrete**

attribute: [name](#) Optional

attribute: [description](#) Optional

 - **Observing_System_Component - occurs 1 to * times**

description: The Observing System Component class references one or more subsystems used to collect data. A subsystem can be an instrument_host, instrument, or any other similar product. Each subsystem is categorized as either a sensor or a source. If the observing system includes both a sensor and a source, Observing System Component occurs twice (once for each type) otherwise it only occurs once.

role: **Concrete**
 attribute: [name](#)
 attribute: [type](#) value: Artificial Illumination, Instrument, Laboratory, Literature Search, Naked Eye, Observatory, Spacecraft, Telescope
 attribute: [description](#) Optional

- **Internal_Reference - occurs 0 to 1 times**
 description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**
 attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**
 description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional

- **End External_Reference**
- **End Observing_System_Component**

- **End Observing_System**
- **Target_Identification - occurs 0 to * times**
 description: The Target_Identification class provides detailed target identification information.

role: **Concrete**
 attribute: [name](#)
 attribute: [alternate_designation](#) Optional
 attribute: [type](#)
 attribute: [description](#) Optional

- **Internal_Reference - occurs 0 to 1 times**
 description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**
 attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**

- **End Target_Identification**
- **Mission_Area - occurs 0 to 1 times**
 description: The mission area allows the insertion of mission specific metadata.

role: **Concrete**
 • **End Mission_Area**

- **Discipline_Area - occurs 0 to 1 times**
 description: The Discipline area allows the insertion of discipline specific metadata.

role: **Concrete**
 • **End Discipline_Area**

- **End Context_Area**
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [lid reference](#) Optional
 - attribute: [lidvid reference](#) Optional
 - attribute: [reference type](#)
 - attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference text](#)
 - attribute: [description](#) Optional
 - **End External_Reference**
- **End Reference_List**
- **Collection occurs 1 times**

description: The Collection class provides a description of a set of products.

role: **Concrete**

 - attribute: [collection type](#) value: Browse, Calibration, Context, Data, Document, Geometry, Miscellaneous, SPICE Kernel, XML Schema
 - attribute: [description](#) Optional
- **End Collection**
- **File_Area_Inventory occurs 1 times**

description: The File Area Inventory class describes a file and an inventory consisting of references to members.

role: **Concrete**

 - **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

 - attribute: [file name](#)
 - attribute: [local identifier](#) Optional
 - attribute: [creation date time](#) Optional
 - attribute: [file size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5 checksum](#) Optional
 - attribute: [comment](#) Optional
 - **End File**
 - **Inventory occurs 1 times**

description: The Inventory class defines the inventory for members of a collection.

role: **Concrete**

 - attribute: [name](#) Optional

attribute: [local_identifier](#) Optional
 attribute: [reference_type](#) value: **inventory_has_member_product**
 attribute: [offset](#)
 attribute: [records](#)
 attribute: [object_length](#) Optional
 attribute: [record_delimiter](#) value: **carriage-return line-feed**
 attribute: [parsing_standard_id](#) value: **PDS DSV 1**
 attribute: [description](#) Optional
 attribute: [field_delimiter](#) value: **comma, horizontal tab, semicolon, vertical bar**

- **Uniformly_Sampled - occurs 0 to 1 times**
 description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.
 role: **Concrete**
 attribute: [sampling_parameter_name](#)
 attribute: [sampling_parameter_interval](#)
 attribute: [sampling_parameter_unit](#)
 attribute: [first_sampling_parameter_value](#)
 attribute: [last_sampling_parameter_value](#)
 attribute: [sampling_parameter_scale](#) value: **Exponential, Linear, Logarithmic**
 Optional
- **End Uniformly_Sampled**
- **Record_Delimited occurs 1 times**
 description: The Record_Delimited class is a component of the delimited table (spreadsheet) class and defines a record of the delimited table.
 role: **Concrete**
 attribute: [maximum_record_length](#) Optional
 attribute: [fields](#)
 attribute: [groups](#)
 - **Field_Delimited - occurs 1 to * times**
 description: The Field_Delimited class defines a field of a delimited record or a field of a delimited group.
 role: **Concrete**
 attribute: [name](#)
 attribute: [field_number](#) Optional
 attribute: [data_type](#) value: **ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String**
 attribute: [maximum_field_length](#) Optional
 attribute: [field_format](#) Optional
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
 attribute: [description](#) Optional
 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDDDD Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **End Field_Delimited**

- **Group_Field_Delimited - occurs 1 to * times**

description: The Field_Group_Delimited class allows a group of delimited fields.

role: **Concrete**

attribute: [group_number](#) Optional

attribute: [repetitions](#)

attribute: [fields](#)

attribute: [groups](#)

- **Field_Delimited - occurs 1 to * times**

description: The Field_Delimited class defines a field of a delimited record or a field of a delimited group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time,

ASCII_Date_Time_DOF, ASCII_Date_Time_UTC,
ASCII_Date_Time_YMD, ASCII_Date_YMD,
ASCII_Directory_Path_Name, ASCII_File_Name,
ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID,
ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum,
ASCII_NonNegative_Integer, ASCII_Numeric_Base16,
ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real,
ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [maximum_field_length](#) Optional

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFBFFFFFF Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: Concrete

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**
- **End Field_Delimited**
- **End Group_Field_Delimited**
- **End Record_Delimited**
- **End Inventory**
- **End File_Area_Inventory**
- **End Product_Collection**

- **Product_Context**

description: The Product Context class describes something that provides context and provenance for an observational product.

role: **Concrete**

 - **Identification_Area** occurs 1 times

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Context
 - **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class

documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End** Modification_Detail
 - **End** Modification_History
- **End** Identification_Area
- **Discipline_Area - occurs 0 to 1 times**

description: The Discipline area allows the insertion of discipline specific metadata.

role: **Concrete**
- **End** Discipline_Area
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [jid reference](#) Optional
 - attribute: [jidvid reference](#) Optional
 - attribute: [reference type](#)
 - attribute: [comment](#) Optional
 - **End** Internal_Reference
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference text](#)
 - attribute: [description](#) Optional
 - **End** External_Reference
- **End** Reference_List
- **Instrument occurs 1 times**

description: The Instrument class provides a description of a physical object that collects data.

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [type](#) value: Accelerometer, Alpha Particle Detector, Alpha Particle Xray Spectrometer, Altimeter, Anemometer, Atomic Force Microscope, Barometer, Biology Experiments, Bolometer, Camera, Cosmic Ray Detector, Dust Detector, Electrical Probe, Energetic Particle Detector, Gamma Ray Detector, Gas Analyzer, Grinding And Drilling Tool, Hygrometer, Imager, Imaging Spectrometer, Inertial Measurement Unit, Infrared Spectrometer, Laser Induced Breakdown Spectrometer, Magnetometer, Mass Spectrometer, Microwave Spectrometer, Moessbauer Spectrometer, Naked Eye, Neutral Particle Detector, Neutron Detector, Photometer, Plasma Analyzer, Plasma Detector, Plasma Wave Spectrometer, Polarimeter, RADAR, Radio Science, Radio Spectrometer, Radio Telescope, Radiometer, Reflectometer, Spectrograph Imager, Spectrometer, Thermal And Electrical Conductivity Probe, Thermal Imager, Thermal Probe,

Thermometer, Ultraviolet Spectrometer, Wet Chemistry Laboratory, X-ray Defraction Spectrometer, X-ray Detector, X-ray Fluorescence, X-ray Fluorescence Spectrometer
attribute: [description](#)

attribute: [model_id](#) Optional

attribute: [naif_instrument_id](#) Optional

attribute: [serial_number](#) Optional

- **End** Instrument

- **Instrument_Host** occurs 1 times

description: **The Instrument Host class provides a description of the physical object upon which an instrument is mounted.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [version_id](#) Optional

attribute: [type](#) value: **Earth Based, Rover, Spacecraft**

attribute: [description](#)

attribute: [naif_host_id](#) Optional

attribute: [serial_number](#) Optional

- **End** Instrument_Host

- **Investigation** occurs 1 times

description: **The Investigation class provides a description of activities involved in the collection of data.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [type](#) value: **Individual Investigation, Mission, Observing Campaign, Other Investigation**

attribute: [start_date](#)

attribute: [stop_date](#)

attribute: [description](#)

- **End** Investigation

- **Target** occurs 1 times

description: **The Target class provides a description of a physical object that is the object of data collection.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [type](#) value: **Asteroid, Comet, Dust, Dwarf Planet, Galaxy, Globular Cluster, Meteorite, Meteoroid, Meteoroid Stream, Nebula, Open Cluster, Planet, Planetary Nebula, Planetary System, Plasma Cloud, Ring, Satellite, Star, Star Cluster, Sun, Terrestrial Sample, Trans-Neptunian Object** Optional

attribute: [description](#)

- **End** Target

- **Agency** occurs 1 times

description: **The Agency class provides a description of an entity that provides regional or national level governance over nodes within the federated Planetary Data System.**

role: **Concrete**

attribute: [name](#) value: **European Space Agency, National Aeronautics and Space Administration**

attribute: [description](#)

- **End** Agency

- **Facility** occurs 1 times

description: **The Facility class provides a name and address for a terrestrial observatory or laboratory.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [type](#) value: **Laboratory, Observatory** Optional

attribute: [address](#) Optional

attribute: [country](#) Optional

attribute: [description](#) Optional

- **End Facility**

- **Node occurs 1 times**

description: **The Node class provides a description of an entity that provides local governance within the federated Planetary Data System.**

role: **Concrete**

attribute: [name](#) value: **Engineering, Geosciences, Imaging, Management, Navigation**

Ancillary Information Facility, Planetary Atmospheres, Planetary Plasma Interactions,

Planetary Rings, Planetary Science Archive, Radio Science, Small Bodies

attribute: [description](#)

attribute: [institution_name](#)

- **End Node**

- **Other occurs 1 times**

description: **The Other class provides a description of activities involved in the collection of data which are not otherwise modeled.**

role: **Concrete**

attribute: [description](#)

- **End Other**

- **PDS_Affiliate occurs 1 times**

description: **The PDS Affiliate class provides a description of a person who has an association with the planetary science community and has access to PDS resources not normally allowed to the general public.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [registration_date](#)

attribute: [electronic_mail_address](#) Optional

attribute: [sort_name](#)

attribute: [description](#)

attribute: [affiliation_type](#) value: **Affiliate, Data Provider, Manager, Technical Staff**

attribute: [alternate_telephone_number](#) Optional

attribute: [institution_name](#)

attribute: [phone_book_flag](#)

attribute: [postal_address_text](#)

attribute: [team_name](#) value: **Engineering, Geosciences, Headquarters, Imaging,**

Management, National Space Science Data Center, Navigation Ancillary Information

Facility, Planetary Atmospheres, Planetary Plasma Interactions, Planetary Rings, Radio

Science, Small Bodies Optional

attribute: [telephone_number](#) Optional

- **End PDS_Affiliate**

- **PDS_Guest occurs 1 times**

description: **The PDS_Guest class is the default description of a person who has an association with the planetary science community and who has the most limited access to PDS resources.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [registration_date](#)

- attribute: [electronic_mail_address](#) Optional
 attribute: [sort_name](#)
 attribute: [description](#)
- **End PDS_Guest**
 - **Resource occurs 1 times**

description: The Resource class provides a description of a web resource.
 role: **Concrete**

attribute: [name](#) Optional
 attribute: [type](#) value: **Information.Agency, Information.Instrument, Information.Instrument_Host, Information.Investigation, Information.Node, Information.Person, Information.Resource, Information.Science_Portal, Information.Target, System.Browse, System.Directory_Listing, System.Registry_Query, System.Search, System.Transform, System.Transport**
 attribute: [description](#)
 attribute: [url](#)

 - **End Resource**
 - **Telescope occurs 1 times**

description: The Telescope class provides coordinates and parameters for terrestrial, ground-based telescopes.
 role: **Concrete**

attribute: [aperture](#)
 attribute: [telescope_longitude](#) Optional
 attribute: [telescope_latitude](#) Optional
 attribute: [altitude](#)
 attribute: [coordinate_source](#) value: **Aerial survey - North American (1983) datum, Astronomical, Doppler determined - WGS 72 datum, Geodetic - Adindan datum, Geodetic - Australian datum, Geodetic - Campo Inchauspe (Argentina) datum, Geodetic - Cape (South Africa) datum, Geodetic - Corregio Alegre (Brazil) datum, Geodetic - European 1979 datum, Geodetic - European datum, Geodetic - GRS 80 datum, Geodetic - Hermannskogel datum, Geodetic - Indian datum, Geodetic - La Canoa (Venezuela) datum, Geodetic - New Zealand datum, Geodetic - North American (1927) datum, Geodetic - Old Hawaiian datum, Geodetic - Ordnance Survey of Great Britain (1936) datum, Geodetic - Ordnance Survey of Great Britain (SN) 1980 datum, Geodetic - Potsdam datum, Geodetic - Puerto Rican (1940) datum, Geodetic - South American datum, Geodetic - Tokyo datum, Geodetic - WGS 84 datum, Geodetic - datum unknown, Satellite determined - datum unknown, Unknown**
 attribute: [description](#) Optional

 - **End Telescope**
-
- **End Product_Context**
 - **Product_Data_Set_PDS3**

description: The Data Set PDS3 product is used to create proxy labels for the data sets in the PDS3 Data Set catalog.
 role: **Concrete**

 - **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.
 role: **Concrete**

attribute: [logical_identifier](#)
 attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Data_Set_PDS3

- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End Citation_Information**

- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End Modification_Detail**

- **End Modification_History**

- **End Identification_Area**

- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

 - **End External_Reference**
- **End Reference_List**
- **Data_Set_PDS3 occurs 1 times**

description: The Data Set PDS3 class is used to capture the data set information from the PDS3 Data Set Catalog.

role: **Concrete**

attribute: [data_set_id](#)

attribute: [data_set_name](#)

attribute: [data_set_release_date](#)

attribute: [start_date_time](#)

attribute: [stop_date_time](#)

attribute: [producer_full_name](#)

attribute: [citation_text](#)

attribute: [data_set_terse_desc](#)

attribute: [abstract_desc](#)

attribute: [data_set_desc](#)

attribute: [confidence_level_note](#)

attribute: [archive_status](#) value: ARCHIVED, ARCHIVED_ACCUMULATING, IN LIEN RESOLUTION, IN LIEN RESOLUTION_ACCUMULATING, IN_PEER REVIEW, IN_PEER REVIEW_ACCUMULATING, IN_QUEUE, IN_QUEUE_ACCUMULATING, LOCALLY_ARCHIVED, LOCALLY_ARCHIVED_ACCUMULATING, PRE_PEER REVIEW, PRE_PEER REVIEW_ACCUMULATING, SAFED, SUPERSEDED

 - **NSSDC - occurs 0 to * times**

description: The NSSDC Information class provides identification information for data submitted to the NSSDC.

role: **Concrete**

attribute: [medium_type](#)

attribute: [nssdc_collection_id](#)

 - **End NSSDC**
 - **End Data_Set_PDS3**
- **End Product_Data_Set_PDS3**

• **Product_DIP**

description: The Product DIP class defines a product for the Dissemination Information Package.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

- attribute: [version_id](#)
- attribute: [title](#)
- attribute: [information_model_version](#) value: 1.0.0.0
- attribute: [product_class](#) value: Product_DIP
- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

 - attribute: [alternate_id](#) Optional
 - attribute: [alternate_title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [publication_year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End Modification_Detail**
 - **End Modification_History**
 - **End Identification_Area**
 - **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

- role: **Concrete**
 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.
- role: **Concrete**
 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
- **End External_Reference**
- **End Reference_List**
- **Dissemination_Information_Package occurs 1 times**

description: The Dissemination Information Package (DIP) class defines an Information Package, derived from one or more AIPs, that is received by a consumer.
- role: **Concrete**
 - attribute: [description](#)
- **End Dissemination_Information_Package**
- **Information_Package_Component - occurs 1 to * times**

description: The Information_Package_Component class associates a Bundle, Collections or Basic Products with Checksum and Storage Manifests.
- role: **Concrete**
 - attribute: [checksum_manifest_checksum](#) Optional
 - attribute: [checksum_type](#) Optional
 - attribute: [transfer_manifest_checksum](#) Optional
- **Internal_Reference - occurs 1 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.
- role: **Concrete**
 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
- **End Internal_Reference**
- **File_Area_Checksum_Manifest - occurs 0 to 1 times**

description: The File Area Checksum Manifest class describes a file that contains a two column table for file references and checksums.
- role: **Concrete**
 - **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.
 - role: **Concrete**
 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional

- attribute: [md5_checksum](#) Optional
 attribute: [comment](#) Optional
- **End File**
- **Checksum_Manifest occurs 1 times**
 description: The Checksum_Manifest class defines a two column table for file references and checksums. The table structure is compatible with the output from an MD5 checksum utility.
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [object_length](#) Optional
 attribute: [record_delimiter](#) value: carriage-return line-feed
 attribute: [parsing_standard_id](#) value: MD5Deep 4.n
 attribute: [description](#) Optional
- **End Checksum_Manifest**
- **End File_Area_Checksum_Manifest**
- **File_Area_Transfer_Manifest - occurs 0 to 1 times**
 description: The File Area Transfer Manifest class describes a file that contains a two column table that maps the logical identifiers and version ids of products to their file specification names.
 role: **Concrete**
 - **File occurs 1 times**
 description: The File class consists of attributes that describe a file in a data store.
 - role: **Concrete**
 attribute: [file_name](#)
 attribute: [local_identifier](#) Optional
 attribute: [creation_date_time](#) Optional
 attribute: [file_size](#) Optional
 attribute: [records](#) Optional
 attribute: [md5_checksum](#) Optional
 attribute: [comment](#) Optional
- **End File**
- **Transfer_Manifest occurs 1 times - Base_Class:Table_Base**
 description: The Transfer_Manifest class defines a table that maps product LIDVIDs to the file_specificaiton_names of the products' XML label files.
 role: **Concrete**
 - attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [records](#)
 attribute: [record_delimiter](#) value: carriage-return line-feed
 attribute: [description](#) Optional
 - **Uniformly_Sampled - occurs 0 to 1 times**
 description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.
 role: **Concrete**
 attribute: [sampling_parameter_name](#)
 attribute: [sampling_parameter_interval](#)

attribute: [sampling_parameter_unit](#)
 attribute: [first_sampling_parameter_value](#)
 attribute: [last_sampling_parameter_value](#)
 attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic Optional

- **End_Uniformly_Sampled**
- **Record_Character occurs 1 times**

description: The Record_Character class is a component of the table class and defines a record of the table.

role: **Concrete**

attribute: [record_length](#)

attribute: [fields](#)

attribute: [groups](#)
 - **Field_Character - occurs 1 to * times**

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [field_length](#)

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

• **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFF, FFFBFFFF Optional
 attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional
- **End Field_Statistics**
- **End Field_Character**
- **Group_Field_Character - occurs 1 to * times**

description: The Group_Field_Character class allows a group of table fields.

role: **Concrete**

attribute: [group_number](#) Optional

attribute: [repetitions](#)

attribute: [group_location](#)

attribute: [fields](#)

attribute: [group_length](#)

attribute: [groups](#)
- **Field_Character - occurs 1 to * times**

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID,

- UTF8_String**
attribute: [field_length](#) Optional
attribute: [field_format](#) Optional
attribute: [unit](#) Optional
attribute: [scaling_factor](#) Optional
attribute: [value_offset](#) Optional
attribute: [description](#) Optional
- **Special_Constants - occurs 0 to 1 times**
description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
role: **Concrete**
attribute: [saturated_constant](#) Optional
attribute: [missing_constant](#) Optional
attribute: [error_constant](#) Optional
attribute: [invalid_constant](#) Optional
attribute: [unknown_constant](#) Optional
attribute: [not_applicable_constant](#) Optional
attribute: [valid_maximum](#) value: 254, 32767, 65522 °
attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEFFF# Optional
 - **End Special_Constants**
 - **Field_Statistics - occurs 0 to 1 times**
description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.
role: **Concrete**
attribute: [local_identifier](#) Optional
attribute: [maximum](#) Optional
attribute: [minimum](#) Optional
attribute: [mean](#) Optional
attribute: [standard_deviation](#) Optional
attribute: [median](#) Optional
attribute: [description](#) Optional
 - **End Field_Statistics**
 - **End Field_Character**
 - **End Group_Field_Character**
 - **End Record_Character**
 - **End Transfer_Manifest**
 - **End File_Area_Transfer_Manifest**

- **End** Information_Package_Component
 - **End** Product_DIP
-

- **Product_DIP_Deep_Archive**

description: The Product DIP_Deep_Archive class defines a product for the Dissemination Information Package for the deep archive.

role: **Concrete**

- **Identification_Area** occurs 1 times

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_DIP_Deep_Archive

- **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End** Alias

- **End** Alias_List

- **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End** Citation_Information

- **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End Modification_Detail**
- **End Modification_History**
- **End Identification_Area**
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional
 - **End External_Reference**
- **End Reference_List**
- **DIP_Deep_Archive occurs 1 times**

description: The Dissemination Information Package Deep Archive class is an Information Package derived from one or more AIPs and is received by the National Space Science Data Center (NSSDC).

role: **Concrete**

attribute: [description](#)
- **End DIP_Deep_Archive**
- **Information_Package_Component - occurs 1 to * times**

description: The Information_Package_Component class associates a Bundle, Collections or Basic Products with Checksum and Storage Manifests.

role: **Concrete**

attribute: [checksum_manifest_checksum](#) Optional

attribute: [checksum_type](#) Optional

attribute: [transfer_manifest_checksum](#) Optional

 - **Internal_Reference - occurs 1 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **File_Area_Checksum_Manifest - occurs 0 to 1 times**

description: The File Area Checksum Manifest class describes a file that contains a two column table for file references and checksums.

role: Concrete

- File occurs 1 times

description: The File class consists of attributes that describe a file in a data store.

role: Concrete

attribute: [file_name](#)

attribute: [local_identifier](#) Optional

attribute: [creation_date_time](#) Optional

attribute: [file_size](#) Optional

attribute: [records](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [comment](#) Optional

- End File

- Checksum_Manifest occurs 1 times

description: The Checksum_Manifest class defines a two column table for file references and checksums. The table structure is compatible with the output from an MD5 checksum utility.

role: Concrete

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [object_length](#) Optional

attribute: [record_delimiter](#) value: carriage-return line-feed

attribute: [parsing_standard_id](#) value: MD5Deep 4.n

attribute: [description](#) Optional

- End Checksum_Manifest

- End File_Area_Checksum_Manifest

- File_Area_Transfer_Manifest - occurs 0 to 1 times

description: The File Area Transfer Manifest class describes a file that contains a two column table that maps the logical identifiers and version ids of products to their file specification names.

role: Concrete

- File occurs 1 times

description: The File class consists of attributes that describe a file in a data store.

role: Concrete

attribute: [file_name](#)

attribute: [local_identifier](#) Optional

attribute: [creation_date_time](#) Optional

attribute: [file_size](#) Optional

attribute: [records](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [comment](#) Optional

- End File

- Transfer_Manifest occurs 1 times - Base_Class:Table_Base

description: The Transfer_Manifest class defines a table that maps product LIDVIDs to the file_specificaiton_names of the products' XML label files.

role: Concrete

attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [records](#)
 attribute: [record_delimiter](#) value: carriage-return line-feed
 attribute: [description](#) Optional

- **Uniformly_Sampled** - occurs 0 to 1 times

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.

role: **Concrete**

attribute: [sampling_parameter_name](#)
 attribute: [sampling_parameter_interval](#)
 attribute: [sampling_parameter_unit](#)
 attribute: [first_sampling_parameter_value](#)
 attribute: [last_sampling_parameter_value](#)
 attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic Optional
- **End Uniformly_Sampled**
- **Record_Character** occurs 1 times

description: The Record_Character class is a component of the table class and defines a record of the table.

role: **Concrete**

attribute: [record_length](#)
 attribute: [fields](#)
 attribute: [groups](#)
 - **Field_Character** - occurs 1 to * times

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: [name](#)
 attribute: [field_number](#) Optional
 attribute: [field_location](#)
 attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [field_length](#)
 attribute: [field_format](#) Optional
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
 attribute: [description](#) Optional

- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the

data.

role: **Concrete**

attribute: [saturated constant](#) Optional

attribute: [missing constant](#) Optional

attribute: [error constant](#) Optional

attribute: [invalid constant](#) Optional

attribute: [unknown constant](#) Optional

attribute: [not applicable constant](#) Optional

attribute: [valid maximum](#) value: 254, 32767, 65522 Optional

attribute: [high instrument saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high representation saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFFFFFFF Optional

attribute: [low instrument saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low representation saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **End Field_Character**

- **Group_Field_Character - occurs 1 to * times**

description: The Group_Field_Character class allows a group of table fields.

role: **Concrete**

attribute: [group number](#) Optional

attribute: [repetitions](#)

attribute: [group location](#)

attribute: [fields](#)

attribute: [group length](#)

attribute: [groups](#)

- **Field_Character - occurs 1 to * times**

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: [name](#)

attribute: [field number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [field_length](#)

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 ○
ptional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEFFF# Optional
- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: Concrete

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

- attribute: [minimum](#) Optional
 - attribute: [mean](#) Optional
 - attribute: [standard deviation](#) Optional
 - attribute: [median](#) Optional
 - attribute: [description](#) Optional
- **End Field_Statistics**
- **End Field_Character**
- **End Group_Field_Character**
- **End Record_Character**
- **End Transfer_Manifest**
- **End File_Area_Transfer_Manifest**
- **End Information_Package_Component**
- **End Product_DIP_Deep_Archive**

- **Product_Document**

description: A Product Document is a product consisting of a single logical document that may be comprised of one or more document formats.

role: **Concrete**

 - **Identification_Area** occurs 1 times

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

 - attribute: [logical identifier](#)
 - attribute: [version id](#)
 - attribute: [title](#)
 - attribute: [information model version](#) value: 1.0.0.0
 - attribute: [product class](#) value: Product_Document
 - **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

 - attribute: [alternate id](#) Optional
 - attribute: [alternate title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author list](#) Optional
 - attribute: [editor list](#) Optional
 - attribute: [publication year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: Concrete

- Modification_Detail - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: Concrete

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- End Modification_Detail

- End Modification_History

- End Identification_Area

- Context_Area - occurs 0 to 1 times

description: The Context Area provides context information for a product.

role: Concrete

attribute: [comment](#) Optional

- Time_Coordinates - occurs 0 to 1 times

description: The Time_Coordinates class provides a list of time coordinates.

role: Concrete

attribute: [start_date_time](#)

attribute: [stop_date_time](#)

attribute: [local_mean_solar_time](#) Optional

attribute: [local_true_solar_time](#) Optional

attribute: [solar_longitude](#) Optional

- End Time_Coordinates

- Primary_Result_Summary - occurs 0 to 1 times

description: The Primary_Result_Summary class provides a high-level description of the types of products included in the collection or bundle

role: Concrete

attribute: [type](#) value: Altimetry, Astrometry, Count, E/B-Field Vectors, Gravity Model, Image, Lightcurves, Magnetometry, Map, Meteorology, Null Result, Occultation, Photometry, Physical Parameters, Polarimetry, Radiometry, Reference, Shape Model, Spectrum Optional

attribute: [purpose](#) value: Calibration, Checkout, Engineering, Navigation, Science

attribute: [data_regime](#) value: Dust, Electric Field, Electrons, Far Infrared, Gamma Ray, Infrared, Ions, Magnetic Field, Microwave, Millimeter, Near Infrared, Particles, Pressure, Radio, Sub-Millimeter, Temperature, Ultraviolet, Visible, X-Ray

attribute: [processing_level_id](#) value: Calibrated, Derived, Partially Processed, Raw, Telemetry

attribute: [description](#) Optional

- End Primary_Result_Summary

- Investigation_Area - occurs 0 to * times

description: The Investigation_Area class provides information about an investigation (mission, observing campaign or other coordinated, large-scale data collection effort).

role: Concrete

attribute: [name](#)

attribute: [type](#) value: Individual Investigation, Mission, Observing Campaign, Other Investigation

- **Internal_Reference** - occurs 1 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
- **End Internal_Reference**
- **End Investigation_Area**
- **Observing_System** - occurs 0 to * times

description: The Observing System class describes the entire suite used to collect the data.

role: **Concrete**

attribute: [name](#) Optional

attribute: [description](#) Optional
- **Observing_System_Component** - occurs 1 to * times

description: The Observing System Component class references one or more subsystems used to collect data. A subsystem can be an instrument_host, instrument, or any other similar product. Each subsystem is categorized as either a sensor or a source. If the observing system includes both a sensor and a source, Observing System Component occurs twice (once for each type) otherwise it only occurs once.

role: **Concrete**

attribute: [name](#)

attribute: [type](#) value: Artificial Illumination, Instrument, Laboratory, Literature Search, Naked Eye, Observatory, Spacecraft, Telescope

attribute: [description](#) Optional
- **Internal_Reference** - occurs 0 to 1 times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
- **End Internal_Reference**
- **External_Reference** - occurs 0 to * times

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional
- **End External_Reference**
- **End Observing_System_Component**
- **End Observing_System**
- **Target_Identification** - occurs 0 to * times

description: The Target_Identification class provides detailed target identification information.

role: **Concrete**
 attribute: [name](#)
 attribute: [alternate_designation](#) Optional
 attribute: [type](#)
 attribute: [description](#) Optional

- **Internal_Reference - occurs 0 to 1 times**
 description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**
 attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**

- **End Target_Identification**
- **Mission_Area - occurs 0 to 1 times**
 description: The mission area allows the insertion of mission specific metadata.

role: **Concrete**

- **End Mission_Area**
- **Discipline_Area - occurs 0 to 1 times**
 description: The Discipline area allows the insertion of discipline specific metadata.

role: **Concrete**

- **End Discipline_Area**

- **End Context_Area**
- **Reference_List - occurs 0 to 1 times**
 description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

- **Internal_Reference - occurs 0 to * times**
 description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

- attribute: [lid_reference](#) Optional
- attribute: [lidvid_reference](#) Optional
- attribute: [reference_type](#)
- attribute: [comment](#) Optional

- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**
 description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

- attribute: [doi](#) Optional
- attribute: [reference_text](#)
- attribute: [description](#) Optional

- **End External_Reference**

- **End Reference_List**
- **Document occurs 1 times**
 description: The Document class describes a document.

role: **Concrete**

- attribute: [revision_id](#) Optional
 - attribute: [document_name](#) Optional
 - attribute: [doi](#) Optional
 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [acknowledgement_text](#) Optional
 - attribute: [copyright](#) Optional
 - attribute: [description](#) Optional
 - attribute: [publication_date](#)
 - **End Document**
 - **Document_Format_Set - occurs 1 to * times**

description: **The Document Format Set class is a set consisting of a document format and associated files.**

role: **Concrete**

 - **Document_Format occurs 1 times**

description: **The Document Format provides a description of a variant of a logical document that is stored in a specific format. For example the PDS Standards Reference has HTML and PDF formatted versions.**

role: **Concrete**

 - attribute: [starting_point_identifier](#) Optional
 - attribute: [format_type](#) value: **multiple file, single file**
 - attribute: [description](#) Optional
 - **End Document_Format**
 - **Document_File - occurs 1 to * times**

description: **The Document File class describes a file which is a part of a document.**

role: **Concrete**

 - attribute: [file_name](#)
 - attribute: [directory_path_name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [document_standard_id](#) value: **7-Bit ASCII Text, Encapsulated Postscript, GIF, HTML 2.0, HTML 3.2, HTML 4.0, HTML 4.01, JPEG, LaTEX, Microsoft Word, PDF, PDF/A, PNG, Postscript, Rich Text, TIFF, UTF-8 Text**
 - attribute: [comment](#) Optional
 - **End Document_File**
 - **End Document_Format_Set**
 - **End Product_Document**
-

• **Product_File_Repository**

description: **The Product File Repository class consists of a single text file. This product is used to register a file in a repository.**

role: **Concrete**

- **Identification_Area occurs 1 times**

description: **The identification area consists of attributes that identify and name an object.**

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_File_Repository

- Alias_List - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: Concrete

- Alias - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: Concrete

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- End Alias

- End Alias_List

- Citation_Information - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: Concrete

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- End Citation_Information

- Modification_History - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: Concrete

- Modification_Detail - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: Concrete

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- End Modification_Detail

- End Modification_History

- End Identification_Area

- Reference_List - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: Concrete

- Internal_Reference - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: Concrete

attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**
 description: **The External_Reference class is used to reference a source outside the PDS registry system.**
 role: **Concrete**
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional
- **End External_Reference**

- **End Reference_List**
- **File_Area_Binary occurs 1 times**
 description: **The File Area Binary class describes a file that contains an encoded byte stream.**
 role: **Concrete**
 - **File occurs 1 times**
 description: **The File class consists of attributes that describe a file in a data store.**
 role: **Concrete**
 attribute: [file_name](#)
 attribute: [local_identifier](#) Optional
 attribute: [creation_date_time](#) Optional
 attribute: [file_size](#) Optional
 attribute: [records](#) Optional
 attribute: [md5_checksum](#) Optional
 attribute: [comment](#) Optional
 - **End File**
 - **Encoded_Binary - occurs 0 to * times**
 description: **The Encoded Binary class describes a binary encoded byte stream.**
This class is used to describe files in the repository that are being registered using Product_File_Repository.
 role: **Concrete**
 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#) Optional
 - attribute: [encoding_standard_id](#) value: **CCSDS Communication Protocols**
 - attribute: [description](#) Optional
 - **End Encoded_Binary**
- **End File_Area_Binary**
- **End Product_File_Repository**

• **Product_File_Text**

description: **The Product File Text consists of a single text file with ASCII character encoding.**
 role: **Concrete**

- **Identification_Area occurs 1 times**
 description: **The identification area consists of attributes that identify and name an object.**
 role: **Concrete**

- attribute: [logical_identifier](#)
- attribute: [version_id](#)
- attribute: [title](#)
- attribute: [information_model_version](#) value: 1.0.0.0
- attribute: [product_class](#) value: Product_File_Text
- **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

 - attribute: [alternate_id](#) Optional
 - attribute: [alternate_title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [publication_year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End Modification_Detail**
 - **End Modification_History**
 - **End Identification_Area**
 - **Reference_List** - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference** - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products

in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**

description: **The External_Reference class is used to reference a source outside the PDS registry system.**

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

- **End External_Reference**

- **End Reference_List**

- **File_Area_Text occurs 1 times**

description: **The File Area Text class describes a file that contains a text stream object.**

role: **Concrete**

- **File occurs 1 times**

description: **The File class consists of attributes that describe a file in a data store.**

role: **Concrete**

attribute: [file_name](#)

attribute: [local_identifier](#) Optional

attribute: [creation_date_time](#) Optional

attribute: [file_size](#) Optional

attribute: [records](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [comment](#) Optional

- **End File**

- **Stream_Text occurs 1 times**

description: **The Stream text class defines a text object.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [object_length](#) Optional

attribute: [record_delimiter](#) value: **carriage-return line-feed**

attribute: [parsing_standard_id](#)

attribute: [description](#) Optional

- **End Stream_Text**

- **End File_Area_Text**

- **End Product_File_Text**
-

• **Product_Instrument_Host_PDS3**

description: **An Instrument Host product describes an instrument host. This product captures the PDS3 catalog instrument host information.**

role: **Concrete**

- **Identification_Area occurs 1 times**

description: **The identification area consists of attributes that identify and name an object.**

- role: **Concrete**
attribute: [logical_identifier](#)
attribute: [version_id](#)
attribute: [title](#)
attribute: [information_model_version](#) value: 1.0.0.0
attribute: [product_class](#) value: Product_Instrument_Host_PDS3
- **Alias_List - occurs 0 to 1 times**
description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.
- role: **Concrete**
- **Alias - occurs 1 to * times**
description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.
- role: **Concrete**
- [alternate_id](#) Optional
 - [alternate_title](#) Optional
 - [comment](#) Optional
- **End Alias**
- **End Alias_List**
- **Citation_Information - occurs 0 to 1 times**
description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.
- role: **Concrete**
- [author_list](#) Optional
 - [editor_list](#) Optional
 - [publication_year](#)
 - [description](#)
 - [keyword](#) Optional
- **End Citation_Information**
- **Modification_History - occurs 0 to 1 times**
description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.
- role: **Concrete**
- **Modification_Detail - occurs 1 to * times**
description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.
- role: **Concrete**
- [modification_date](#)
 - [version_id](#)
 - [description](#)
- **End Modification_Detail**
- **End Modification_History**
- **End Identification_Area**
- **Reference_List - occurs 0 to 1 times**
description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.
- role: **Concrete**
- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: Concrete

attribute: [lid reference](#) Optional

attribute: [lidvid reference](#) Optional

attribute: [reference type](#)

attribute: [comment](#) Optional

- **End** Internal_Reference

- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: Concrete

attribute: [doi](#) Optional

attribute: [reference text](#)

attribute: [description](#) Optional

- **End** External_Reference

- **End** Reference_List

- **Instrument_Host_PDS3 occurs 1 times**

description: The Instrument Host class provides a description of the physical object upon which an instrument is mounted. This class captures the PDS3 catalog Instrument Host information.

role: Concrete

attribute: [instrument host name](#)

attribute: [instrument host desc](#)

attribute: [instrument host id](#)

attribute: [instrument host type](#)

- **End** Instrument_Host_PDS3

- **End** Product_Instrument_Host_PDS3
-

• **Product_Instrument_PDS3**

description: An Instrument product describes an instrument. This product captures the PDS3 catalog instrument information.

role: Concrete

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: Concrete

attribute: [logical identifier](#)

attribute: [version id](#)

attribute: [title](#)

attribute: [information model version](#) value: 1.0.0.0

attribute: [product class](#) value: Product_Instrument_PDS3

- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: Concrete

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: Concrete

- attribute: [alternate_id](#) Optional
- attribute: [alternate_title](#) Optional
- attribute: [comment](#) Optional
- **End Alias**
- **End Alias_List**
- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [publication_year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
- **End Citation_Information**
- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End Modification_Detail**
- **End Modification_History**
- **End Identification_Area**
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional

- attribute: [reference_text](#)
- attribute: [description](#) Optional
- **End External_Reference**
- **End Reference_List**
- **Instrument_PDS3 occurs 1 times**

description: **The Instrument class provides a description of a physical object that collects data. This class captures the PDS3 catalog Instrument information.**

role: **Concrete**

 - attribute: [instrument_name](#)
 - attribute: [instrument_desc](#)
 - attribute: [instrument_id](#)
 - attribute: [instrument_serial_number](#)
 - attribute: [instrument_type](#)
 - attribute: [instrument_version_id](#)
- **End Instrument_PDS3**
- **End Product_Instrument_PDS3**

- **Product_Mission_PDS3**

description: **An Mission product describes a mission. This product captures the PDS3 catalog mission information.**

role: **Concrete**

 - **Identification_Area occurs 1 times**

description: **The identification area consists of attributes that identify and name an object.**

role: **Concrete**

 - attribute: [logical_identifier](#)
 - attribute: [version_id](#)
 - attribute: [title](#)
 - attribute: [information_model_version](#) value: **1.0.0.0**
 - attribute: [product_class](#) value: **Product_Mission_PDS3**
 - **Alias_List - occurs 0 to 1 times**

description: **The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.**

role: **Concrete**

 - **Alias - occurs 1 to * times**

description: **The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.**

role: **Concrete**

 - attribute: [alternate_id](#) Optional
 - attribute: [alternate_title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information - occurs 0 to 1 times**

description: **The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.**

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional

- attribute: [publication_year](#)
- attribute: [description](#)
- attribute: [keyword](#) Optional
- **End** Citation_Information
- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End** Modification_Detail
- **End** Modification_History
- **End** Identification_Area
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [iid_reference](#) Optional
 - attribute: [iidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End** Internal_Reference
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End** External_Reference
- **End** Reference_List
- **Mission_PDS3 occurs 1 times**

description: The Mission PDS3 class describes an activity involved in the collection of data. This class captures the PDS3 catalog Mission information.

role: **Concrete**

 - attribute: [mission_name](#)
 - attribute: [mission_desc](#)
 - attribute: [mission_objectives_summary](#)
 - attribute: [mission_start_date](#)
 - attribute: [mission_stop_date](#)

- **End Mission_PDS3**
 - **End Product_Mission_PDS3**
-

- **Product_Observational**

description: A Product_Observational is a set of one or more information objects produced by an observing system.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Observational

- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End Citation_Information**

- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End** Modification_Detail
- **End** Modification_History
- **End** Identification_Area
- **Observation_Area** occurs 1 times

description: The observation area consists of attributes that provide information about the circumstances under which the data were collected.

role: **Concrete**

attribute: [comment](#) Optional

 - **Time_Coordinates** occurs 1 times

description: The Time_Coordinates class provides a list of time coordinates.

role: **Concrete**

attribute: [start_date_time](#)

attribute: [stop_date_time](#)

attribute: [local_mean_solar_time](#) Optional

attribute: [local_true_solar_time](#) Optional

attribute: [solar_longitude](#) Optional
 - **End** Time_Coordinates
- **Primary_Result_Summary** occurs 1 times

description: The Primary_Result_Summary class provides a high-level description of the types of products included in the collection or bundle

role: **Concrete**

attribute: [type](#) value: Altimetry, Astrometry, Count, E/B-Field Vectors, Gravity Model, Image, Lightcurves, Magnetometry, Map, Meteorology, Null Result, Occultation, Photometry, Physical Parameters, Polarimetry, Radiometry, Reference, Shape Model, Spectrum Optional

attribute: [purpose](#) value: Calibration, Checkout, Engineering, Navigation, Science

attribute: [data_regime](#) value: Dust, Electric Field, Electrons, Far Infrared, Gamma Ray, Infrared, Ions, Magnetic Field, Microwave, Millimeter, Near Infrared, Particles, Pressure, Radio, Sub-Millimeter, Temperature, Ultraviolet, Visible, X-Ray

attribute: [processing_level_id](#) value: Calibrated, Derived, Partially Processed, Raw, Telemetry

attribute: [description](#) Optional
- **End** Primary_Result_Summary
- **Investigation_Area** - occurs 1 to * times

description: The Investigation_Area class provides information about an investigation (mission, observing campaign or other coordinated, large-scale data collection effort).

role: **Concrete**

attribute: [name](#)

attribute: [type](#) value: Individual Investigation, Mission, Observing Campaign, Other Investigation

 - **Internal_Reference** - occurs 1 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
 - **End** Internal_Reference
- **End** Investigation_Area

- **Observing_System** - occurs 1 to * times

description: The Observing System class describes the entire suite used to collect the data.

role: **Concrete**

attribute: [name](#) Optional

attribute: [description](#) Optional
- **Observing_System_Component** - occurs 1 to * times

description: The Observing System Component class references one or more subsystems used to collect data. A subsystem can be an instrument_host, instrument, or any other similar product. Each subsystem is categorized as either a sensor or a source. If the observing system includes both a sensor and a source, Observing System Component occurs twice (once for each type) otherwise it only occurs once.

role: **Concrete**

attribute: [name](#)

attribute: [type](#) value: Artificial Illumination, Instrument, Laboratory, Literature Search, Naked Eye, Observatory, Spacecraft, Telescope

attribute: [description](#) Optional
- **Internal_Reference** - occurs 0 to 1 times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
- **End Internal_Reference**
- **External_Reference** - occurs 0 to * times

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional
- **End External_Reference**
- **End Observing_System_Component**
- **End Observing_System**
- **Target_Identification** - occurs 1 to * times

description: The Target_Identification class provides detailed target identification information.

role: **Concrete**

attribute: [name](#)

attribute: [alternate_designation](#) Optional

attribute: [type](#)

attribute: [description](#) Optional
- **Internal_Reference** - occurs 0 to 1 times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

- attribute: [lidvid_reference](#) Optional
- attribute: [reference_type](#)
- attribute: [comment](#) Optional
- **End Internal_Reference**
- **End Target_Identification**
- **Mission_Area - occurs 0 to 1 times**

description: The mission area allows the insertion of mission specific metadata.

role: **Concrete**
- **End Mission_Area**
- **Discipline_Area - occurs 0 to 1 times**

description: The Discipline area allows the insertion of discipline specific metadata.

role: **Concrete**
- **End Discipline_Area**
- **End Observation_Area**
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End External_Reference**
- **End Reference_List**
- **File_Area_Observational - occurs 1 to * times**

description: The File Area Observational class describes, for an observational product, a file and one or more tagged_data_objects contained within the file.

role: **Concrete**

 - **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional

- attribute: **records** Optional
- attribute: **md5_checksum** Optional
- attribute: **comment** Optional
- **End File**
- **Array_2D - occurs 1 to * times**

description: **The Array 2D class is the parent class for all two dimensional array based classes.**

role: **Concrete**

 - attribute: **name** Optional
 - attribute: **local_identifier** Optional
 - attribute: **offset**
 - attribute: **axes** value: 2
 - attribute: **axis_index_order** value: **Last Index Fastest**
 - attribute: **description** Optional
 - **Element_Array occurs 1 times**

description: **The Element Array class is used as a component of the array class and defines an element of the array.**

role: **Concrete**

 - attribute: **data_type** value: **ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8**
 - attribute: **unit** Optional
 - attribute: **scaling_factor** Optional
 - attribute: **value_offset** Optional
 - **End Element_Array**
 - **Axis_Array occurs 2 times**

description: **The Axis Array class is used as a component of the array class and defines an axis of the array.**

role: **Concrete**

 - attribute: **axis_name**
 - attribute: **elements**
 - attribute: **sequence_number**
 - **Band_Bin_Set - occurs 0 to 1 times**

description: **The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.**

role: **Concrete**

 - **Band_Bin - occurs 1 to * times**

description: **The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.**

role: **Concrete**

 - attribute: **band_number**
 - attribute: **band_width**
 - attribute: **center_wavelength**
 - attribute: **detector_number** Optional
 - attribute: **filter_number** Optional
 - attribute: **grating_position** Optional

- attribute: [original_band](#) Optional
- attribute: [standard_deviation](#) Optional
- attribute: [scaling_factor](#) Optional
- attribute: [value_offset](#) Optional
- **End Band_Bin**
- **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

 - attribute: [saturated_constant](#) Optional
 - attribute: [missing_constant](#) Optional
 - attribute: [error_constant](#) Optional
 - attribute: [invalid_constant](#) Optional
 - attribute: [unknown_constant](#) Optional
 - attribute: [not_applicable_constant](#) Optional
 - attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
 - attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 - attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFFF, FFFFBBBB Optional
 - attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 - attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDDDD Optional
 - attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional
- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

 - attribute: [local_identifier](#) Optional
 - attribute: [maximum](#) Optional
 - attribute: [minimum](#) Optional
 - attribute: [mean](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [bit_mask](#) Optional
 - attribute: [median](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [maximum_scaled_value](#) Optional
 - attribute: [minimum_scaled_value](#) Optional
 - attribute: [description](#) Optional
- **End Object_Statistics**
- **End Array_2D**
- **Array_2D_Image - occurs 1 to * times**

description: The Array 2D Image class is an extension of the Array 2D class and defines a two dimensional image.

role: **Concrete**

attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [axes](#) value: 2
 attribute: [axis_index_order](#) value: **Last Index Fastest**
 attribute: [description](#) Optional

- **Element_Array** occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.
 role: **Concrete**
 attribute: [data_type](#) value: **ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8**
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
- **End Element_Array**
- **Axis_Array** occurs 2 times

description: The Axis Array class is used as a component of the array class and defines an axis of the array.
 role: **Concrete**
 attribute: [axis_name](#)
 attribute: [elements](#)
 attribute: [sequence_number](#)
 - **Band_Bin_Set** - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.
 role: **Concrete**
 - **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.
 role: **Concrete**
 - attribute: [band_number](#)
 - attribute: [band_width](#)
 - attribute: [center_wavelength](#)
 - attribute: [detector_number](#) Optional
 - attribute: [filter_number](#) Optional
 - attribute: [grating_position](#) Optional
 - attribute: [original_band](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: [saturated constant](#) Optional

attribute: [missing constant](#) Optional

attribute: [error constant](#) Optional

attribute: [invalid constant](#) Optional

attribute: [unknown constant](#) Optional

attribute: [not applicable constant](#) Optional

attribute: [valid maximum](#) value: 254, 32767, 65522 Optional

attribute: [high instrument saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high representation saturation](#) value: -32764, 255, 4, 65535,

FF7FFFFFF, FFFFBFFFF Optional

attribute: [valid minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low instrument saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low representation saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- End Special_Constants

- Object_Statistics - occurs 0 to 1 times

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: Concrete

attribute: [local identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [bit mask](#) Optional

attribute: [median](#) Optional

attribute: [md5 checksum](#) Optional

attribute: [maximum scaled value](#) Optional

attribute: [minimum scaled value](#) Optional

attribute: [description](#) Optional

- End Object_Statistics

- Display_2D_Image - occurs 0 to 1 times

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: Concrete

attribute: [line display direction](#) value: Down, Up

attribute: [sample display direction](#) value: Right

- End Display_2D_Image

- End Array_2D_Image

- Array_2D_Map - occurs 1 to * times

description: The Array 2D Map class is an extension of the Array 2D class and defines a two dimensional map.

role: Concrete

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [axes](#) value: 2
 attribute: [axis_index_order](#) value: Last Index Fastest
 attribute: [description](#) Optional

- **Element_Array occurs 1 times**
 description: The Element Array class is used as a component of the array class and defines an element of the array.
 role: Concrete
 attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
- **End Element_Array**
- **Axis_Array occurs 2 times**
 description: The Axis Array class is used as a component of the array class and defines an axis of the array.
 role: Concrete
 attribute: [axis_name](#)
 attribute: [elements](#)
 attribute: [sequence_number](#)
 - **Band_Bin_Set - occurs 0 to 1 times**
 description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.
 role: Concrete
 - **Band_Bin - occurs 1 to * times**
 description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.
 role: Concrete
 - attribute: [band_number](#)
 - attribute: [band_width](#)
 - attribute: [center_wavelength](#)
 - attribute: [detector_number](#) Optional
 - attribute: [filter_number](#) Optional
 - attribute: [grating_position](#) Optional
 - attribute: [original_band](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants - occurs 0 to 1 times**
 description: The Special Constants class provides a set of values used to

indicate special cases that occur in the data.

role: **Concrete**

attribute: saturated constant Optional

attribute: missing constant Optional

attribute: error constant Optional

attribute: invalid constant Optional

attribute: unknown constant Optional

attribute: not applicable constant Optional

attribute: valid maximum value: 254, 32767, 65522 Optional

attribute: high instrument saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: high representation saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFFFF Optional

attribute: valid minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: low instrument saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFFFF Optional

attribute: low representation saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**

- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: local identifier Optional

attribute: maximum Optional

attribute: minimum Optional

attribute: mean Optional

attribute: standard deviation Optional

attribute: bit mask Optional

attribute: median Optional

attribute: md5 checksum Optional

attribute: maximum scaled value Optional

attribute: minimum scaled value Optional

attribute: description Optional

- **End Object_Statistics**

- **Display_2D_Image - occurs 0 to 1 times**

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: **Concrete**

attribute: line display direction value: Down, Up

attribute: sample display direction value: Right

- **End Display_2D_Image**

- **End Array_2D_Map**

- **Array_2D_Spectrum - occurs 1 to * times**

description: The Array 2D Spectrum class is an extension of the Array 2D class and defines a two dimensional spectrum.

role: **Concrete**

attribute: name Optional

attribute: local identifier Optional

attribute: offset
 attribute: axes value: 2
 attribute: axis_index_order value: Last Index Fastest
 attribute: description Optional

- **Element_Array** occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.
 role: Concrete

attribute: data_type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: unit Optional

attribute: scaling_factor Optional

attribute: value_offset Optional
- **End Element_Array**
- **Axis_Array** occurs 2 times

description: The Axis Array class is used as a component of the array class and defines an axis of the array.
 role: Concrete

attribute: axis_name

attribute: elements

attribute: sequence_number
 - **Band_Bin_Set** - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.
 role: Concrete

 - **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.
 role: Concrete

attribute: band_number

attribute: band_width

attribute: center_wavelength

attribute: detector_number Optional

attribute: filter_number Optional

attribute: grating_position Optional

attribute: original_band Optional

attribute: standard_deviation Optional

attribute: scaling_factor Optional

attribute: value_offset Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: Concrete

attribute: saturated constant Optional
 attribute: missing constant Optional
 attribute: error constant Optional
 attribute: invalid constant Optional
 attribute: unknown constant Optional
 attribute: not applicable constant Optional
 attribute: valid maximum value: 254, 32767, 65522 Optional
 attribute: high instrument saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: high representation saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFBFFFF Optional
 attribute: valid minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
 attribute: low instrument saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: low representation saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: local identifier Optional
 attribute: maximum Optional
 attribute: minimum Optional
 attribute: mean Optional
 attribute: standard deviation Optional
 attribute: bit mask Optional
 attribute: median Optional
 attribute: md5 checksum Optional
 attribute: maximum scaled value Optional
 attribute: minimum scaled value Optional
 attribute: description Optional
- **End Object_Statistics**
- **Display_2D_Image - occurs 0 to 1 times**

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: **Concrete**

attribute: line display direction value: Down, Up
 attribute: sample display direction value: Right

 - **End Display_2D_Image**
- **End Array_2D_Spectrum**
- **Array_3D - occurs 1 to * times**

description: The Array 3D class is the parent class for all three dimensional array based classes.

role: **Concrete**

attribute: name Optional
 attribute: local identifier Optional
 attribute: offset
 attribute: axes value: 3

attribute: [axis_index_order](#) value: **Last Index Fastest**

attribute: [description](#) Optional

- **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

- **End Element_Array**

- **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: [axis_name](#)

attribute: [elements](#)

attribute: [sequence_number](#)

- **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

- **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: [band_number](#)

attribute: [band_width](#)

attribute: [center_wavelength](#)

attribute: [detector_number](#) Optional

attribute: [filter_number](#) Optional

attribute: [grating_position](#) Optional

attribute: [original_band](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

- **End Band_Bin**

- **End Band_Bin_Set**

- **End Axis_Array**

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

- attribute: missing_constant Optional
- attribute: error_constant Optional
- attribute: invalid_constant Optional
- attribute: unknown_constant Optional
- attribute: not_applicable_constant Optional
- attribute: valid_maximum value: 254, 32767, 65522 Optional
- attribute: high_instrument_saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
- attribute: high_representation_saturation value: -32764, 255, 4, 65535, FF7FFFFFFF, FFFBFFFF Optional
- attribute: valid_minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
- attribute: low_instrument_saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
- attribute: low_representation_saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

 - attribute: local_identifier Optional
 - attribute: maximum Optional
 - attribute: minimum Optional
 - attribute: mean Optional
 - attribute: standard_deviation Optional
 - attribute: bit_mask Optional
 - attribute: median Optional
 - attribute: md5_checksum Optional
 - attribute: maximum_scaled_value Optional
 - attribute: minimum_scaled_value Optional
 - attribute: description Optional
- **End Object_Statistics**
- **End Array_3D**
- **Array_3D_Image - occurs 1 to * times**

description: The Array 3D Image class is an extension of the Array 3D class and defines a three dimensional image.

role: **Concrete**

 - attribute: name Optional
 - attribute: local_identifier Optional
 - attribute: offset
 - attribute: axes value: 3
 - attribute: axis_index_order value: Last Index Fastest
 - attribute: description Optional
- **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

 - attribute: data_type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle,

`IEEE754MSBDouble`, `IEEE754MSBSingle`, `SignedBitString`, `SignedByte`,
`SignedLSB2`, `SignedLSB4`, `SignedLSB8`, `SignedMSB2`, `SignedMSB4`,
`SignedMSB8`, `UnsignedBitString`, `UnsignedByte`, `UnsignedLSB2`,
`UnsignedLSB4`, `UnsignedLSB8`, `UnsignedMSB2`, `UnsignedMSB4`,
`UnsignedMSB8`

attribute: `unit` Optional

attribute: `scaling_factor` Optional

attribute: `value_offset` Optional

- **End Element_Array**
- **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: `axis_name`

attribute: `elements`

attribute: `sequence_number`

- **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

- **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: `band_number`

attribute: `band_width`

attribute: `center_wavelength`

attribute: `detector_number` Optional

attribute: `filter_number` Optional

attribute: `grating_position` Optional

attribute: `original_band` Optional

attribute: `standard_deviation` Optional

attribute: `scaling_factor` Optional

attribute: `value_offset` Optional

- **End Band_Bin**

- **End Band_Bin_Set**

- **End Axis_Array**

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: `saturated_constant` Optional

attribute: `missing_constant` Optional

attribute: `error_constant` Optional

attribute: `invalid_constant` Optional

attribute: `unknown_constant` Optional

attribute: `not_applicable_constant` Optional

attribute: `valid_maximum` value: `254, 32767, 65522` Optional

attribute: `high_instrument_saturation` value: `-32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF` Optional

- attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535,
FF7FFFFFF, FFFFBBBB Optional
- attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
- attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD,
FFFDDDDD Optional
- attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#,
16#FFFEFFFF# Optional
- **End Special_Constants**
 - **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [bit_mask](#) Optional

attribute: [median](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [maximum_scaled_value](#) Optional

attribute: [minimum_scaled_value](#) Optional

attribute: [description](#) Optional
 - **End Object_Statistics**
 - **End Array_3D_Image**
 - **Array_3D_Movie - occurs 1 to * times**

description: The Array 3D Movie class is an extension of the Array 3D class and defines a movie as a set of two dimensional images in a time series.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [axes](#) value: 3

attribute: [axis_index_order](#) value: Last Index Fastest

attribute: [description](#) Optional

 - **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional
 - **End Element_Array**

- **Axis_Array** occurs 3 times

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: [axis_name](#)

attribute: [elements](#)

attribute: [sequence_number](#)

 - **Band_Bin_Set** - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

 - **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: [band_number](#)

attribute: [band_width](#)

attribute: [center_wavelength](#)

attribute: [detector_number](#) Optional

attribute: [filter_number](#) Optional

attribute: [grating_position](#) Optional

attribute: [original_band](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: **254, 32767, 65522** Optional

attribute: [high_instrument_saturation](#) value: **-32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF** Optional

attribute: [high_representation_saturation](#) value: **-32764, 255, 4, 65535, FFFFxFFFF, FFFBFFFF** Optional

attribute: [valid_minimum](#) value: **-32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF** Optional

attribute: [low_instrument_saturation](#) value: **-32766, 0, 2, FF7FFFFD, FFFDFFFF** Optional

attribute: [low_representation_saturation](#) value: **-32767, 1, 16#FF7FFFFC#, 16#FFFFFF#** Optional
- **End Special_Constants**
- **Object_Statistics** - occurs 0 to 1 times

- description: The Object Statistics class provides a set of values that provide metrics about the object.
- role: Concrete
- attribute: local_identifier Optional
- attribute: maximum Optional
- attribute: minimum Optional
- attribute: mean Optional
- attribute: standard deviation Optional
- attribute: bit mask Optional
- attribute: median Optional
- attribute: md5 checksum Optional
- attribute: maximum scaled value Optional
- attribute: minimum scaled value Optional
- attribute: description Optional
- End Object_Statistics
- End Array_3D_Movie
 - **Array_3D_Spectrum - occurs 1 to * times**

description: The Array 3D Spectrum class is an extension of the Array 3D class and defines a three dimensional spectrum.

role: Concrete

attribute: name Optional

attribute: local_identifier Optional

attribute: offset

attribute: axes value: 3

attribute: axis index order value: Last Index Fastest

attribute: description Optional

 - Element_Array occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: Concrete

attribute: data type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: unit Optional

attribute: scaling factor Optional

attribute: value offset Optional
 - End Element_Array
 - **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: Concrete

attribute: axis name

attribute: elements

attribute: sequence number

 - Band_Bin_Set - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral

characteristics for all the spectral bands in a qube.

role: **Concrete**

- **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: [band_number](#)

attribute: [band_width](#)

attribute: [center_wavelength](#)

attribute: [detector_number](#) Optional

attribute: [filter_number](#) Optional

attribute: [grating_position](#) Optional

attribute: [original_band](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

- **End Band_Bin**

- **End Band_Bin_Set**

- **End Axis_Array**

- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFC#, 16#FFFEBFFF# Optional

- **End Special_Constants**

- **Object_Statistics** - occurs 0 to 1 times

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

- attribute: [bit mask](#) Optional
- attribute: [median](#) Optional
- attribute: [md5 checksum](#) Optional
- attribute: [maximum scaled value](#) Optional
- attribute: [minimum scaled value](#) Optional
- attribute: [description](#) Optional
- **End Object_Statistics**
- **End Array_3D_Spectrum**
- **Encoded_Header - occurs 1 to * times**

description: **The Encoded Header class describes a header that has been encoded using an encoding scheme that is compliant to an external standard.**

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object length](#) Optional
 - attribute: [encoding standard id](#) value: **TIFF**
 - attribute: [description](#) Optional
- **End Encoded_Header**
- **Header - occurs 1 to * times**

description: **The Header class describes a data object header.**

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object length](#)
 - attribute: [parsing standard id](#) value: **7-Bit ASCII Text, FITS 3.0, ISIS2, ISIS3, PDS DSV 1, PDS ODL 2, PDS3, Pre-PDS3, UTF-8 Text, VICAR1, VICAR2**
 - attribute: [description](#) Optional
- **End Header**
- **Stream_Text - occurs 1 to * times**

description: **The Stream text class defines a text object.**

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object length](#) Optional
 - attribute: [record delimiter](#) value: **carriage-return line-feed**
 - attribute: [parsing standard id](#)
 - attribute: [description](#) Optional
- **End Stream_Text**
- **Table_Binary - occurs 1 to * times**

description: **The Table Binary class is an extension of table base and defines a simple binary table.**

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional
 - attribute: [offset](#)

attribute: [records](#)

attribute: [record_delimiter](#) Optional

attribute: [description](#) Optional

- **Uniformly_Sampled - occurs 0 to 1 times**

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.

role: **Concrete**

attribute: [sampling_parameter_name](#)

attribute: [sampling_parameter_interval](#)

attribute: [sampling_parameter_unit](#)

attribute: [first_sampling_parameter_value](#)

attribute: [last_sampling_parameter_value](#)

attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic

Optional
- **End Uniformly_Sampled**
- **Record_Binary occurs 1 times**

description: The Record_Binary class is a component of the table class and defines a record of the table.

role: **Concrete**

attribute: [record_length](#)

attribute: [fields](#)

attribute: [groups](#)

 - **Field_Binary - occurs 1 to * times**

description: The Field_Binary class defines a field of a binary record or a field of a binary group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UTF8_String, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: [field_length](#)

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **Packed_Data_Fields - occurs 0 to 1 times**

description: The Packed_Data_Fields class contains field definitions for extracting packed data from the associated byte string field.

role: **Concrete**

attribute: [bit_fields](#)

attribute: [description](#) Optional

- **Field_Bit - occurs 1 to * times**

description: The Field_Bit class provides parameters for extracting one field out of a string of bytes which contains packed data (that is, data values either smaller than a single byte, or crossing byte boundaries, or both).

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [start_bit](#)

- attribute: stop_bit
 attribute: data_type value: **SignedBitString**,
UnsignedBitString
 attribute: field_format Optional
 attribute: unit Optional
 attribute: scaling_factor Optional
 attribute: value_offset Optional
 attribute: description Optional
 - **Special_Constants - occurs 0 to 1 times**
 description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: **Concrete**
 attribute: saturated_constant Optional
 attribute: missing_constant Optional
 attribute: error_constant Optional
 attribute: invalid_constant Optional
 attribute: unknown_constant Optional
 attribute: not_applicable_constant Optional
 attribute: valid_maximum value: 254, 32767, 65522 °
 attribute: high_instrument_saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: high_representation_saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
 attribute: valid_minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: low_instrument_saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: low_representation_saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
 - End Special_Constants
 - End Field_Bit
 - End Packed_Data_Fields
- End Field_Binary
- **Group_Field_Binary - occurs 1 to * times**
 description: The Group_Field_Binary class allows a group of table fields.
 role: **Concrete**
 attribute: group_number Optional
 attribute: repetitions
 attribute: group_location
 attribute: fields
 attribute: group_length
 attribute: groups
 - **Field_Binary - occurs 1 to * times**
 description: The Field_Binary class defines a field of a binary record or a field of a binary group.
 role: **Concrete**
 attribute: name

attribute: **field_number** Optional
attribute: **field_location**
attribute: **data_type** value: ASCII_AnyURI, ASCII_Boolean,
ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time,
ASCII_Date_Time_DOY, ASCII_Date_Time_UTC,
ASCII_Date_Time_YMD, ASCII_Date_YMD,
ASCII_Directory_Path_Name, ASCII_File_Name,
ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID,
ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum,
ASCII_NonNegative_Integer, ASCII_Numeric_Base16,
ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real,
ASCII_String, ASCII_Time, ASCII_VID, ComplexLSB16,
ComplexLSB8, ComplexMSB16, ComplexMSB8,
IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble,
IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2,
SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4,
SignedMSB8, UTF8_String, UnsignedBitString, UnsignedByte,
UnsignedLSB2, UnsignedLSB4, UnsignedLSB8,
UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: **field_length**

attribute: **field_format** Optional

attribute: **unit** Optional

attribute: **scaling_factor** Optional

attribute: **value_offset** Optional

attribute: **description** Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: **saturated_constant** Optional

attribute: **missing_constant** Optional

attribute: **error_constant** Optional

attribute: **invalid_constant** Optional

attribute: **unknown_constant** Optional

attribute: **not_applicable_constant** Optional

attribute: **valid_maximum** value: 254, 32767, 65522 Optional

attribute: **high_instrument_saturation** value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: **high_representation_saturation** value: -32764, 255, 4, 65535, FF7FFFFF, FFFFBBBB Optional

attribute: **valid_minimum** value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: **low_instrument_saturation** value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: **low_representation_saturation** value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of

metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **Packed_Data_Fields - occurs 0 to 1 times**

description: The Packed_Data_Fields class contains field definitions for extracting packed data from the associated byte string field.

role: **Concrete**

attribute: [bit_fields](#)

attribute: [description](#) Optional

- **Field_Bit - occurs 1 to * times**

description: The Field_Bit class provides parameters for extracting one field out of a string of bytes which contains packed data (that is, data values either smaller than a single byte, or crossing byte boundaries, or both).

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [start_bit](#)

attribute: [stop_bit](#)

attribute: [data_type](#) value: **SignedBitString, UnsignedBitString**

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: **254, 32767, 65522** Optional

attribute: [high_instrument_saturation](#) value: -3

- 2765, 255, 3, 65534, FF7FFFFE, FFFCFFFF** Opt
 optional
 attribute: **high_representation_saturation** value: -32764, 255, 4, 65535, FF7FFFFFF, FFFF
FFFFBFFFFF Optional
 attribute: **valid_minimum** value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: **low_instrument_saturation** value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: **low_representation_saturation** value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Opt
 optional
- **End Special_Constants**
 - **End Field_Bit**
 - **End Packed_Data_Fields**
 - **End Field_Binary**
 - **End Group_Field_Binary**
 - **End Record_Binary**
 - **End Table_Binary**
 - **Table_Character - occurs 1 to * times**

description: **The Table Character class is an extension of table base and defines a simple character table.**
 role: **Concrete**
 attribute: **name** Optional
 attribute: **local_identifier** Optional
 attribute: **offset**
 attribute: **records**
 attribute: **record_delimiter** value: **carriage-return line-feed**
 attribute: **description** Optional

 - **Uniformly_Sampled - occurs 0 to 1 times**

description: **The Uniformly_Sampled class provides parameters for a uniformly sampled table.**
 role: **Concrete**
 attribute: **sampling_parameter_name**
 attribute: **sampling_parameter_interval**
 attribute: **sampling_parameter_unit**
 attribute: **first_sampling_parameter_value**
 attribute: **last_sampling_parameter_value**
 attribute: **sampling_parameter_scale** value: **Exponential, Linear, Logarithmic**
 Optional
 - **End Uniformly_Sampled**
 - **Record_Character occurs 1 times**

description: **The Record_Character class is a component of the table class and defines a record of the table.**
 role: **Concrete**
 attribute: **record_length**
 attribute: **fields**
 attribute: **groups**

 - **Field_Character - occurs 1 to * times**

description: **The Field_Character class defines a field of a character record or a field of a character group.**

role: **Concrete**
attribute: [name](#)
attribute: [field_number](#) Optional
attribute: [field_location](#)
attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String
attribute: [field_length](#)
attribute: [field_format](#) Optional
attribute: [unit](#) Optional
attribute: [scaling_factor](#) Optional
attribute: [value_offset](#) Optional
attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional
attribute: [missing_constant](#) Optional
attribute: [error_constant](#) Optional
attribute: [invalid_constant](#) Optional
attribute: [unknown_constant](#) Optional
attribute: [not_applicable_constant](#) Optional
attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional
attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDFFFF Optional
attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFFFF# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional
attribute: [maximum](#) Optional
attribute: [minimum](#) Optional
attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional
 attribute: [median](#) Optional
 attribute: [description](#) Optional
 • **End Field_Statistics**
 • **End Field_Character**
 • **Group_Field_Character - occurs 1 to * times**
 description: **The Group_Field_Character class allows a group of table fields.**
 role: **Concrete**
 attribute: [group number](#) Optional
 attribute: [repetitions](#)
 attribute: [group location](#)
 attribute: [fields](#)
 attribute: [group length](#)
 attribute: [groups](#)
 • **Field_Character - occurs 1 to * times**
 description: **The Field_Character class defines a field of a character record or a field of a character group.**
 role: **Concrete**
 attribute: [name](#)
 attribute: [field number](#) Optional
 attribute: [field location](#)
 attribute: [data type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String
 attribute: [field length](#)
 attribute: [field format](#) Optional
 attribute: [unit](#) Optional
 attribute: [scaling factor](#) Optional
 attribute: [value offset](#) Optional
 attribute: [description](#) Optional
 • **Special_Constants - occurs 0 to 1 times**
 description: **The Special Constants class provides a set of values used to indicate special cases that occur in the data.**
 role: **Concrete**
 attribute: [saturated constant](#) Optional
 attribute: [missing constant](#) Optional
 attribute: [error constant](#) Optional
 attribute: [invalid constant](#) Optional
 attribute: [unknown constant](#) Optional
 attribute: [not applicable constant](#) Optional
 attribute: [valid maximum](#) value: **254, 32767, 65522** Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFF, FFFFBBBB Optional
 attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDFFF Optional
 attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**

description: **The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.**

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional
- **End Field_Statistics**
- **End Field_Character**
- **End Group_Field_Character**
- **End Record_Character**
- **End Table_Character**
- **Table_Delimited - occurs 1 to * times**

description: **The Table_Delimited class defines a simple table (spreadsheet) with delimited fields and records.**

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [records](#)

attribute: [object_length](#) Optional

attribute: [record_delimiter](#) value: carriage-return line-feed

attribute: [parsing_standard_id](#) value: PDS DSV 1

attribute: [description](#) Optional

attribute: [field_delimiter](#) value: comma, horizontal tab, semicolon, vertical bar

 - **Uniformly_Sampled - occurs 0 to 1 times**

description: **The Uniformly_Sampled class provides parameters for a uniformly sampled table.**

role: **Concrete**

attribute: [sampling_parameter_name](#)

attribute: [sampling_parameter_interval](#)

attribute: [sampling_parameter_unit](#)

attribute: [first_sampling_parameter_value](#)

attribute: [last_sampling_parameter_value](#)

attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic
Optional

- **End Uniformly_Sampled**
- **Record_Delimited occurs 1 times**

description: The Record_Delimited class is a component of the delimited table (spreadsheet) class and defines a record of the delimited table.

role: Concrete

attribute: [maximum_record_length](#) Optional

attribute: [fields](#)

attribute: [groups](#)

- **Field_Delimited - occurs 1 to * times**

description: The Field_Delimited class defines a field of a delimited record or a field of a delimited group.

role: Concrete

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [maximum_field_length](#) Optional

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2,

- FF7FFFFD, FFFDFFFF** Optional
attribute: [low_representation_saturation](#) value: **-32767, 1, 16#FF7FFFFC#, 16#FFFFFF#** Optional
- **End Special_Constants**
 - **Field_Statistics - occurs 0 to 1 times**
description: **The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.**
role: **Concrete**
attribute: [local_identifier](#) Optional
attribute: [maximum](#) Optional
attribute: [minimum](#) Optional
attribute: [mean](#) Optional
attribute: [standard_deviation](#) Optional
attribute: [median](#) Optional
attribute: [description](#) Optional
 - **End Field_Statistics**
 - **End Field_Delimited**
 - **Group_Field_Delimited - occurs 1 to * times**
description: **The Field_Group_Delimited class allows a group of delimited fields.**
role: **Concrete**
attribute: [group_number](#) Optional
attribute: [repetitions](#)
attribute: [fields](#)
attribute: [groups](#)
 - **Field_Delimited - occurs 1 to * times**
description: **The Field_Delimited class defines a field of a delimited record or a field of a delimited group.**
role: **Concrete**
attribute: [name](#)
attribute: [field_number](#) Optional
attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String
attribute: [maximum_field_length](#) Optional
attribute: [field_format](#) Optional
attribute: [unit](#) Optional
attribute: [scaling_factor](#) Optional
attribute: [value_offset](#) Optional
attribute: [description](#) Optional
 - **Special_Constants - occurs 0 to 1 times**
description: **The Special Constants class provides a set of values used to indicate special cases that occur in the**

data.

role: **Concrete**

attribute: [saturated constant](#) Optional

attribute: [missing constant](#) Optional

attribute: [error constant](#) Optional

attribute: [invalid constant](#) Optional

attribute: [unknown constant](#) Optional

attribute: [not applicable constant](#) Optional

attribute: [valid maximum](#) value: 254, 32767, 65522 Optional

attribute: [high instrument saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high representation saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFFFFFFF Optional

attribute: [low instrument saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low representation saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **End Field_Delimited**

- **End Group_Field_Delimited**

- **End Record_Delimited**

- **End Table_Delimited**

- **End File_Area_Observational**

- **File_Area_Observational_Supplemental - occurs 0 to * times**

description: The File Area Observational Supplemental class describes, for an observational product, additional files and one or more tagged_data_objects contained within the file.

role: **Concrete**

- **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

attribute: [file name](#)

attribute: [local identifier](#) Optional

attribute: [creation date time](#) Optional

attribute: [file size](#) Optional

- attribute: **records** Optional
- attribute: **md5_checksum** Optional
- attribute: **comment** Optional
- **End File**
- **Array_2D - occurs 1 to * times**

description: **The Array 2D class is the parent class for all two dimensional array based classes.**

role: **Concrete**

 - attribute: **name** Optional
 - attribute: **local_identifier** Optional
 - attribute: **offset**
 - attribute: **axes** value: 2
 - attribute: **axis_index_order** value: **Last Index Fastest**
 - attribute: **description** Optional
 - **Element_Array occurs 1 times**

description: **The Element Array class is used as a component of the array class and defines an element of the array.**

role: **Concrete**

 - attribute: **data_type** value: **ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8**
 - attribute: **unit** Optional
 - attribute: **scaling_factor** Optional
 - attribute: **value_offset** Optional
 - **End Element_Array**
 - **Axis_Array occurs 2 times**

description: **The Axis Array class is used as a component of the array class and defines an axis of the array.**

role: **Concrete**

 - attribute: **axis_name**
 - attribute: **elements**
 - attribute: **sequence_number**
 - **Band_Bin_Set - occurs 0 to 1 times**

description: **The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.**

role: **Concrete**

 - **Band_Bin - occurs 1 to * times**

description: **The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.**

role: **Concrete**

 - attribute: **band_number**
 - attribute: **band_width**
 - attribute: **center_wavelength**
 - attribute: **detector_number** Optional
 - attribute: **filter_number** Optional
 - attribute: **grating_position** Optional

- attribute: [original_band](#) Optional
- attribute: [standard_deviation](#) Optional
- attribute: [scaling_factor](#) Optional
- attribute: [value_offset](#) Optional
- **End Band_Bin**
- **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

 - attribute: [saturated_constant](#) Optional
 - attribute: [missing_constant](#) Optional
 - attribute: [error_constant](#) Optional
 - attribute: [invalid_constant](#) Optional
 - attribute: [unknown_constant](#) Optional
 - attribute: [not_applicable_constant](#) Optional
 - attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
 - attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 - attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional
 - attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 - attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDFFFF Optional
 - attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFC#, 16#FFFEEEE# Optional
- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

 - attribute: [local_identifier](#) Optional
 - attribute: [maximum](#) Optional
 - attribute: [minimum](#) Optional
 - attribute: [mean](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [bit_mask](#) Optional
 - attribute: [median](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [maximum_scaled_value](#) Optional
 - attribute: [minimum_scaled_value](#) Optional
 - attribute: [description](#) Optional
- **End Object_Statistics**
- **End Array_2D**
- **Array_2D_Image - occurs 1 to * times**

description: The Array 2D Image class is an extension of the Array 2D class and defines a two dimensional image.

role: **Concrete**

attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [axes](#) value: 2
 attribute: [axis_index_order](#) value: **Last Index Fastest**
 attribute: [description](#) Optional

- **Element_Array** occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.
 role: **Concrete**
 attribute: [data_type](#) value: **ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8**
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
- **End Element_Array**
- **Axis_Array** occurs 2 times

description: The Axis Array class is used as a component of the array class and defines an axis of the array.
 role: **Concrete**
 attribute: [axis_name](#)
 attribute: [elements](#)
 attribute: [sequence_number](#)
 - **Band_Bin_Set** - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.
 role: **Concrete**
 - **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.
 role: **Concrete**
 - attribute: [band_number](#)
 - attribute: [band_width](#)
 - attribute: [center_wavelength](#)
 - attribute: [detector_number](#) Optional
 - attribute: [filter_number](#) Optional
 - attribute: [grating_position](#) Optional
 - attribute: [original_band](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: [saturated constant](#) Optional

attribute: [missing constant](#) Optional

attribute: [error constant](#) Optional

attribute: [invalid constant](#) Optional

attribute: [unknown constant](#) Optional

attribute: [not applicable constant](#) Optional

attribute: [valid maximum](#) value: 254, 32767, 65522 Optional

attribute: [high instrument saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high representation saturation](#) value: -32764, 255, 4, 65535, FFFFxFFFF, FFFFBBBB Optional

attribute: [valid minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low instrument saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFFFF Optional

attribute: [low representation saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- End Special_Constants

- Object_Statistics - occurs 0 to 1 times

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: Concrete

attribute: [local identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [bit mask](#) Optional

attribute: [median](#) Optional

attribute: [md5 checksum](#) Optional

attribute: [maximum scaled value](#) Optional

attribute: [minimum scaled value](#) Optional

attribute: [description](#) Optional

- End Object_Statistics

- Display_2D_Image - occurs 0 to 1 times

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: Concrete

attribute: [line display direction](#) value: Down, Up

attribute: [sample display direction](#) value: Right

- End Display_2D_Image

- End Array_2D_Image

- Array_2D_Map - occurs 1 to * times

description: The Array 2D Map class is an extension of the Array 2D class and defines a two dimensional map.

role: Concrete

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [axes](#) value: 2
 attribute: [axis_index_order](#) value: Last Index Fastest
 attribute: [description](#) Optional

- **Element_Array occurs 1 times**
 description: The Element Array class is used as a component of the array class and defines an element of the array.
 role: Concrete
 attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
- **End Element_Array**
- **Axis_Array occurs 2 times**
 description: The Axis Array class is used as a component of the array class and defines an axis of the array.
 role: Concrete
 attribute: [axis_name](#)
 attribute: [elements](#)
 attribute: [sequence_number](#)
 - **Band_Bin_Set - occurs 0 to 1 times**
 description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.
 role: Concrete
 - **Band_Bin - occurs 1 to * times**
 description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.
 role: Concrete
 - attribute: [band_number](#)
 - attribute: [band_width](#)
 - attribute: [center_wavelength](#)
 - attribute: [detector_number](#) Optional
 - attribute: [filter_number](#) Optional
 - attribute: [grating_position](#) Optional
 - attribute: [original_band](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [scaling_factor](#) Optional
 - attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants - occurs 0 to 1 times**
 description: The Special Constants class provides a set of values used to

indicate special cases that occur in the data.

role: **Concrete**

attribute: saturated constant Optional

attribute: missing constant Optional

attribute: error constant Optional

attribute: invalid constant Optional

attribute: unknown constant Optional

attribute: not applicable constant Optional

attribute: valid maximum value: 254, 32767, 65522 Optional

attribute: high instrument saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: high representation saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFFFF Optional

attribute: valid minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: low instrument saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFFFF Optional

attribute: low representation saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**

- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: local identifier Optional

attribute: maximum Optional

attribute: minimum Optional

attribute: mean Optional

attribute: standard deviation Optional

attribute: bit mask Optional

attribute: median Optional

attribute: md5 checksum Optional

attribute: maximum scaled value Optional

attribute: minimum scaled value Optional

attribute: description Optional

- **End Object_Statistics**

- **Display_2D_Image - occurs 0 to 1 times**

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: **Concrete**

attribute: line display direction value: Down, Up

attribute: sample display direction value: Right

- **End Display_2D_Image**

- **End Array_2D_Map**

- **Array_2D_Spectrum - occurs 1 to * times**

description: The Array 2D Spectrum class is an extension of the Array 2D class and defines a two dimensional spectrum.

role: **Concrete**

attribute: name Optional

attribute: local identifier Optional

attribute: offset
 attribute: axes value: 2
 attribute: axis_index_order value: Last Index Fastest
 attribute: description Optional

- **Element_Array** occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.
 role: Concrete

attribute: data_type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: unit Optional

attribute: scaling_factor Optional

attribute: value_offset Optional
- **End Element_Array**
- **Axis_Array** occurs 2 times

description: The Axis Array class is used as a component of the array class and defines an axis of the array.
 role: Concrete

attribute: axis_name

attribute: elements

attribute: sequence_number
 - **Band_Bin_Set** - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.
 role: Concrete

 - **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.
 role: Concrete

attribute: band_number

attribute: band_width

attribute: center_wavelength

attribute: detector_number Optional

attribute: filter_number Optional

attribute: grating_position Optional

attribute: original_band Optional

attribute: standard_deviation Optional

attribute: scaling_factor Optional

attribute: value_offset Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: Concrete

attribute: saturated constant Optional
 attribute: missing constant Optional
 attribute: error constant Optional
 attribute: invalid constant Optional
 attribute: unknown constant Optional
 attribute: not applicable constant Optional
 attribute: valid maximum value: 254, 32767, 65522 Optional
 attribute: high instrument saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: high representation saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
 attribute: valid minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
 attribute: low instrument saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: low representation saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFEFFFFF# Optional

- **End Special_Constants**
- **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: local identifier Optional
 attribute: maximum Optional
 attribute: minimum Optional
 attribute: mean Optional
 attribute: standard deviation Optional
 attribute: bit mask Optional
 attribute: median Optional
 attribute: md5 checksum Optional
 attribute: maximum scaled value Optional
 attribute: minimum scaled value Optional
 attribute: description Optional
- **End Object_Statistics**
- **Display_2D_Image - occurs 0 to 1 times**

description: The Display_2D_Image class provides attributes to enable the display of a 2 dimensional image.

role: **Concrete**

attribute: line display direction value: Down, Up
 attribute: sample display direction value: Right

 - **End Display_2D_Image**
- **End Array_2D_Spectrum**
- **Array_3D - occurs 1 to * times**

description: The Array 3D class is the parent class for all three dimensional array based classes.

role: **Concrete**

attribute: name Optional
 attribute: local identifier Optional
 attribute: offset
 attribute: axes value: 3

attribute: [axis_index_order](#) value: **Last Index Fastest**

attribute: [description](#) Optional

- **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

attribute: [data_type](#) value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

- **End Element_Array**

- **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: [axis_name](#)

attribute: [elements](#)

attribute: [sequence_number](#)

- **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

- **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: [band_number](#)

attribute: [band_width](#)

attribute: [center_wavelength](#)

attribute: [detector_number](#) Optional

attribute: [filter_number](#) Optional

attribute: [grating_position](#) Optional

attribute: [original_band](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

- **End Band_Bin**

- **End Band_Bin_Set**

- **End Axis_Array**

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

- attribute: missing_constant Optional
- attribute: error_constant Optional
- attribute: invalid_constant Optional
- attribute: unknown_constant Optional
- attribute: not_applicable_constant Optional
- attribute: valid_maximum value: 254, 32767, 65522 Optional
- attribute: high_instrument_saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
- attribute: high_representation_saturation value: -32764, 255, 4, 65535, FF7FFFFFFF, FFFBFFFF Optional
- attribute: valid_minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
- attribute: low_instrument_saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
- attribute: low_representation_saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
- End Special_Constants
- Object_Statistics - occurs 0 to 1 times

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: Concrete

 - attribute: local_identifier Optional
 - attribute: maximum Optional
 - attribute: minimum Optional
 - attribute: mean Optional
 - attribute: standard_deviation Optional
 - attribute: bit_mask Optional
 - attribute: median Optional
 - attribute: md5_checksum Optional
 - attribute: maximum_scaled_value Optional
 - attribute: minimum_scaled_value Optional
 - attribute: description Optional
- End Object_Statistics
- End Array_3D
- Array_3D_Image - occurs 1 to * times

description: The Array 3D Image class is an extension of the Array 3D class and defines a three dimensional image.

role: Concrete

 - attribute: name Optional
 - attribute: local_identifier Optional
 - attribute: offset
 - attribute: axes value: 3
 - attribute: axis_index_order value: Last Index Fastest
 - attribute: description Optional
- Element_Array occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: Concrete

 - attribute: data_type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle,

`IEEE754MSBDouble`, `IEEE754MSBSingle`, `SignedBitString`, `SignedByte`,
`SignedLSB2`, `SignedLSB4`, `SignedLSB8`, `SignedMSB2`, `SignedMSB4`,
`SignedMSB8`, `UnsignedBitString`, `UnsignedByte`, `UnsignedLSB2`,
`UnsignedLSB4`, `UnsignedLSB8`, `UnsignedMSB2`, `UnsignedMSB4`,
`UnsignedMSB8`

attribute: `unit` Optional

attribute: `scaling_factor` Optional

attribute: `value_offset` Optional

- **End Element_Array**
- **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: `axis_name`

attribute: `elements`

attribute: `sequence_number`

- **Band_Bin_Set - occurs 0 to 1 times**

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

- **Band_Bin - occurs 1 to * times**

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: `band_number`

attribute: `band_width`

attribute: `center_wavelength`

attribute: `detector_number` Optional

attribute: `filter_number` Optional

attribute: `grating_position` Optional

attribute: `original_band` Optional

attribute: `standard_deviation` Optional

attribute: `scaling_factor` Optional

attribute: `value_offset` Optional

- **End Band_Bin**

- **End Band_Bin_Set**

- **End Axis_Array**

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: `saturated_constant` Optional

attribute: `missing_constant` Optional

attribute: `error_constant` Optional

attribute: `invalid_constant` Optional

attribute: `unknown_constant` Optional

attribute: `not_applicable_constant` Optional

attribute: `valid_maximum` value: `254, 32767, 65522` Optional

attribute: `high_instrument_saturation` value: `-32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF` Optional

- attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, **FF7FFFFFF, FFFFBBBB** Optional
- attribute: [valid_minimum](#) value: -32752, 1, 3, 5, **FF7FFFFA, FFEFFFFFF** Optional
- attribute: [low_instrument_saturation](#) value: -32766, 0, 2, **FF7FFFFD, FFFDFFFF** Optional
- attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
- **End Special_Constants**
 - **Object_Statistics - occurs 0 to 1 times**

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [bit_mask](#) Optional

attribute: [median](#) Optional

attribute: [md5_checksum](#) Optional

attribute: [maximum_scaled_value](#) Optional

attribute: [minimum_scaled_value](#) Optional

attribute: [description](#) Optional
 - **End Object_Statistics**
 - **End Array_3D_Image**
 - **Array_3D_Movie - occurs 1 to * times**

description: The Array 3D Movie class is an extension of the Array 3D class and defines a movie as a set of two dimensional images in a time series.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [axes](#) value: 3

attribute: [axis_index_order](#) value: **Last Index Fastest**

attribute: [description](#) Optional

 - **Element_Array occurs 1 times**

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: **Concrete**

attribute: [data_type](#) value: **ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8**

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional
 - **End Element_Array**

- **Axis_Array** occurs 3 times

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: **Concrete**

attribute: [axis_name](#)

attribute: [elements](#)

attribute: [sequence_number](#)

 - **Band_Bin_Set** - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral characteristics for all the spectral bands in a qube.

role: **Concrete**

 - **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: [band_number](#)

attribute: [band_width](#)

attribute: [center_wavelength](#)

attribute: [detector_number](#) Optional

attribute: [filter_number](#) Optional

attribute: [grating_position](#) Optional

attribute: [original_band](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional
 - **End Band_Bin**
 - **End Band_Bin_Set**
- **End Axis_Array**
- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: **254, 32767, 65522** Optional

attribute: [high_instrument_saturation](#) value: **-32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF** Optional

attribute: [high_representation_saturation](#) value: **-32764, 255, 4, 65535, FFF7FFFFFF, FFFFBFFFFFF** Optional

attribute: [valid_minimum](#) value: **-32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF** Optional

attribute: [low_instrument_saturation](#) value: **-32766, 0, 2, FF7FFFFD, FFFFDFFFFF** Optional

attribute: [low_representation_saturation](#) value: **-32767, 1, 16#FF7FFFFC#, 16#FFFFFF#** Optional
- **End Special_Constants**
- **Object_Statistics** - occurs 0 to 1 times

- description: The Object Statistics class provides a set of values that provide metrics about the object.
- role: Concrete
- attribute: local_identifier Optional
- attribute: maximum Optional
- attribute: minimum Optional
- attribute: mean Optional
- attribute: standard deviation Optional
- attribute: bit mask Optional
- attribute: median Optional
- attribute: md5 checksum Optional
- attribute: maximum scaled value Optional
- attribute: minimum scaled value Optional
- attribute: description Optional
- End Object_Statistics
- End Array_3D_Movie
 - **Array_3D_Spectrum - occurs 1 to * times**

description: The Array 3D Spectrum class is an extension of the Array 3D class and defines a three dimensional spectrum.

role: Concrete

attribute: name Optional

attribute: local_identifier Optional

attribute: offset

attribute: axes value: 3

attribute: axis index order value: Last Index Fastest

attribute: description Optional

 - Element_Array occurs 1 times

description: The Element Array class is used as a component of the array class and defines an element of the array.

role: Concrete

attribute: data type value: ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: unit Optional

attribute: scaling factor Optional

attribute: value offset Optional
 - End Element_Array
 - **Axis_Array occurs 3 times**

description: The Axis Array class is used as a component of the array class and defines an axis of the array.

role: Concrete

attribute: axis name

attribute: elements

attribute: sequence number

 - Band_Bin_Set - occurs 0 to 1 times

description: The Band_Bin_Set class contains the spectral

characteristics for all the spectral bands in a qube.

role: **Concrete**

- **Band_Bin** - occurs 1 to * times

description: The Band_Bin class specifies the characteristics of an individual spectral band in a spectral qube.

role: **Concrete**

attribute: [band_number](#)

attribute: [band_width](#)

attribute: [center_wavelength](#)

attribute: [detector_number](#) Optional

attribute: [filter_number](#) Optional

attribute: [grating_position](#) Optional

attribute: [original_band](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

- **End Band_Bin**

- **End Band_Bin_Set**

- **End Axis_Array**

- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFC#, 16#FFFEBFFF# Optional

- **End Special_Constants**

- **Object_Statistics** - occurs 0 to 1 times

description: The Object Statistics class provides a set of values that provide metrics about the object.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

- attribute: [bit mask](#) Optional
- attribute: [median](#) Optional
- attribute: [md5 checksum](#) Optional
- attribute: [maximum scaled value](#) Optional
- attribute: [minimum scaled value](#) Optional
- attribute: [description](#) Optional
- **End Object_Statistics**
- **End Array_3D_Spectrum**
- **Encoded_Binary - occurs 1 to * times**

description: **The Encoded Binary class describes a binary encoded byte stream.**
This class is used to describe files in the repository that are being registered using Product_File_Repository.

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object length](#) Optional
 - attribute: [encoding standard id](#) value: **CCSDS Communication Protocols**
 - attribute: [description](#) Optional
- **End Encoded_Binary**
- **Encoded_Byte_Stream - occurs 1 to * times**

description: **The Encoded Byte Stream class defines byte streams that must be decoded by software before use. These byte streams must only use standard encodings.** The Encoded Byte Stream class is the parent class for all encoded byte streams.

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object length](#) Optional
 - attribute: [encoding standard id](#)
 - attribute: [description](#) Optional
- **End Encoded_Byte_Stream**
- **Encoded_Header - occurs 1 to * times**

description: **The Encoded Header class describes a header that has been encoded using an encoding scheme that is compliant to an external standard.**

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object length](#) Optional
 - attribute: [encoding standard id](#) value: **TIFF**
 - attribute: [description](#) Optional
- **End Encoded_Header**
- **Encoded_Image - occurs 1 to * times**

description: **The Encoded Image class is used for ancillary images in standard formats, such as JPEG.**

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local identifier](#) Optional

- attribute: [offset](#)
 attribute: [object_length](#) Optional
 attribute: [encoding_standard_id](#) value: **GIF, J2C, JPEG, PDF, PDF/A, PNG, TIFF**
 attribute: [description](#) Optional
- **End Encoded_Image**
- **Header - occurs 1 to * times**

description: **The Header class describes a data object header.**
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [object_length](#)
 attribute: [parsing_standard_id](#) value: **7-Bit ASCII Text, FITS 3.0, ISIS2, ISIS3, PDS DSV 1, PDS ODL 2, PDS3, Pre-PDS3, UTF-8 Text, VICAR1, VICAR2**
 attribute: [description](#) Optional
- **End Header**
- **Parsable_Byte_Stream - occurs 1 to * times**

description: **The Parsable Byte Stream class defines byte streams that have standard parsing rules. The Parsable Byte Stream class is the parent class for all parsable byte streams.**
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [object_length](#) Optional
 attribute: [parsing_standard_id](#)
 attribute: [description](#) Optional
- **End Parsable_Byte_Stream**
- **Stream_Text - occurs 1 to * times**

description: **The Stream text class defines a text object.**
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [object_length](#) Optional
 attribute: [record_delimiter](#) value: **carriage-return line-feed**
 attribute: [parsing_standard_id](#)
 attribute: [description](#) Optional
- **End Stream_Text**
- **Table_Binary - occurs 1 to * times**

description: **The Table Binary class is an extension of table base and defines a simple binary table.**
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [records](#)
 attribute: [record_delimiter](#) Optional
 attribute: [description](#) Optional

 - **Uniformly_Sampled - occurs 0 to 1 times**

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.
 role: **Concrete**
 attribute: [sampling_parameter_name](#)
 attribute: [sampling_parameter_interval](#)
 attribute: [sampling_parameter_unit](#)
 attribute: [first_sampling_parameter_value](#)
 attribute: [last_sampling_parameter_value](#)
 attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic
 Optional

- **End Uniformly_Sampled**
- **Record_Binary occurs 1 times**

description: The Record_Binary class is a component of the table class and defines a record of the table.
 role: **Concrete**
 attribute: [record_length](#)
 attribute: [fields](#)
 attribute: [groups](#)
 - **Field_Binary - occurs 1 to * times**

description: The Field_Binary class defines a field of a binary record or a field of a binary group.
 role: **Concrete**
 attribute: [name](#)
 attribute: [field_number](#) Optional
 attribute: [field_location](#)
 attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, ComplexLSB16, ComplexLSB8, ComplexMSB16, ComplexMSB8, IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble, IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2, SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4, SignedMSB8, UTF8_String, UnsignedBitString, UnsignedByte, UnsignedLSB2, UnsignedLSB4, UnsignedLSB8, UnsignedMSB2, UnsignedMSB4, UnsignedMSB8

attribute: [field_length](#)
 attribute: [field_format](#) Optional
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
 attribute: [description](#) Optional

description: The Special_Constants class provides a set of values used to indicate special cases that occur in the data.
 role: **Concrete**

attribute: saturated constant Optional
 attribute: missing constant Optional
 attribute: error constant Optional
 attribute: invalid constant Optional
 attribute: unknown constant Optional
 attribute: not applicable constant Optional
 attribute: valid maximum value: 254, 32767, 65522 Optional
 attribute: high instrument saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: high representation saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional
 attribute: valid minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
 attribute: low instrument saturation value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: low representation saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: local identifier Optional
 attribute: maximum Optional
 attribute: minimum Optional
 attribute: mean Optional
 attribute: standard deviation Optional
 attribute: median Optional
 attribute: description Optional
- **End Field_Statistics**
- **Packed_Data_Fields - occurs 0 to 1 times**

description: The Packed_Data_Fields class contains field definitions for extracting packed data from the associated byte string field.

role: **Concrete**

attribute: bit fields
 attribute: description Optional

 - **Field_Bit - occurs 1 to * times**

description: The Field_Bit class provides parameters for extracting one field out of a string of bytes which contains packed data (that is, data values either smaller than a single byte, or crossing byte boundaries, or both).

role: **Concrete**

attribute: name
 attribute: field number Optional
 attribute: start bit
 attribute: stop bit
 attribute: data type value: **SignedBitString**, **UnsignedBitString**
 attribute: field format Optional

- attribute: unit Optional
 - attribute: scaling_factor Optional
 - attribute: value_offset Optional
 - attribute: description Optional
 - **Special_Constants - occurs 0 to 1 times**
 - description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 - role: **Concrete**
 - attribute: saturated_constant Optional
 - attribute: missing_constant Optional
 - attribute: error_constant Optional
 - attribute: invalid_constant Optional
 - attribute: unknown_constant Optional
 - attribute: not_applicable_constant Optional
 - attribute: valid_maximum value: 254, 32767, 65522 °
ptional
 - attribute: high_instrument_saturation value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 - attribute: high_representation_saturation value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
 - attribute: valid_minimum value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 - attribute: low_instrument_saturation value: -32766, 0, 2, FF7FFFFD, FFFFDDDD Optional
 - attribute: low_representation_saturation value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
 - **End Special_Constants**
 - **End Field_Bit**
 - **End Packed_Data_Fields**
 - **End Field_Binary**
 - **Group_Field_Binary - occurs 1 to * times**
 - description: The Group_Field_Binary class allows a group of table fields.
 - role: **Concrete**
 - attribute: group_number Optional
 - attribute: repetitions
 - attribute: group_location
 - attribute: fields
 - attribute: group_length
 - attribute: groups
 - **Field_Binary - occurs 1 to * times**
 - description: The Field_Binary class defines a field of a binary record or a field of a binary group.
 - role: **Concrete**
 - attribute: name
 - attribute: field_number Optional
 - attribute: field_location
 - attribute: data_type value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time,

ASCII_Date_Time_DOF, ASCII_Date_Time_UTC,
 ASCII_Date_Time_YMD, ASCII_Date_YMD,
 ASCII_Directory_Path_Name, ASCII_File_Name,
 ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID,
 ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum,
 ASCII_NonNegative_Integer, ASCII_Numeric_Base16,
 ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real,
 ASCII_String, ASCII_Time, ASCII_VID, ComplexLSB16,
 ComplexLSB8, ComplexMSB16, ComplexMSB8,
 IEEE754LSBDouble, IEEE754LSBSingle, IEEE754MSBDouble,
 IEEE754MSBSingle, SignedBitString, SignedByte, SignedLSB2,
 SignedLSB4, SignedLSB8, SignedMSB2, SignedMSB4,
 SignedMSB8, UTF8_String, UnsignedBitString, UnsignedByte,
 UnsignedLSB2, UnsignedLSB4, UnsignedLSB8,
 UnsignedMSB2, UnsignedMSB4, UnsignedMSB8
 attribute: [field_length](#)
 attribute: [field_format](#) Optional
 attribute: [unit](#) Optional
 attribute: [scaling_factor](#) Optional
 attribute: [value_offset](#) Optional
 attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: **Concrete**

attribute: [saturated_constant](#) Optional
 attribute: [missing_constant](#) Optional
 attribute: [error_constant](#) Optional
 attribute: [invalid_constant](#) Optional
 attribute: [unknown_constant](#) Optional
 attribute: [not_applicable_constant](#) Optional
 attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
 attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
 attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
 attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.
 role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional
 attribute: [minimum](#) Optional
 attribute: [mean](#) Optional
 attribute: [standard deviation](#) Optional
 attribute: [median](#) Optional
 attribute: [description](#) Optional

- **End Field_Statistics**
- **Packed_Data_Fields - occurs 0 to 1 times**

description: The Packed_Data_Fields class contains field definitions for extracting packed data from the associated byte string field.

role: **Concrete**

attribute: [bit_fields](#)

attribute: [description](#) Optional

 - **Field_Bit - occurs 1 to * times**

description: The Field_Bit class provides parameters for extracting one field out of a string of bytes which contains packed data (that is, data values either smaller than a single byte, or crossing byte boundaries, or both).

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [start_bit](#)

attribute: [stop_bit](#)

attribute: [data_type](#) value: **SignedBitString, UnsignedBitString**

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: **254, 32767, 65522** Optional

attribute: [high_instrument_saturation](#) value: **-32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF** Optional

attribute: [high_representation_saturation](#) value: **-32764, 255, 4, 65535, FF7FFFFFFF**,

- **FFFBFFFF** Optional
attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional
attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
attribute: [low_representation_saturation](#) value : -32767, 1, 16#FF7FFFFC#, 16#FFFEEFFF#^O
ptional
- **End Special_Constants**
- **End Field_Bit**
- **End Packed_Data_Fields**
- **End Field_Binary**
- **End Group_Field_Binary**
- **End Record_Binary**
- **End Table_Binary**
- **Table_Character - occurs 1 to * times**

description: The Table Character class is an extension of table base and defines a simple character table.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [records](#)

attribute: [record_delimiter](#) value: carriage-return line-feed

attribute: [description](#) Optional
- **Uniformly_Sampled - occurs 0 to 1 times**

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.

role: **Concrete**

attribute: [sampling_parameter_name](#)

attribute: [sampling_parameter_interval](#)

attribute: [sampling_parameter_unit](#)

attribute: [first_sampling_parameter_value](#)

attribute: [last_sampling_parameter_value](#)

attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic
Optional
- **End Uniformly_Sampled**
- **Record_Character occurs 1 times**

description: The Record_Character class is a component of the table class and defines a record of the table.

role: **Concrete**

attribute: [record_length](#)

attribute: [fields](#)

attribute: [groups](#)
- **Field_Character - occurs 1 to * times**

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [field_length](#)

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: **The Special Constants class provides a set of values used to indicate special cases that occur in the data.**

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional

- **End Special_Constants**

- **Field_Statistics - occurs 0 to 1 times**

description: **The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.**

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **End Field_Character**
- **Group_Field_Character - occurs 1 to * times**

description: The Group_Field_Character class allows a group of table fields.

role: **Concrete**

attribute: **group_number** Optional

attribute: **repetitions**

attribute: **group_location**

attribute: **fields**

attribute: **group_length**

attribute: **groups**

 - **Field_Character - occurs 1 to * times**

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: **name**

attribute: **field_number** Optional

attribute: **field_location**

attribute: **data_type** value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: **field_length**

attribute: **field_format** Optional

attribute: **unit** Optional

attribute: **scaling_factor** Optional

attribute: **value_offset** Optional

attribute: **description** Optional
 - **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: **saturated_constant** Optional

attribute: **missing_constant** Optional

attribute: **error_constant** Optional

attribute: **invalid_constant** Optional

attribute: **unknown_constant** Optional

attribute: **not_applicable_constant** Optional

attribute: **valid_maximum** value: 254, 32767, 65522 Optional

attribute: **high_instrument_saturation** value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: **high_representation_saturation** value: -32764, 255, 4, 65535, FF7FFFFF, FFFFBBBB Optional

- attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA,
FFEEEEEE Optional
- attribute: [low_instrument_saturation](#) value: -32766, 0, 2,
FF7FFFFFFD, FFFDFFFF Optional
- attribute: [low_representation_saturation](#) value: -32767, 1,
 16#FF7FFFFC#, 16#FFFEFFFF# Optional
- **End Special_Constants**
 - **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional
 - **End Field_Statistics**
 - **End Field_Character**
 - **End Group_Field_Character**
 - **End Record_Character**
 - **End Table_Character**
 - **Table_Delimited - occurs 1 to * times**

description: The Table_Delimited class defines a simple table (spreadsheet) with delimited fields and records.

role: **Concrete**

attribute: [name](#) Optional

attribute: [local_identifier](#) Optional

attribute: [offset](#)

attribute: [records](#)

attribute: [object_length](#) Optional

attribute: [record_delimiter](#) value: carriage-return line-feed

attribute: [parsing_standard_id](#) value: PDS DSV 1

attribute: [description](#) Optional

attribute: [field_delimiter](#) value: comma, horizontal tab, semicolon, vertical bar
 - **Uniformly_Sampled - occurs 0 to 1 times**

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.

role: **Concrete**

attribute: [sampling_parameter_name](#)

attribute: [sampling_parameter_interval](#)

attribute: [sampling_parameter_unit](#)

attribute: [first_sampling_parameter_value](#)

attribute: [last_sampling_parameter_value](#)

attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic
Optional
 - **End Uniformly_Sampled**
 - **Record_Delimited occurs 1 times**

description: The Record_Delimited class is a component of the delimited table (spreadsheet) class and defines a record of the delimited table.

role: Concrete

attribute: [maximum_record_length](#) Optional

attribute: [fields](#)

attribute: [groups](#)

- [Field_Delimited](#) - occurs 1 to * times

description: The Field_Delimited class defines a field of a delimited record or a field of a delimited group.

role: Concrete

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [maximum_field_length](#) Optional

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- [Special_Constants](#) - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: Concrete

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBFFFF Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional

attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEBFFF# Optional

- End Special_Constants

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End Field_Statistics**

- **End Field_Delimited**

- **Group_Field_Delimited - occurs 1 to * times**

description: The Field_Group_Delimited class allows a group of delimited fields.

role: **Concrete**

attribute: [group_number](#) Optional

attribute: [repetitions](#)

attribute: [fields](#)

attribute: [groups](#)

- **Field_Delimited - occurs 1 to * times**

description: The Field_Delimited class defines a field of a delimited record or a field of a delimited group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [maximum_field_length](#) Optional

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

- attribute: [error_constant](#) Optional
- attribute: [invalid_constant](#) Optional
- attribute: [unknown_constant](#) Optional
- attribute: [not_applicable_constant](#) Optional
- attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional
- attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
- attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFF, FFFFBBBB Optional
- attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFFF Optional
- attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
- attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEEEE# Optional
- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**

description: **The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.**

role: **Concrete**

 - attribute: [local_identifier](#) Optional
 - attribute: [maximum](#) Optional
 - attribute: [minimum](#) Optional
 - attribute: [mean](#) Optional
 - attribute: [standard_deviation](#) Optional
 - attribute: [median](#) Optional
 - attribute: [description](#) Optional
- **End Field_Statistics**
- **End Field_Delimited**
- **End Group_Field_Delimited**
- **End Record_Delimited**
- **End Table_Delimited**
- **End File_Area_Observational_Supplemental**
- **End Product_Observational**

- **Product_Proxy_PDS3**

description: **The Product Proxy PDS3 class defines a product with enough information to register a PDS3 data product.**

role: **Concrete**

 - **Identification_Area occurs 1 times**

description: **The identification area consists of attributes that identify and name an object.**

role: **Concrete**

 - attribute: [logical_identifier](#)
 - attribute: [version_id](#)
 - attribute: [title](#)
 - attribute: [information_model_version](#) value: 1.0.0.0
 - attribute: [product_class](#) value: Product_Proxy_PDS3
 - **Alias_List - occurs 0 to 1 times**

description: **The Alias_List class provides a list of paired alternate names and**

identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End Citation_Information**

- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End Modification_Detail**

- **End Modification_History**

- **End Identification_Area**

- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**
 description: The External_Reference class is used to reference a source outside the PDS registry system.
 role: **Concrete**
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional
 - **End External_Reference**
 - **End Reference_List**
 - **File_Area_Binary - occurs 1 to * times**
 description: The File Area Binary class describes a file that contains an encoded byte stream.
 role: **Concrete**
 - **File occurs 1 times**
 description: The File class consists of attributes that describe a file in a data store.
 role: **Concrete**
 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [comment](#) Optional
 - **End File**
 - **Encoded_Binary - occurs 0 to * times**
 description: The Encoded Binary class describes a binary encoded byte stream.
 This class is used to describe files in the repository that are being registered using Product_File_Repository.
 role: **Concrete**
 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#) Optional
 - attribute: [encoding_standard_id](#) value: CCSDS Communication Protocols
 - attribute: [description](#) Optional
 - **End Encoded_Binary**
 - **End File_Area_Binary**
 - **End Product_Proxy_PDS3**
-

• **Product_Service**

description: The Product Service class defines a product for registering services. Service descriptions from this product are used to register services as intrinsic registry objects.
 role: **Concrete**

- **Identification_Area occurs 1 times**
 description: The identification area consists of attributes that identify and name an object.
 role: **Concrete**
 - attribute: [logical_identifier](#)
 - attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Service

- Alias_List - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: Concrete

- Alias - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: Concrete

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- End Alias

- End Alias_List

- Citation_Information - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: Concrete

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- End Citation_Information

- Modification_History - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: Concrete

- Modification_Detail - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: Concrete

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- End Modification_Detail

- End Modification_History

- End Identification_Area

- Reference_List - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: Concrete

- Internal_Reference - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: Concrete

- attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End External_Reference**
 - **End Reference_List**
 - **File_Area_Service_Description - occurs 0 to * times**

description: The File Area Service Description class describes a file that contains a service description.

role: **Concrete**

 - **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [comment](#) Optional
 - **End File**
 - **Service_Description - occurs 1 to * times**

description: The Service Description class defines a file that contains a standardized service specification.

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#) Optional
 - attribute: [parsing_standard_id](#) value: WADL, WSDL 2.n
 - attribute: [description](#) Optional
 - **End Service_Description**
 - **End File_Area_Service_Description**
 - **End Product_Service**
-

• **Product_SIP**

description: The Product SIP class defines a product for the Submission Information Package.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_SIP

- Alias_List - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: Concrete

- Alias - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: Concrete

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- End Alias

- End Alias_List

- Citation_Information - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: Concrete

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- End Citation_Information

- Modification_History - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: Concrete

- Modification_Detail - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: Concrete

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- End Modification_Detail

- End Modification_History

- End Identification_Area

- Reference_List - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: Concrete

- Internal_Reference - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

- role: **Concrete**
 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

 - role: **Concrete**
 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End External_Reference**
- **End Reference_List**
- **Information_Package_Component - occurs 1 to * times**

description: The Information_Package_Component class associates a Bundle, Collections or Basic Products with Checksum and Storage Manifests.

 - role: **Concrete**
 - attribute: [checksum_manifest_checksum](#) Optional
 - attribute: [checksum_type](#) Optional
 - attribute: [transfer_manifest_checksum](#) Optional
 - **Internal_Reference - occurs 1 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

 - role: **Concrete**
 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **File_Area_Checksum_Manifest - occurs 0 to 1 times**

description: The File Area Checksum Manifest class describes a file that contains a two column table for file references and checksums.

 - role: **Concrete**
 - **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

 - role: **Concrete**
 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [comment](#) Optional
 - **End File**
 - **Checksum_Manifest occurs 1 times**

description: The Checksum_Manifest class defines a two column table for file references and checksums. The table structure is compatible with the output

- from an MD5 checksum utility.
- role: **Concrete**
- attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [object_length](#) Optional
 - attribute: [record_delimiter](#) value: carriage-return line-feed
 - attribute: [parsing_standard_id](#) value: MD5Deep 4.n
 - attribute: [description](#) Optional
 - End Checksum_Manifest
 - End File_Area_Checksum_Manifest
 - **File_Area_Transfer_Manifest - occurs 0 to 1 times**

description: The File Area Transfer Manifest class describes a file that contains a two column table that maps the logical identifiers and version ids of products to their file specification names.

role: **Concrete**

 - **File occurs 1 times**

description: The File class consists of attributes that describe a file in a data store.

role: **Concrete**

 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [comment](#) Optional
 - End File
 - **Transfer_Manifest occurs 1 times - Base_Class:Table_Base**

description: The Transfer_Manifest class defines a table that maps product LIDVIDs to the file_specificaiton_names of the products' XML label files.

role: **Concrete**

 - attribute: [name](#) Optional
 - attribute: [local_identifier](#) Optional
 - attribute: [offset](#)
 - attribute: [records](#)
 - attribute: [record_delimiter](#) value: carriage-return line-feed
 - attribute: [description](#) Optional
 - **Uniformly_Sampled - occurs 0 to 1 times**

description: The Uniformly_Sampled class provides parameters for a uniformly sampled table.

role: **Concrete**

 - attribute: [sampling_parameter_name](#)
 - attribute: [sampling_parameter_interval](#)
 - attribute: [sampling_parameter_unit](#)
 - attribute: [first_sampling_parameter_value](#)
 - attribute: [last_sampling_parameter_value](#)
 - attribute: [sampling_parameter_scale](#) value: Exponential, Linear, Logarithmic Optional
 - End Uniformly_Sampled

- **Record_Character** occurs 1 times

description: The Record_Character class is a component of the table class and defines a record of the table.

role: **Concrete**

attribute: [record_length](#)

attribute: [fields](#)

attribute: [groups](#)

- **Field_Character** - occurs 1 to * times

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [field_length](#)

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional

attribute: [description](#) Optional

- **Special_Constants** - occurs 0 to 1 times

description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.

role: **Concrete**

attribute: [saturated_constant](#) Optional

attribute: [missing_constant](#) Optional

attribute: [error_constant](#) Optional

attribute: [invalid_constant](#) Optional

attribute: [unknown_constant](#) Optional

attribute: [not_applicable_constant](#) Optional

attribute: [valid_maximum](#) value: 254, 32767, 65522 Optional

attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional

attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional

attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFFF Optional

attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFFDDDD Optional

attribute: [low_representation_saturation](#) value: -32767, 1,
16#FF7FFFFC#, 16#FFEFFFFF# Optional

- **End** Special_Constants

- **Field_Statistics - occurs 0 to 1 times**

description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [maximum](#) Optional

attribute: [minimum](#) Optional

attribute: [mean](#) Optional

attribute: [standard_deviation](#) Optional

attribute: [median](#) Optional

attribute: [description](#) Optional

- **End** Field_Statistics

- **End** Field_Character

- **Group_Field_Character - occurs 1 to * times**

description: The Group_Field_Character class allows a group of table fields.

role: **Concrete**

attribute: [group_number](#) Optional

attribute: [repetitions](#)

attribute: [group_location](#)

attribute: [fields](#)

attribute: [group_length](#)

attribute: [groups](#)

- **Field_Character - occurs 1 to * times**

description: The Field_Character class defines a field of a character record or a field of a character group.

role: **Concrete**

attribute: [name](#)

attribute: [field_number](#) Optional

attribute: [field_location](#)

attribute: [data_type](#) value: ASCII_AnyURI, ASCII_Boolean, ASCII_DOI, ASCII_Date, ASCII_Date_DOY, ASCII_Date_Time, ASCII_Date_Time_DOY, ASCII_Date_Time_UTC, ASCII_Date_Time_YMD, ASCII_Date_YMD, ASCII_Directory_Path_Name, ASCII_File_Name, ASCII_File_Specification_Name, ASCII_Integer, ASCII_LID, ASCII_LIDVID, ASCII_LIDVID_LID, ASCII_MD5_Checksum, ASCII_NonNegative_Integer, ASCII_Numeric_Base16, ASCII_Numeric_Base2, ASCII_Numeric_Base8, ASCII_Real, ASCII_String, ASCII_Time, ASCII_VID, UTF8_String

attribute: [field_length](#)

attribute: [field_format](#) Optional

attribute: [unit](#) Optional

attribute: [scaling_factor](#) Optional

attribute: [value_offset](#) Optional
 attribute: [description](#) Optional

- **Special_Constants - occurs 0 to 1 times**
 description: The Special Constants class provides a set of values used to indicate special cases that occur in the data.
 role: **Concrete**
 attribute: [saturated_constant](#) Optional
 attribute: [missing_constant](#) Optional
 attribute: [error_constant](#) Optional
 attribute: [invalid_constant](#) Optional
 attribute: [unknown_constant](#) Optional
 attribute: [not_applicable_constant](#) Optional
 attribute: [valid_maximum](#) value: 254, 32767, 65522 °
 attribute: [high_instrument_saturation](#) value: -32765, 255, 3, 65534, FF7FFFFE, FFFCFFFF Optional
 attribute: [high_representation_saturation](#) value: -32764, 255, 4, 65535, FF7FFFFFF, FFFFBBBB Optional
 attribute: [valid_minimum](#) value: -32752, 1, 3, 5, FF7FFFFA, FFEFFFFF Optional
 attribute: [low_instrument_saturation](#) value: -32766, 0, 2, FF7FFFFD, FFFDFFFF Optional
 attribute: [low_representation_saturation](#) value: -32767, 1, 16#FF7FFFFC#, 16#FFFEFFFF# Optional
- **End Special_Constants**
- **Field_Statistics - occurs 0 to 1 times**
 description: The Field Statistics class provides a set of metrics for a column formed by a field in a repeating record.
 role: **Concrete**
 attribute: [local_identifier](#) Optional
 attribute: [maximum](#) Optional
 attribute: [minimum](#) Optional
 attribute: [mean](#) Optional
 attribute: [standard_deviation](#) Optional
 attribute: [median](#) Optional
 attribute: [description](#) Optional
- **End Field_Statistics**
- **End Field_Character**
- **End Group_Field_Character**
- **End Record_Character**
- **End Transfer_Manifest**
- **End File_Area_Transfer_Manifest**
- **End Information_Package_Component**
- **Submission_Information_Package occurs 1 times**
 description: The Submission Information Package (SIP) class is an Information Package that is delivered by a Data Provider to an archive that conforms to the Open Archive Information System (OAIS) Reference Model for use in the construction of one or more AIPs.

- role: **Concrete**
attribute: [description](#)
- **End Submission_Information_Package**
-
- **End Product_SIP**
- **Product_Software**
- description: **Product Software** is a product consisting of a set of one or more software formats.
- role: **Concrete**
- **Identification_Area** occurs 1 times
- description: **The identification area consists of attributes that identify and name an object.**
- role: **Concrete**
- [logical_identifier](#)
 - [version_id](#)
 - [title](#)
 - [information_model_version](#) value: **1.0.0.0**
 - [product_class](#) value: **Product_Software**
- **Alias_List** - occurs 0 to 1 times
- description: **The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.**
- role: **Concrete**
- **Alias** - occurs 1 to * times
- description: **The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.**
- role: **Concrete**
- [alternate_id](#) Optional
 - [alternate_title](#) Optional
 - [comment](#) Optional
- **End Alias**
- **End Alias_List**
- **Citation_Information** - occurs 0 to 1 times
- description: **The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.**
- role: **Concrete**
- [author_list](#) Optional
 - [editor_list](#) Optional
 - [publication_year](#)
 - [description](#)
 - [keyword](#) Optional
- **End Citation_Information**
- **Modification_History** - occurs 0 to 1 times
- description: **The Modification_History class tracks the history of changes made to the product once it enters the registry system.**
- role: **Concrete**
- **Modification_Detail** - occurs 1 to * times
- description: **The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.**
- role: **Concrete**

- attribute: [modification_date](#)
- attribute: [version_id](#)
- attribute: [description](#)
- **End** Modification_Detail
- **End** Modification_History
- **End** Identification_Area
- **Reference_List** - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference** - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End** Internal_Reference
 - **External_Reference** - occurs 0 to * times

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End** External_Reference
- **End** Reference_List
- **Software** occurs 1 times

description: The Software class describes a software product

role: **Concrete**

 - attribute: [name](#)
 - attribute: [version_id](#)
 - attribute: [author_list](#) Optional
 - attribute: [description](#)
 - attribute: [programmers_manual_id](#)
 - attribute: [software_id](#)
 - attribute: [software_type](#)
 - attribute: [users_manual_id](#)
- **End** Software
- **Software_Binary** - occurs 0 to * times

description: The Software Script class provides a description of a software code that is stored as a compiled binary file.

role: **Concrete**

 - attribute: [files](#)
 - attribute: [os_version](#)
 - attribute: [program_notes_id](#)
 - attribute: [software_format_type](#)

- attribute: [supported_architecture_note](#)
- attribute: [supported_operating_system_note](#)
- attribute: [system_requirements_note](#)
- **End Software_Binary**
- **Software_Script - occurs 0 to * times**

description: The Software Script class provides a description of a software code that is stored as a script.

role: **Concrete**

 - attribute: [files](#)
 - attribute: [install_note](#)
 - attribute: [supported_environment_note](#)
 - attribute: [system_requirements_note](#)
- **End Software_Script**
- **Software_Source - occurs 0 to * times**

description: The Software Script class provides a description of a software code that is stored as source code.

role: **Concrete**

 - attribute: [compile_note](#)
 - attribute: [files](#)
 - attribute: [os_version](#)
 - attribute: [program_notes_id](#)
 - attribute: [software_dialect](#)
 - attribute: [software_format_type](#)
 - attribute: [software_language](#)
 - attribute: [supported_architecture_note](#)
 - attribute: [supported_operating_system_note](#)
 - attribute: [system_requirements_note](#)
- **End Software_Source**
- **End Product_Software**

- **Product_SPICE_Kernel**

description: The Product SPICE Kernel class defines a SPICE kernel product.

role: **Concrete**

 - **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

 - attribute: [logical_identifier](#)
 - attribute: [version_id](#)
 - attribute: [title](#)
 - attribute: [information_model_version](#) value: 1.0.0.0
 - attribute: [product_class](#) value: Product_SPICE_Kernel
 - **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

- attribute: [alternate_id](#) Optional
- attribute: [alternate_title](#) Optional
- attribute: [comment](#) Optional
- **End Alias**
- **End Alias_List**
- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [publication_year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
- **End Citation_Information**
- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End Modification_Detail**
- **End Modification_History**
- **End Identification_Area**
- **Context_Area occurs 1 times**

description: The Context Area provides context information for a product.

role: **Concrete**

 - attribute: [comment](#) Optional
 - **Time_Coordinates - occurs 0 to 1 times**

description: The Time_Coordinates class provides a list of time coordinates.

role: **Concrete**

 - attribute: [start_date_time](#)
 - attribute: [stop_date_time](#)
 - attribute: [local_mean_solar_time](#) Optional
 - attribute: [local_true_solar_time](#) Optional
 - attribute: [solar_longitude](#) Optional
 - **End Time_Coordinates**
 - **Primary_Result_Summary - occurs 0 to 1 times**

description: The Primary_Result_Summary class provides a high-level description of the types of products included in the collection or bundle

role: **Concrete**

 - attribute: [type](#) value: Altimetry, Astrometry, Count, E/B-Field Vectors, Gravity Model, Image, Lightcurves, Magnetometry, Map, Meteorology, Null Result, Occultation,

Photometry, Physical Parameters, Polarimetry, Radiometry, Reference, Shape Model, Spectrum Optional
attribute: [purpose](#) value: Calibration, Checkout, Engineering, Navigation, Science
attribute: [data regime](#) value: Dust, Electric Field, Electrons, Far Infrared, Gamma Ray, Infrared, Ions, Magnetic Field, Microwave, Millimeter, Near Infrared, Particles, Pressure, Radio, Sub-Millimeter, Temperature, Ultraviolet, Visible, X-Ray
attribute: [processing level id](#) value: Calibrated, Derived, Partially Processed, Raw, Telemetry
attribute: [description](#) Optional

- **End Primary_Result_Summary**
- **Investigation_Area - occurs 0 to * times**
description: The Investigation_Area class provides information about an investigation (mission, observing campaign or other coordinated, large-scale data collection effort).
role: Concrete
attribute: [name](#)
attribute: [type](#) value: Individual Investigation, Mission, Observing Campaign, Other Investigation
 - **Internal_Reference - occurs 1 to * times**
description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.
role: Concrete
attribute: [lid reference](#) Optional
attribute: [lidvid reference](#) Optional
attribute: [reference type](#)
attribute: [comment](#) Optional
 - **End Internal_Reference**
- **End Investigation_Area**
- **Observing_System - occurs 0 to * times**
description: The Observing System class describes the entire suite used to collect the data.
role: Concrete
attribute: [name](#) Optional
attribute: [description](#) Optional
 - **Observing_System_Component - occurs 1 to * times**
description: The Observing System Component class references one or more subsystems used to collect data. A subsystem can be an instrument_host, instrument, or any other similar product. Each subsystem is categorized as either a sensor or a source. If the observing system includes both a sensor and a source, Observing System Component occurs twice (once for each type) otherwise it only occurs once.
role: Concrete
attribute: [name](#)
attribute: [type](#) value: Artificial Illumination, Instrument, Laboratory, Literature Search, Naked Eye, Observatory, Spacecraft, Telescope
attribute: [description](#) Optional
 - **Internal_Reference - occurs 0 to 1 times**
description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.
role: Concrete
attribute: [lid reference](#) Optional

attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**
 description: **The External_Reference class is used to reference a source outside the PDS registry system.**
 role: **Concrete**
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional
- **End External_Reference**
 - **End Observing_System_Component**
- **End Observing_System**
- **Target_Identification - occurs 0 to * times**
 description: **The Target_Identification class provides detailed target identification information.**
 role: **Concrete**
 attribute: [name](#)
 attribute: [alternate_designation](#) Optional
 attribute: [type](#)
 attribute: [description](#) Optional
- **Internal_Reference - occurs 0 to 1 times**
 description: **The Internal_Reference class is used to cross-reference other products in the PDS registry system.**
 role: **Concrete**
 attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional
- **End Internal_Reference**
- **End Target_Identification**
- **Mission_Area - occurs 0 to 1 times**
 description: **The mission area allows the insertion of mission specific metadata.**
 role: **Concrete**
 - **End Mission_Area**
 - **Discipline_Area - occurs 0 to 1 times**
 description: **The Discipline area allows the insertion of discipline specific metadata.**
 role: **Concrete**
 - **End Discipline_Area**
 - **End Context_Area**
 - **Reference_List - occurs 0 to 1 times**
 description: **The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.**
 role: **Concrete**
 - **Internal_Reference - occurs 0 to * times**
 description: **The Internal_Reference class is used to cross-reference other products in the PDS registry system.**
 role: **Concrete**

attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**
 description: **The External_Reference class is used to reference a source outside the PDS registry system.**
 role: **Concrete**
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional
- **End External_Reference**

- **End Reference_List**
- **File_Area_SPICE_Kernel occurs 1 times**
 description: **The File Area SPICE Kernel class describes a file that contains a SPICE Kernel object.**
 role: **Concrete**
 - **File occurs 1 times**
 description: **The File class consists of attributes that describe a file in a data store.**
 role: **Concrete**
 attribute: [file_name](#)
 attribute: [local_identifier](#) Optional
 attribute: [creation_date_time](#) Optional
 attribute: [file_size](#) Optional
 attribute: [records](#) Optional
 attribute: [md5_checksum](#) Optional
 attribute: [comment](#) Optional
 - **End File**
 - **SPICE_Kernel occurs 1 times**
 description: **The SPICE Kernel class describes a SPICE object.**
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [object_length](#) Optional
 attribute: [parsing_standard_id](#) value: **SPICE**
 attribute: [kernel_type](#) value: **CK, DBK, DSK, EK, FK, IK, LSK, MK, PCK, SCLK, SPK**
 attribute: [description](#) Optional
 - **End SPICE_Kernel**
- **End File_Area_SPICE_Kernel**

- **End Product_SPICE_Kernel**

• **Product_Subscription_PDS3**

description: **The Product_Subscription_PDS3 class provides the list of subscriptions for a PDS3 subscriber.**
 role: **Concrete**

- **Identification_Area occurs 1 times**

description: **The identification area consists of attributes that identify and name an object.**
 role: **Concrete**

- attribute: [logical_identifier](#)
- attribute: [version_id](#)
- attribute: [title](#)
- attribute: [information_model_version](#) value: 1.0.0.0
- attribute: [product_class](#) value: Product_Subscription_PDS3
- **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

 - **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

 - attribute: [alternate_id](#) Optional
 - attribute: [alternate_title](#) Optional
 - attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

 - attribute: [author_list](#) Optional
 - attribute: [editor_list](#) Optional
 - attribute: [publication_year](#)
 - attribute: [description](#)
 - attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

 - attribute: [modification_date](#)
 - attribute: [version_id](#)
 - attribute: [description](#)
 - **End Modification_Detail**
 - **End Modification_History**
 - **End Identification_Area**
 - **Reference_List** - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference** - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products

in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

- **End External_Reference**

- **End Reference_List**

- **Subscriber_PDS3 occurs 1 times**

description: The Subscriber PDS3 class provides the name of the subscriber and their subscription list.

role: **Concrete**

attribute: [full_name](#)

attribute: [local_identifier](#) Optional

attribute: [subscription_id](#)

- **End Subscriber_PDS3**

- **End Product_Subscription_PDS3**
-

• **Product_Target_PDS3**

description: A target product describes a target. This product captures a reduced set of the PDS3 catalog target information.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Target_PDS3

- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional
- **End** Citation_Information
- **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

 - **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)
 - **End** Modification_Detail
- **End** Modification_History
- **End** Identification_Area
- **Reference_List** - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference** - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional
 - **End** Internal_Reference
 - **External_Reference** - occurs 0 to * times

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional
 - **End** External_Reference
- **End** Reference_List
- **Target_PDS3** occurs 1 times

description: The Target class provides a description of a physical object that is the object

of data collection. This class captures the PDS3 catalog Target information.

role: **Concrete**

attribute: [target_name](#)

attribute: [orbit_direction](#) Optional

attribute: [primary_body_name](#)

attribute: [rotation_direction](#) Optional

attribute: [target_desc](#)

attribute: [target_type](#)

- **End Target_PDS3**

- **End Product_Target_PDS3**
-

- **Product_Thumbnail**

description: The Product Thumbnail class defines a product consisting of one encoded byte stream digital object.

role: **Concrete**

- **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Thumbnail

- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End Citation_Information**

- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**
 description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.
 role: **Concrete**
 attribute: [modification_date](#)
 attribute: [version_id](#)
 attribute: [description](#)
- **End Modification_Detail**
- **End Modification_History**
- **End Identification_Area**
- **Reference_List - occurs 0 to 1 times**
 description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.
 role: **Concrete**
 - **Internal_Reference - occurs 0 to * times**
 description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.
 role: **Concrete**
 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **External_Reference - occurs 0 to * times**
 description: The External_Reference class is used to reference a source outside the PDS registry system.
 role: **Concrete**
 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End External_Reference**
- **End Reference_List**
- **File_Area_Encoded_Image occurs 1 times**
 description: The File Area Encoded Image class describes a file that contains an Encoded Image object.
 role: **Concrete**
 - **File occurs 1 times**
 description: The File class consists of attributes that describe a file in a data store.
 role: **Concrete**
 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [comment](#) Optional
 - **End File**
 - **Encoded_Image occurs 1 times**

- description: The Encoded Image class is used for ancillary images in standard formats, such as JPEG.
- role: **Concrete**
- attribute: [name](#) Optional
- attribute: [local_identifier](#) Optional
- attribute: [offset](#)
- attribute: [object_length](#) Optional
- attribute: [encoding_standard_id](#) value: GIF, J2C, JPEG, PDF, PDF/A, PNG, TIFF
- attribute: [description](#) Optional
- **End** Encoded_Image
 - **End** File_Area_Encoded_Image
 - **End** Product_Thumbnail
-

- **Product_Update**

description: The Product Update class defines a product consisting of update information and optional references to other products.

role: **Concrete**

- **Identification_Area** occurs 1 times

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Update

- **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End** Alias

- **End** Alias_List

- **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End** Citation_Information

- **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End Modification_Detail**

- **End Modification_History**

- **End Identification_Area**

- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- **End Internal_Reference**

- **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

- **End External_Reference**

- **End Reference_List**

- **Update occurs 1 times**

description: The Update class consists of update information.

role: **Concrete**

attribute: [local_identifier](#) Optional

attribute: [description](#) Optional

- **Update_Entry - occurs 1 to * times**

description: The Update Entry class provides the date and description of an update.

role: **Concrete**

attribute: [date_time](#)

attribute: [full_name](#)

attribute: [description](#)

- **Internal_Reference - occurs 0 to 1 times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

- role: **Concrete**
attribute: [lid_reference](#) Optional
attribute: [lidvid_reference](#) Optional
attribute: [reference_type](#)
attribute: [comment](#) Optional
- **End Internal_Reference**
 - **End Update_Entry**
 - **End Update**
- **End Product_Update**
-
- **Product_Volume_PDS3**
description: A Product Volume PDS3 product captures the PDS3 volume information.
role: **Concrete**
 - **Identification_Area** occurs 1 times
description: The identification area consists of attributes that identify and name an object.
role: **Concrete**
attribute: [logical_identifier](#)
attribute: [version_id](#)
attribute: [title](#)
attribute: [information_model_version](#) value: 1.0.0.0
attribute: [product_class](#) value: Product_Volume_PDS3
 - **Alias_List** - occurs 0 to 1 times
description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.
role: **Concrete**
 - **Alias** - occurs 1 to * times
description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.
role: **Concrete**
attribute: [alternate_id](#) Optional
attribute: [alternate_title](#) Optional
attribute: [comment](#) Optional
 - **End Alias**
 - **End Alias_List**
 - **Citation_Information** - occurs 0 to 1 times
description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.
role: **Concrete**
attribute: [author_list](#) Optional
attribute: [editor_list](#) Optional
attribute: [publication_year](#)
attribute: [description](#)
attribute: [keyword](#) Optional
 - **End Citation_Information**
 - **Modification_History** - occurs 0 to 1 times
description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.
role: **Concrete**
 - **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: Concrete

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- End Modification_Detail

- End Modification_History

- End Identification_Area

- Reference_List - occurs 0 to 1 times

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: Concrete

- Internal_Reference - occurs 0 to * times

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: Concrete

attribute: [lid_reference](#) Optional

attribute: [lidvid_reference](#) Optional

attribute: [reference_type](#)

attribute: [comment](#) Optional

- End Internal_Reference

- External_Reference - occurs 0 to * times

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: Concrete

attribute: [doi](#) Optional

attribute: [reference_text](#)

attribute: [description](#) Optional

- End External_Reference

- End Reference_List

- Volume_PDS3 occurs 1 times

description: The Volume_PDS3 class is used to capture the volume information from the PDS3 Data Set Catalog.

role: Concrete

attribute: [archive_status](#) value: ARCHIVED, ARCHIVED_ACCUMULATING, IN LIEN_RESOLUTION, IN LIEN_RESOLUTION_ACCUMULATING, IN_PEER REVIEW, IN_PEER REVIEW_ACCUMULATING, IN_QUEUE, IN_QUEUE_ACCUMULATING, LOCALLY_ARCHIVED, LOCALLY_ARCHIVED_ACCUMULATING, PRE_PEER REVIEW, PRE_PEER REVIEW_ACCUMULATING, SAFED, SUPERSEDED

attribute: [description](#) Optional

attribute: [archive_status_note](#)

attribute: [curating_node_id](#) Optional

attribute: [medium_type](#)

attribute: [publication_date](#)

attribute: [volume_de_fullname](#)

attribute: [volume_format](#)

attribute: [volume_id](#)

attribute: [volume_name](#)

- attribute: [volume_set_id](#)
 - attribute: [volume_size](#)
 - attribute: [volume_version_id](#)
 - **End** Volume_PDS3
 - **End** Product_Volume_PDS3
-

• Product_Volume_Set_PDS3

description: A Product Volume Set PDS3 product captures the PDS3 volume set information.

role: **Concrete**

- **Identification_Area** occurs 1 times

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

attribute: [logical_identifier](#)

attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_Volume_Set_PDS3

- **Alias_List** - occurs 0 to 1 times

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias** - occurs 1 to * times

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End** Alias

- **End** Alias_List

- **Citation_Information** - occurs 0 to 1 times

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End** Citation_Information

- **Modification_History** - occurs 0 to 1 times

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail** - occurs 1 to * times

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

- attribute: [version_id](#)
- attribute: [description](#)
- **End Modification_Detail**
- **End Modification_History**
- **End Identification_Area**
- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

 - **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

 - attribute: [lid_reference](#) Optional
 - attribute: [lidvid_reference](#) Optional
 - attribute: [reference_type](#)
 - attribute: [comment](#) Optional
 - **End Internal_Reference**
 - **External_Reference - occurs 0 to * times**

description: The External_Reference class is used to reference a source outside the PDS registry system.

role: **Concrete**

 - attribute: [doi](#) Optional
 - attribute: [reference_text](#)
 - attribute: [description](#) Optional
 - **End External_Reference**
- **End Reference_List**
- **Volume_Set_PDS3 occurs 1 times**

description: The Volume_Set_PDS3 class is used to capture the volume set information from the PDS3 Data Set Catalog.

role: **Concrete**

 - attribute: [description](#) Optional
 - attribute: [volume_series_name](#)
 - attribute: [volume_set_id](#)
 - attribute: [volume_set_name](#)
 - attribute: [volumes](#)
- **End Volume_Set_PDS3**
- **End Product_Volume_Set_PDS3**

- **Product_XML_Schema**

description: The Product_XML_Schema describes a resource used for the PDS4 implementation into XML.

role: **Concrete**

 - **Identification_Area occurs 1 times**

description: The identification area consists of attributes that identify and name an object.

role: **Concrete**

 - attribute: [logical_identifier](#)
 - attribute: [version_id](#)

attribute: [title](#)

attribute: [information_model_version](#) value: 1.0.0.0

attribute: [product_class](#) value: Product_XML_Schema

- **Alias_List - occurs 0 to 1 times**

description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias - occurs 1 to * times**

description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

attribute: [alternate_id](#) Optional

attribute: [alternate_title](#) Optional

attribute: [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information - occurs 0 to 1 times**

description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

attribute: [author_list](#) Optional

attribute: [editor_list](#) Optional

attribute: [publication_year](#)

attribute: [description](#)

attribute: [keyword](#) Optional

- **End Citation_Information**

- **Modification_History - occurs 0 to 1 times**

description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail - occurs 1 to * times**

description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

attribute: [modification_date](#)

attribute: [version_id](#)

attribute: [description](#)

- **End Modification_Detail**

- **End Modification_History**

- **End Identification_Area**

- **Reference_List - occurs 0 to 1 times**

description: The Reference_List class provides lists general references and cross-references for the product. References cited elsewhere in the label need not be repeated here.

role: **Concrete**

- **Internal_Reference - occurs 0 to * times**

description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

attribute: [lid_reference](#) Optional
 attribute: [lidvid_reference](#) Optional
 attribute: [reference_type](#)
 attribute: [comment](#) Optional

- **End Internal_Reference**
- **External_Reference - occurs 0 to * times**
 description: **The External_Reference class is used to reference a source outside the PDS registry system.**
 role: **Concrete**
 attribute: [doi](#) Optional
 attribute: [reference_text](#)
 attribute: [description](#) Optional
- **End External_Reference**

- **End Reference_List**
- **File_Area_XML_Schema - occurs 1 to * times**
 description: **The File Area XML Schema class describes a file that contains a resource used for the PDS4 implementation into XML.**
 role: **Concrete**
 - **File occurs 1 times**
 description: **The File class consists of attributes that describe a file in a data store.**
 role: **Concrete**
 attribute: [file_name](#)
 attribute: [local_identifier](#) Optional
 attribute: [creation_date_time](#) Optional
 attribute: [file_size](#) Optional
 attribute: [records](#) Optional
 attribute: [md5_checksum](#) Optional
 attribute: [comment](#) Optional
 - **End File**
 - **XML_Schema occurs 1 times**
 description: **The XML Schema class defines a resource used for the PDS4 implementation into XML.**
 role: **Concrete**
 attribute: [name](#) Optional
 attribute: [local_identifier](#) Optional
 attribute: [offset](#)
 attribute: [object_length](#) Optional
 attribute: [parsing_standard_id](#) value: **Schematron ISO/IEC 19757-3:2006, XML Schema Version 1.1**
 attribute: [description](#) Optional
 - **End XML_Schema**

- **End File_Area_XML_Schema**
- **End Product_XML_Schema**

• **Product_Zipped**

description: **The Product_Zipped is a product with references to other products. The referenced products and all associated products and files are packaged into a single ZIP file.**

role: **Concrete**

- **Identification_Area occurs 1 times**

description: **The identification area consists of attributes that identify and name an object.**

role: **Concrete**
attribute: [logical_identifier](#)
attribute: [version_id](#)
attribute: [title](#)
attribute: [information_model_version](#) value: 1.0.0.0
attribute: [product_class](#) value: Product_Zipped

- **Alias_List** - occurs 0 to 1 times
 - description: The Alias_List class provides a list of paired alternate names and identifications for this product in this or some other archive or data system.

role: **Concrete**

- **Alias** - occurs 1 to * times
 - description: The Alias class provides a single alternate name and identification for this product in this or some other archive or data system.

role: **Concrete**

- [alternate_id](#) Optional
- [alternate_title](#) Optional
- [comment](#) Optional

- **End Alias**

- **End Alias_List**

- **Citation_Information** - occurs 0 to 1 times
 - description: The Citation_Information class provides specific fields often used in citing the product in journal articles, abstract services, and other reference contexts.

role: **Concrete**

- [author_list](#) Optional
- [editor_list](#) Optional
- [publication_year](#)
- [description](#)
- [keyword](#) Optional

- **End Citation_Information**

- **Modification_History** - occurs 0 to 1 times
 - description: The Modification_History class tracks the history of changes made to the product once it enters the registry system.

role: **Concrete**

- **Modification_Detail** - occurs 1 to * times
 - description: The Modification_Detail class provides the details of one round of modification for the product. The first, required, instance of this class documents the date the product was first registered.

role: **Concrete**

- [modification_date](#)
- [version_id](#)
- [description](#)

- **End Modification_Detail**

- **End Modification_History**

- **End Identification_Area**

- **Internal_Reference** - occurs 1 to * times
 - description: The Internal_Reference class is used to cross-reference other products in the PDS registry system.

role: **Concrete**

- [lid_reference](#) Optional
- [lidvid_reference](#) Optional

- attribute: [reference_type](#) Optional
- attribute: [comment](#) Optional
- **End Internal_Reference**
- **Zip occurs 1 times**
 - description: The Zip class describes a zip file.
 - role: **Concrete**
 - attribute: [container_type](#) value: GZIP, LZIP, TAR, ZIP
 - attribute: [description](#)
 - **End Zip**
 - **File occurs 1 times**
 - description: The File class consists of attributes that describe a file in a data store.
 - role: **Concrete**
 - attribute: [file_name](#)
 - attribute: [local_identifier](#) Optional
 - attribute: [creation_date_time](#) Optional
 - attribute: [file_size](#) Optional
 - attribute: [records](#) Optional
 - attribute: [md5_checksum](#) Optional
 - attribute: [comment](#) Optional

- **End File**

- **End Product_Zipped**
-

- **Submission_Information_Package**

description: The Submission Information Package (SIP) class is an Information Package that is delivered by a Data Provider to an archive that conforms to the Open Archive Information System (OAIS) Reference Model for use in the construction of one or more AIPs.

role: **Concrete**

attribute: [description](#)

- **End Submission_Information_Package**
-

- **Telemetry_Parameters**

description: The Telemetry_Parameters class contains downlink-related attributes used primarily during mission operations.

role: **Concrete**

attribute: [application_process_id](#) Optional

attribute: [application_process_name](#) Optional

attribute: [earth_received_start_date_time](#) Optional

attribute: [earth_received_stop_date_time](#) Optional

attribute: [expected_packets](#) Optional

attribute: [packet_map_mask](#) Optional

attribute: [received_packets](#) Optional

attribute: [spice_file_name](#) Optional

attribute: [telemetry_format_id](#) Optional

attribute: [telemetry_provider_id](#) Optional

attribute: [telemetry_source_name](#) Optional

attribute: [telemetry_source_type](#) value: DATA_PRODUCT, SFDU Optional

- **End Telemetry_Parameters**
-

- **abstract_desc in Data_Set_PDS3**

steward: **ops**
namespace id: **pds**
class: **Data_Set_PDS3**
version: **1.0**
 - definition: **The abstract desc attribute provides a summary of a text, scientific article, or document.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: **1**
 - nillable: **false**
- **abstract_flag in DD_Class**

steward: **ops**
namespace id: **pds**
class: **DD_Class**
version: **1.0**
 - definition: **The abstract flag attribute indicates whether or not the class can be instantiated. Abstract flag is only included if a value of 'true' is desired and indicates that the class is abstract and cannot be used in a label.**
 - value_data_type: [ASCII Boolean](#)
 - nillable: **false**
- **abstract_flag in DD_Class_Full**

steward: **ops**
namespace id: **pds**
class: **DD_Class_Full**
version: **1.0**
 - definition: **The abstract flag attribute indicates whether or not the class can be instantiated. Abstract flag is only included if a value of 'true' is desired and indicates that the class is abstract and cannot be used in a label.**
 - value_data_type: [ASCII Boolean](#)
 - nillable: **false**
- **acknowledgement_text in Document**

steward: **pds**
namespace id: **pds**
class: **Document**
version: **1.0**
 - definition: **The acknowledgement_text attribute is a character string which recognizes another's contribution, authority, or right.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: **1**
 - nillable: **false**
- **address in Facility**

steward: **pds**
namespace id: **pds**
class: **Facility**
version: **1.0**
 - definition: **The address attribute provides a mailing address.**
 - value_data_type: [UTF8 Text Preserved](#)
 - minimum_characters: **1**
 - nillable: **false**
- **affiliation_type in PDS_Affiliate**

steward: **ops**

namespace id: **pds**

class: **PDS_Affiliate**

version: 1.0

- definition: **The affiliation type data attribute describes the type of relationship an individual has with the PDS.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values
 - Affiliate** - The PDS_Affiliate has affiliation type Affiliate
 - Data Provider** - The PDS_Affiliate has affiliation type Data Provider
 - Manager** - The PDS_Affiliate has affiliation type Manager
 - Technical Staff** - The PDS_Affiliate has affiliation type Technical Staff

- **alternate_designation in Target_Identification**

steward: **pds**

namespace id: **pds**

class: **Target_Identification**

version: 1.0

- definition: **The alternate_designation attribute provides aliases.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **alternate_id in Alias**

steward: **pds**

namespace id: **pds**

class: **Alias**

version: 1.0

- definition: **The alternate_id attribute provides an additional identifier supplied by the data provider.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **alternate_telephone_number in PDS_Affiliate**

steward: **ops**

namespace id: **pds**

class: **PDS_Affiliate**

version: 1.0

- definition: **The telephone_number attribute provides a telephone number in international notation in compliance with the E.164 telephone number format recommendation.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **alternate_title in Alias**

steward: **pds**

namespace id: **pds**

class: **Alias**

version: 1.0

- definition: **The alternate_title attribute provides an alternate title for the product.**

- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- **altitude in Telescope**

steward: **pds**
 namespace id: **pds**
 class: **Telescope**
 version: **1.0**

 - definition: **The altitude attribute provides the height of anything above a given reference plane.**
 - value_data_type: [ASCII Real](#)
 - unit_of_measure_type: [Units_of_Length](#)
 - valid units: **AU, Angstrom, cm, km, m, micrometer, mm, nm**
 - specified_unit_id: **m**
 - nillable: false
- **aperture in Telescope**

steward: **pds**
 namespace id: **pds**
 class: **Telescope**
 version: **1.0**

 - definition: **The aperture attribute provides the diameter of an opening, usually circular, that limits the quantity of light that can enter an optical instrument.**
 - value_data_type: [ASCII Real](#)
 - minimum_value: 0
 - unit_of_measure_type: [Units_of_Length](#)
 - valid units: **AU, Angstrom, cm, km, m, micrometer, mm, nm**
 - specified_unit_id: **m**
 - nillable: false
- **application_process_id in Telemetry_Parameters**

steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: **1.0**

 - definition: **The application_process_id attribute identifies the process, or source, which created the data.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 0
 - nillable: false
- **application_process_name in Telemetry_Parameters**

steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: **1.0**

 - definition: **The application_process_name attribute provides the name associated with the source or process which created the data.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 127
 - nillable: false
- **archive_status in Data_Set_PDS3**

steward: **ops**

namespace id: **pds**
class: **Data_Set_PDS3**
version: 1.0

- definition: **The ARCHIVE_STATUS attribute indicates the stage to which a data set has progressed in the archiving process, from IN_QUEUE through ARCHIVED. It can also take on the values SUPERSEDED or SAFED, which indicate that the data set is not part of the active archive. ACCUMULATING can be appended to some values to indicate that the data set is incomplete and/or that not all components have reached the stage given by the root value; ACCUMULATING would be used, for example, when the archive is being delivered incrementally, as from a mission that lasts many months or years.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- permissible values

ARCHIVED - Archive status of the PDS3 data set is ARCHIVED (passed peer review with all liens resolved. Available through the Data Set Catalog and at NSSDC).

ARCHIVED_ACCUMULATING - Archive status of the PDS3 data set is ARCHIVED_ACCUMULATING (some parts of the data set are ARCHIVED, but other parts are in earlier stages of the archiving process and/or have not yet been delivered to PDS; use with caution).

IN LIEN_RESOLUTION - Archive status of the PDS3 data set is IN_LIEN_RESOLUTION (peer review completed; liens are in the process of being resolved; use with caution).

IN LIEN_RESOLUTION_ACCUMULATING - Archive status of the PDS3 data set is IN_LIEN_RESOLUTION_ACCUMULATING (some parts of the data set are IN LIEN_RESOLUTION, but other parts are in earlier stages of the archiving process and/or have not yet been delivered to PDS; use with caution).

IN_PEER REVIEW - Archive status of the PDS3 data set is IN_PEER REVIEW (under peer review at the curation node but evaluation is not complete; use with caution).

IN_PEER REVIEW_ACCUMULATING - Archive status of the PDS3 data set is IN_PEER REVIEW_ACCUMULATING (some parts of the data set are IN_PEER REVIEW, but other parts are in earlier stages of the archiving process and/or have not yet been delivered to PDS; use with caution).

IN_QUEUE - Archive status of the PDS3 data set is IN_QUEUE (received at the curation node but no action has been taken by the curation node; use with caution).

IN_QUEUE_ACCUMULATING - Archive status of the PDS3 data set is IN_QUEUE_ACCUMULATING (some parts of the data set are IN_QUEUE, but other parts have not yet been delivered to PDS; use with caution).

LOCALLY_ARCHIVED - Archive status of the PDS3 data set is LOCALLY_ARCHIVED (passed peer review with all liens resolved; considered archived by the curation node but awaiting completion of the standard archiving process; possible TBD items include the arrival of the archive volume at NSSDC and ingestion of catalog information into the Data Set Catalog).

LOCALLY_ARCHIVED_ACCUMULATING - Archive status of the PDS3 data set is LOCALLY_ARCHIVED_ACCUMULATING (some parts of the data set are LOCALLY_ARCHIVED, but other parts are in earlier stages of the archiving process and/or have not yet been delivered to PDS; use with caution).

PRE_PEER REVIEW - Archive status of the PDS3 data set is PRE_PEER REVIEW (being prepared for peer review under the direction of the curation node; use with caution).'

PRE_PEER REVIEW_ACCUMULATING - Archive status of the PDS3 data set is PRE_PEER REVIEW_ACCUMULATING (some parts of the data set are in PRE_PEER REVIEW, but other parts are IN_QUEUE and/or have not yet been delivered to PDS; use with caution).

SAFED - Archive status of the PDS3 data set is SAFED (the data set has been received by the

PDS with no evaluation; data will not be formally archived).

SUPERSEDED - Archive status of the PDS3 data set is SUPERSEDED (this data set has been replaced by a newer version, implying that the data set is not to be used unless the requester has specific reasons; when a data set has been superseded the Engineering Node, will notify NSSDC that their databases need to be updated to advise users of the new status and the location of the replacement data set).

- **archive_status in Volume_PDS3**

steward: **ops**

namespace id: **pds**

class: **Volume_PDS3**

version: **1.0**

- definition: **The ARCHIVE_STATUS attribute indicates the stage to which a data set has progressed in the archiving process, from IN_QUEUE through ARCHIVED. It can also take on the values SUPERSEDED or SAFED, which indicate that the data set is not part of the active archive. ACCUMULATING can be appended to some values to indicate that the data set is incomplete and/or that not all components have reached the stage given by the root value; ACCUMULATING would be used, for example, when the archive is being delivered incrementally, as from a mission that lasts many months or years.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible values

ARCHIVED - Archive status of the PDS3 volume is ARCHIVED (passed peer review with all liens resolved. Available through the Data Set Catalog and at NSSDC).

ARCHIVED_ACCUMULATING - Archive status of the PDS3 volume is ARCHIVED_ACCUMULATING (some parts of the volume are ARCHIVED, but other parts are in earlier stages of the archiving process and/or have not yet been delivered to PDS; use with caution).

IN LIEN_RESOLUTION - Archive status of the PDS3 volume is IN_LIEN_RESOLUTION (peer review completed; liens are in the process of being resolved; use with caution).

IN LIEN_RESOLUTION_ACCUMULATING - Archive status of the PDS3 volume is IN_LIEN_RESOLUTION_ACCUMULATING (some parts of the volume are IN LIEN_RESOLUTION, but other parts are in earlier stages of the archiving process and/or have not yet been delivered to PDS; use with caution).

IN_PEER REVIEW - Archive status of the PDS3 volume is IN_PEER REVIEW (under peer review at the curation node but evaluation is not complete; use with caution).

IN_PEER REVIEW_ACCUMULATING - Archive status of the PDS3 volume is IN_PEER REVIEW_ACCUMULATING (some parts of the volume are IN_PEER REVIEW, but other parts are in earlier stages of the archiving process and/or have not yet been delivered to PDS; use with caution).

IN_QUEUE - Archive status of the PDS3 volume is IN_QUEUE (received at the curation node but no action has been taken by the curation node; use with caution).

IN_QUEUE_ACCUMULATING - Archive status of the PDS3 volume is IN_QUEUE_ACCUMULATING (some parts of the volume are IN_QUEUE, but other parts have not yet been delivered to PDS; use with caution).

LOCALLY_ARCHIVED - Archive status of the PDS3 volume is LOCALLY_ARCHIVED (passed peer review with all liens resolved; considered archived by the curation node but awaiting completion of the standard archiving process; possible TBD items include the arrival of the archive volume at NSSDC and ingestion of catalog information into the Data Set Catalog).

LOCALLY_ARCHIVED_ACCUMULATING - Archive status of the PDS3 volume is LOCALLY_ARCHIVED_ACCUMULATING (some parts of the volume are LOCALLY_ARCHIVED, but other parts are in earlier stages of the archiving process and/or have not yet

been delivered to PDS; use with caution).

PRE_PEER REVIEW - Archive status of the PDS3 volume is PRE_PEER REVIEW (being prepared for peer review under the direction of the curation node; use with caution).

PRE_PEER REVIEW_ACCUMULATING - Archive status of the PDS3 volume is PRE_PEER REVIEW_ACCUMULATING (some parts of the volume are in PRE_PEER REVIEW, but other parts are IN_QUEUE and/or have not yet been delivered to PDS; use with caution).

SAFED - Archive status of the PDS3 volume is SAFED (the volume has been received by the PDS with no evaluation; data will not be formally archived).

SUPERSEDED - Archive status of the PDS3 volume is SUPERSEDED (this volume has been replaced by a newer version, implying that the volume is not to be used unless the requester has specific reasons; when a volume has been superseded the Engineering Node, will notify NSSDC that their databases need to be updated to advise users of the new status and the location of the replacement volume).

- **archive_status_note in Volume_PDS3**

steward: **ops**

namespace id: **pds**

class: **Volume_PDS3**

version: **1.0**

- definition: **The archive status note attribute provides a comment about the archive status.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **attribute_concept in DD_Attribute_Full**

steward: **ops**

namespace id: **pds**

class: **DD_Attribute_Full**

version: **1.0**

- definition: **The attribute_concept attribute provides the type of information (classification) conveyed by the attribute – e.g., stop_date_time has attribute_concept = date_time.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible values

ADDRESS - The attribute has been classified as being an ADDRESS

ANGLE - The attribute has been classified as being an ANGLE

ATTRIBUTE - The attribute has been classified as being an ATTRIBUTE

BIT - The attribute has been classified as being a BIT

CHECKSUM - The attribute has been classified as being a CHECKSUM

COLLECTION - The attribute has been classified as being a COLLECTION

CONSTANT - The attribute has been classified as being a CONSTANT

COSINE - The attribute has been classified as being a COSINE

COUNT - The attribute has been classified as being a COUNT

DELIMITER - The attribute has been classified as being a DELIMITER

DESCRIPTION - The attribute has been classified as being a DESCRIPTION

DEVIATION - The attribute has been classified as being a DEVIATION

DIRECTION - The attribute has been classified as being a DIRECTION

DISTANCE - The attribute has been classified as being a DISTANCE

DOI - The attribute has been classified as being a DOI

DURATION - The attribute has been classified as being a DURATION

- FACTOR** - The attribute has been classified as being a FACTOR
- FLAG** - The attribute has been classified as being a FLAG
- FORMAT** - The attribute has been classified as being a FORMAT
- GROUP** - The attribute has been classified as being a GROUP
- HOME** - The attribute has been classified as being a HOME
- ID** - The attribute has been classified as being an ID
- LATITUDE** - The attribute has been classified as being a LATITUDE
- LENGTH** - The attribute has been classified as being a LENGTH
- LIST** - The attribute has been classified as being a LIST
- LOCATION** - The attribute has been classified as being a LOCATION
- LOGICAL** - The attribute has been classified as being a LOGICAL
- LONGITUDE** - The attribute has been classified as being a LONGITUDE
- MASK** - The attribute has been classified as being a MASK
- MAXIMUM** - The attribute has been classified as being a MAXIMUM
- MEAN** - The attribute has been classified as being a MEAN
- MEDIAN** - The attribute has been classified as being a MEDIAN
- MINIMUM** - The attribute has been classified as being a MINIMUM
- NAME** - The attribute has been classified as being a NAME
- NOTE** - The attribute has been classified as being a NOTE
- NUMBER** - The attribute has been classified as being a NUMBER
- OFFSET** - The attribute has been classified as being an OFFSET
- ORDER** - The attribute has been classified as being an ORDER
- PARALLEL** - The attribute has been classified as being a PARALLEL
- PASSWORD** - The attribute has been classified as being a PASSWORD
- PATH** - The attribute has been classified as being a PATH
- PATTERN** - The attribute has been classified as being a PATTERN
- PIXEL** - The attribute has been classified as being a PIXEL
- QUATERNION** - The attribute has been classified as being a QUATERNION
- RADIUS** - The attribute has been classified as being a RADIUS
- RATIO** - The attribute has been classified as being a RATIO
- REFERENCE** - The attribute has been classified as being a REFERENCE
- RESOLUTION** - The attribute has been classified as being a RESOLUTION
- ROLE** - The attribute has been classified as being a ROLE
- ROTATION** - The attribute has been classified as being a ROTATION
- SCALE** - The attribute has been classified as being a SCALE
- SEQUENCE** - The attribute has been classified as being a SEQUENCE
- SET** - The attribute has been classified as being a SET
- SIZE** - The attribute has been classified as being a SIZE
- STATUS** - The attribute has been classified as being a STATUS
- SUMMARY** - The attribute has been classified as being a SUMMARY
- SYNTAX** - The attribute has been classified as being a SYNTAX
- TEMPERATURE** - The attribute has been classified as being a TEMPERATURE
- TEXT** - The attribute has been classified as being a TEXT
- TITLE** - The attribute has been classified as being a TITLE
- TYPE** - The attribute has been classified as being a TYPE
- UNIT** - The attribute has been classified as being a UNIT
- UNKNOWN** - The attribute has an UNKNOWN classification
- VALUE** - The attribute has been classified as being a VALUE
- VECTOR** - The attribute has been classified as being a VECTOR
- **author_list** in Software
- steward: **ops**
- namespace id: **pds**

- class: **Software**
version: 1.0
- definition: The author_list attribute provides a list of people to be cited as the authors of the associated product. Lists are constructed with last names first and first and middle names and/or initials following. Initials are terminated by periods and delimited by single spaces. Suffixes (if applicable) follow everything else, after a final comma. Hyphenated names may be reduced to initials as "J.-P." Each person's full name is separated from the next by a semi-colon. There is no "and" before the last name. If there is no author list, editor_list must be present and non-null.
 - value_data_type: [UTF8_Text_Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **author_list** in **Citation_Information**
- steward: **pds**
namespace id: **pds**
class: **Citation_Information**
version: 1.0
- definition: The author_list attribute provides a list of people to be cited as the authors of the associated product. Lists are constructed with last names first and first and middle names and/or initials following. Initials are terminated by periods and delimited by single spaces. Suffixes (if applicable) follow everything else, after a final comma. Hyphenated names may be reduced to initials as "J.-P." Each person's full name is separated from the next by a semi-colon. There is no "and" before the last name. If there is no author list, editor_list must be present and non-null.
 - value_data_type: [UTF8_Text_Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **author_list** in **Document**
- steward: **pds**
namespace id: **pds**
class: **Document**
version: 1.0
- definition: The author_list attribute provides a list of people to be cited as the authors of the associated product. Lists are constructed with last names first and first and middle names and/or initials following. Initials are terminated by periods and delimited by single spaces. Suffixes (if applicable) follow everything else, after a final comma. Hyphenated names may be reduced to initials as "J.-P." Each person's full name is separated from the next by a semi-colon. There is no "and" before the last name. If there is no author list, editor_list must be present and non-null.
 - value_data_type: [UTF8_Text_Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **axes** in **Array**
- steward: **pds**
namespace id: **pds**
class: **Array**
version: 1.0
- definition: The axes attribute provides a count of the axes.
 - value_data_type: [ASCII_Integer](#)
 - minimum_value: 1
 - maximum_value: 16
 - nillable: **false**

- **axes in Array_2D**

steward: **pds**
 namespace id: **pds**
 class: **Array_2D**
 version: **1.0**

 - definition: **The axes attribute provides a count of the axes.**
 - value_data_type: [ASCII_Integer](#) - Enumerated
 - minimum_value: **1**
 - maximum_value: **16**
 - nillable: **false**
 - permissible value
2 - Array_2D has 2 axes
- **axes in Array_3D**

steward: **pds**
 namespace id: **pds**
 class: **Array_3D**
 version: **1.0**

 - definition: **The axes attribute provides a count of the axes.**
 - value_data_type: [ASCII_Integer](#) - Enumerated
 - minimum_value: **1**
 - maximum_value: **16**
 - nillable: **false**
 - permissible value
3 - Array_2D has 3 axes
- **axis_index_order in Array**

steward: **pds**
 namespace id: **pds**
 class: **Array**
 version: **1.0**

 - definition: **The axis_index_order attribute provides the axis index that varies fastest with respect to storage order.**
 - value_data_type: [ASCII_Short_String_Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible value

Last Index Fastest - The values of a multi-dimensional array are stored in an order such that the last index changes fastest and the first index slowest.
- **axis_name in Axis_Array**

steward: **pds**
 namespace id: **pds**
 class: **Axis_Array**
 version: **1.0**

 - definition: **The axis_name attribute provides a word or combination of words by which the axis is known.**
 - value_data_type: [ASCII_Short_String_Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - schematron rule: **The name of the first axis of an Array_2d_Image must be set to either Line or Sample.**
 - schematron rule: **The name of the second axis of an Array_2d_Image must be set to either**

Line or Sample.

- schematron rule: In an Array_3D_Spectrum, if the axis_name is 'Band', then the Band_Bin_Set class must be present.
- **band_number** in **Band_Bin**

steward: **img**
namespace id: **pds**
class: **Band_Bin**
version: **1.0**
 - definition: **The band_number attribute provides a number corresponding to the band in the spectral cube. The band number is equivalent to the instrument band number.**
 - value_data_type: [ASCII_Integer](#)
 - minimum_value: **1**
 - maximum_value: **512**
 - nillable: **false**
- **band_width** in **Band_Bin**

steward: **img**
namespace id: **pds**
class: **Band_Bin**
version: **1.0**
 - definition: **The band_width attributes provides the width, at half height, of the band.**
 - value_data_type: [ASCII_Real](#)
 - minimum_value: **0**
 - unit_of_measure_type: **Units_of_Length**
 - valid units: **AU, Angstrom, cm, km, m, micrometer, mm, nm**
 - nillable: **false**
- **bit_fields** in **Packed_Data_Fields**

steward: **pds**
namespace id: **pds**
class: **Packed_Data_Fields**
version: **1.0**
 - definition: **The bit_fields attribute provides the number of defined bit fields (Field_Bit definitions) within the Packed_Data_Field.**
 - value_data_type: [ASCII_Integer](#)
 - minimum_value: **1**
 - nillable: **false**
- **bit_mask** in **Object_Statistics**

steward: **pds**
namespace id: **pds**
class: **Object_Statistics**
version: **1.0**
 - definition: **The bit_mask attribute is a series of binary digits identifying the active bits in a value; it has exactly the same number of the bits as the array element to which it is applied.**
 - value_data_type: [ASCII_Numeric_Base2](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **bit_string** in **Digital_Object**

steward: **pds**
namespace id: **pds**
class: **Digital_Object**
version: **1.0**

- definition: **The bit string attribute is a sequence of digital bits. It is the content of a digital object.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- **bundle_type** in **Bundle**
 steward: **pds**
 namespace id: **pds**
 class: **Bundle**
 version: **1.0**
 - definition: **The bundle_type attribute provides a classification for the bundle.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
Archive - The Bundle contains at least one data collection
Supplemental - The Bundle does not contain a data collection
- **center_wavelength** in **Band_Bin**
 steward: **img**
 namespace id: **pds**
 class: **Band_Bin**
 version: **1.0**
 - definition: **The center_wavelength attribute provides the wavelength or frequency describing the center of a bin along the band axis of a spectral cube. When describing data from a spectrometer, the value corresponds to the peak of the response function for a particular detector and/or grating position.**
 - value_data_type: [ASCII Real](#)
 - minimum_value: **0**
 - unit_of_measure_type: **Units_of_Length**
 - valid units: **AU, Angstrom, cm, km, m, micrometer, mm, nm**
 - nillable: **false**
- **checksum_manifest_checksum** in **Information_Package_Component**
 steward: **ops**
 namespace id: **pds**
 class: **Information_Package_Component**
 version: **1.0**
 - definition: **The checksum manifest checksum provides the checksum for the checksum manifest file.**
 - value_data_type: [ASCII MD5 Checksum](#)
 - minimum_characters: **32**
 - maximum_characters: **32**
 - format: **0123456789abcdef**
 - nillable: **false**
- **checksum_type** in **Information_Package_Component**
 steward: **ops**
 namespace id: **pds**
 class: **Information_Package_Component**
 version: **1.0**
 - definition: **The checksum type attribute provides the name of the checksum algorithm used to calculate the checksum value.**

- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- **citation_text in Data_Set_PDS3**

steward: ops
 namespace id: pds
 class: Data_Set_PDS3
 version: 1.0

 - definition: **The citation_text attribute provides a character string containing a literature or other citation in sufficient detail that the material could be located in PDS or elsewhere.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **class_name in DD_Attribute_Full**

steward: ops
 namespace id: pds
 class: DD_Attribute_Full
 version: 1.0

 - definition: **The class_name attribute provides the common name by which the class is identified, as well as the class within which the attribute is used.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **collection_type in Collection**

steward: pds
 namespace id: pds
 class: Collection
 version: 1.0

 - definition: **The collection_type attribute provides a classification for the collection.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible values
 - Browse** - This is a BROWSE collection
 - Calibration** - This is a CALIBRATION collection
 - Context** - This is a CONTEXT collection
 - Data** - This is a DATA collection
 - Document** - This is a DOCUMENT collection
 - Geometry** - This is a GEOMETRY collection
 - Miscellaneous** - This is a MISCELLANEOUS collection
 - SPICE Kernel** - This is a SPICE Kernel collection
 - XML Schema** - This is an XML SCHEMA collection
- **comment in DD_Attribute**

steward: ops
 namespace id: pds
 class: DD_Attribute
 version: 1.0

 - definition: **The comment attribute is a character string expressing one or more remarks or thoughts relevant to the object.**

- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**
- **comment in DD_Attribute_Full**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**
 - definition: **The comment attribute is a character string expressing one or more remarks or thoughts relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **comment in DD_Class_Full**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**
 - definition: **The comment attribute is a character string expressing one or more remarks or thoughts relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **comment in Ingest_LDD**
 steward: **ops**
 namespace id: **pds**
 class: **Ingest_LDD**
 version: **1.0**
 - definition: **The comment attribute is a character string expressing one or more remarks or thoughts relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **comment in Alias**
 steward: **pds**
 namespace id: **pds**
 class: **Alias**
 version: **1.0**
 - definition: **The comment attribute is a character string expressing one or more remarks or thoughts relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **comment in Context_Area**
 steward: **pds**
 namespace id: **pds**
 class: **Context_Area**
 version: **1.0**
 - definition: **The comment attribute is a character string expressing one or more remarks or thoughts relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1

- nillable: **false**
- **comment in File**

steward: **pds**
 namespace id: **pds**
 class: **File**
 version: **1.0**
 - definition: **The comment attribute is a character string expressing one or more remarks or thoughts relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: **1**
 - nillable: **false**
- **comment in Internal_Reference**

steward: **pds**
 namespace id: **pds**
 class: **Internal_Reference**
 version: **1.0**
 - definition: **The comment attribute provides one or more remarks or thoughts relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: **1**
 - nillable: **false**
- **compile_note in Software_Source**

steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: **1.0**
 - definition: **The compile note attribute provides a brief statement giving particulars about the compilation of the software source.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: **1**
 - nillable: **false**
- **conceptual_domain in DD_Value_Domain_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain_Full**
 version: **1.0**
 - definition: **The conceptual_domain attribute provides the domain to which the value has been assigned.**
 - value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
 - BOOLEAN** - The value is classified as BOOLEAN
 - INTEGER** - The value is classified as INTEGER
 - NAME** - The value is classified as NAME
 - NUMERIC** - The value is classified as NUMERIC
 - REAL** - The value is classified as REAL
 - SHORT_STRING** - The value is classified as SHORT_STRING
 - TEXT** - The value is classified as TEXT
 - TIME** - The value is classified as TIME

TYPE - The value is classified as TYPE

UNKNOWN - The value has an UNKNOWN classification

- **confidence_level_note in Data_Set_PDS3**

steward: **ops**

namespace id: **pds**

class: **Data_Set_PDS3**

version: **1.0**

- definition: **The confidence_level_note attribute is a text field which characterizes the reliability of data within a data set or the reliability of a particular programming algorithm or software component. Essentially, this note discusses the level of confidence in the accuracy of the data or in the ability of the software to produce accurate results.**
- value_data_type: [**ASCII Text Preserved**](#)
- minimum_characters: **1**
- nullable: **false**

- **constant_value in DD_Association**

steward: **ops**

namespace id: **pds**

class: **DD_Association**

version: **1.0**

- definition: **The constant value attribute provides the value to be used if an attribute is static.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **container_type in Zip**

steward: **pds**

namespace id: **pds**

class: **Zip**

version: **1.0**

- definition: **The container type attribute indicates the method used to package the components.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

GZIP - Product_Zipped is in container type GZIP

LZIP - Product_Zipped is in container type LZIP

TAR - Product_Zipped is in container type TAR

ZIP - Product_Zipped is in container type ZIP

- **coordinate_source in Telescope**

steward: **pds**

namespace id: **pds**

class: **Telescope**

version: **1.0**

- definition: **The coordinate_source provides the name of the source of a set of coordinates.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

- Aerial survey - North American (1983) datum** - The coordinate source is Aerial survey - North American (1983) datum
- Astronomical** - The coordinate source is Astronomical
- Doppler determined - WGS 72 datum** - The coordinate source is Doppler determined - WGS 72 datum
- Geodetic - Adindan datum** - The coordinate source is Geodetic - Adindan datum
- Geodetic - Australian datum** - The coordinate source is Geodetic - Australian datum
- Geodetic - Campo Inchauspe (Argentina) datum** - The coordinate source is Geodetic - Campo Inchauspe (Argentina) datum
- Geodetic - Cape (South Africa) datum** - The coordinate source is Geodetic - Cape (South Africa) datum
- Geodetic - Corregio Alegre (Brazil) datum** - The coordinate source is Geodetic - Corregio Alegre (Brazil) datum
- Geodetic - European 1979 datum** - The coordinate source is Geodetic - European 1979 datum
- Geodetic - European datum** - The coordinate source is Geodetic - European datum
- Geodetic - GRS 80 datum** - The coordinate source is Geodetic - GRS 80 datum
- Geodetic - Hermannskogel datum** - The coordinate source is Geodetic - Hermannskogel datum
- Geodetic - Indian datum** - The coordinate source is Geodetic - Indian datum
- Geodetic - La Canoa (Venezuela) datum** - The coordinate source is Geodetic - La Canoa (Venezuela) datum
- Geodetic - New Zealand datum** - The coordinate source is Geodetic - New Zealand datum
- Geodetic - North American (1927) datum** - The coordinate source is Geodetic - North American (1927) datum
- Geodetic - Old Hawaiian datum** - The coordinate source is Geodetic - Old Hawaiian datum
- Geodetic - Ordnance Survey of Great Britain (1936) datum** - The coordinate source is Geodetic - Ordnance Survey of Great Britain (1936) datum
- Geodetic - Ordnance Survey of Great Britain (SN) 1980 datum** - The coordinate source is Geodetic - Ordnance Survey of Great Britain (SN) 1980 datum
- Geodetic - Potsdam datum** - The coordinate source is Geodetic - Potsdam datum
- Geodetic - Puerto Rican (1940) datum** - The coordinate source is Geodetic - Puerto Rican (1940) datum
- Geodetic - South American datum** - The coordinate source is Geodetic - South American datum
- Geodetic - Tokyo datum** - The coordinate source is Geodetic - Tokyo datum
- Geodetic - WGS 84 datum** - The coordinate source is Geodetic - WGS 84 datum
- Geodetic - datum unknown** - The coordinate source is Geodetic - datum unknown
- Satellite determined - datum unknown** - The coordinate source is Satellite determined - datum unknown
- Unknown** - The coordinate source is Unknown
- **copyright in Document**
 - steward: **pds**
 - namespace id: **pds**
 - class: **Document**
 - version: **1.0**
 - definition: **The copyright attribute is a character string giving information about the exclusive right to make copies, license, and otherwise exploit an object, whether physical or digital.**
 - value_data_type: **ASCII Text Preserved**
 - minimum_characters: **1**
 - nillable: **false**
- **country in Facility**

- steward: **pds**
 namespace id: **pds**
 class: **Facility**
 version: **1.0**
 - definition: **country**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- creation_date_time** in **File**
 steward: **pds**
 namespace id: **pds**
 class: **File**
 version: **1.0**
 - definition: **The creation_date_time attribute provides a date and time when the object was created.**
 - value_data_type: [ASCII Date Time](#)
 - format: **YYYY-MM-DDTHH:MM:SS.SSS(Z)/YYYY-DOYTHH:MM:SS.SSS(Z)**
 - nillable: **false**
- curating_node_id** in **Volume_PDS3**
 steward: **ops**
 namespace id: **pds**
 class: **Volume_PDS3**
 version: **1.0**
 - definition: **The curating_node_id attribute provides the id of the node currently maintaining the data set or volume and is responsible for maintaining catalog information.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- data_regime** in **Primary_Result_Summary**
 steward: **pds**
 namespace id: **pds**
 class: **Primary_Result_Summary**
 version: **1.0**
 - definition: **The data_regime attribute provides the wavelength (or an analogous concept for things like particle detectors) of the observations, stated as a category.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
 - Dust** - Particles ranging in size from a few molecules to approximately 0.1 micrometer in diameter.
 - Electric Field** - A vector force field controlled primarily by the presence of electrons and/or ions
 - Electrons** - Subatomic particles with negative elementary charge.
 - Far Infrared** - Electromagnetic radiation in the approximate range: 1 THz - 10 THz (frequency), 30 micrometers - 300 micrometers (wavelength), or 4 meV - 40 meV (photon energy)
 - Gamma Ray** - Electromagnetic radiation in the approximate range: greater than 10 EHZ (frequency), less than 0.01 nm (wavelength), or more than 100 keV (photon energy)
 - Infrared** - Electromagnetic radiation in the approximate range: 300 GHz - 405 THz (frequency),

750 nm - 1 mm (wavelength), or 1.24 meV - 1.7 eV (photon energy)

Ions - Atoms or molecules in which the number of electrons and protons is unequal, giving them a net negative or positive electric charge.

Magnetic Field - A vector force field produced by moving electric charges (currents) and/or the intrinsic magnetic properties of materials

Microwave - Electromagnetic radiation in the approximate range: 300 MHz - 300 GHz (frequency), 1 mm - 1 m (wavelength), or 12 micro eV - 1.2 meV (photon energy)

Millimeter - Electromagnetic radiation in the approximate range: 30 GHz - 300 GHz (frequency), 1 mm - 10 mm (wavelength), or 120 micro eV - 1.2 meV (photon energy)

Near Infrared - Electromagnetic radiation in the approximate range: 300 THz - 1.5 PHz (frequency), 1 micrometer - 5 micrometer (wavelength), or 1 eV - 6 eV (photon energy)

Particles - Discrete (but small) objects that can be characterized by a few simple physical properties such as volume and mass.

Pressure - Measurement of ambient atmospheric pressure.

Radio - Electromagnetic radiation in the approximate range: 3 Hz - 300 GHz (frequency), 1 mm - 100,000 km (wavelength), or 12 feV - 1.2 meV (photon energy)

Sub-Millimeter - Electromagnetic radiation in the approximate range: 0.3 THz - 3 THz (frequency), 0.1 mm - 1 mm (wavelength), or 1.2 meV - 12 meV (photon energy)

Temperature - Measurement of ambient temperature.

Ultraviolet - Electromagnetic radiation in the approximate range: 790 THz - 30 PHz (frequency), 10 nm - 390 nm (wavelength), or 3 eV - 120 eV (photon energy)

Visible - Electromagnetic radiation in the approximate range: 405 THz - 790 THz (frequency), 390 nm - 750 nm (wavelength), or 1.7 eV - 3.3 eV (photon energy)

X-Ray - Electromagnetic radiation in the approximate range: 30 PHz - 30 EHertz (frequency), 0.01 nm - 10 nm (wavelength), or 120 eV - 120 keV (photon energy))

- **data_set_desc** in **Data_Set_PDS3**

steward: **ops**

namespace id: **pds**

class: **Data_Set_PDS3**

version: **1.0**

- definition: **The data_set_desc attribute describes the content and type of a data set and provides information required to use the data (such as binning information).**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: **1**
- nillable: **false**

- **data_set_id** in **Data_Set_PDS3**

steward: **ops**

namespace id: **pds**

class: **Data_Set_PDS3**

version: **1.0**

- definition: **The data set id provides a formal name used to refer to a data set.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **data_set_name** in **Data_Set_PDS3**

steward: **ops**

namespace id: **pds**

class: **Data_Set_PDS3**

version: **1.0**

- definition: **The data_set_name attribute provides the full name given to a data set or a data product. The data_set_name typically identifies the instrument that acquired the data of**

that instrument Example value data_set_id. Note This attribute is defined in the AMMOS Magellan catalog as an alias for file_name to provide backward compatibility

- value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **data_set_release_date** in **Data_Set_PDS3**

steward: **ops**
namespace id: **pds**
class: **Data_Set_PDS3**
version: 1.0
 - definition: The data_set_release_date attribute provides the date when a data set is released by the data producer for archive or publication. In many systems this represents the end of a proprietary or validation period. Formation rule In AMMOS identify the date at which a product may be released to the general public from proprietary access. AMMOS-related systems should apply this attribute only to proprietary data.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **data_set_terse_desc** in **Data_Set_PDS3**

steward: **ops**
namespace id: **pds**
class: **Data_Set_PDS3**
version: 1.0
 - definition: A one line description of the data set
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **data_type** in **Element_Array**

steward: **pds**
namespace id: **pds**
class: **Element_Array**
version: 1.0
 - definition: The data_type attribute provides the hardware representation used to store a value.
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible values
 - ComplexLSB16 - Values of Array_Element are stored as two 64-bit floating point numbers with the least significant byte first
 - ComplexLSB8 - Values of Array_Element are stored as two 32-bit floating point numbers with the least significant byte first
 - ComplexMSB16 - Values of Array_Element are stored as two 64-bit floating point numbers with the more significant byte first
 - ComplexMSB8 - Values of Array_Element are stored as two 32-bit floating point numbers with the more significant byte first
 - IEEE754LSBDouble - Values of Array_Element are stored as 64-bit IEEE binary floating point numbers with the least significant byte first

- IEEE754LSBSingle** - Values of Array_Element are stored as 32-bit IEEE binary floating point numbers with the least significant byte first
- IEEE754MSBDouble** - Values of Array_Element are stored as 64-bit IEEE binary floating point numbers with the most significant byte first
- IEEE754MSBSingle** - Values of Array_Element are stored as 32-bit IEEE binary floating point numbers with the most significant byte first
- SignedBitString** - Values of Array_Element are stored as signed bit strings
- SignedByte** - Values of Array_Element are stored as 8-bit signed binary integers
- SignedLSB2** - Values of Array_Element are stored as 16-bit signed binary integers with the less significant byte first
- SignedLSB4** - Values of Array_Element are stored as 32-bit signed binary integers with the less significant byte first
- SignedLSB8** - Values of Array_Element are stored as 64-bit signed binary integers with the less significant byte first
- SignedMSB2** - Values of Array_Element are stored as 16-bit signed binary integers with the more significant byte first
- SignedMSB4** - Values of Array_Element are stored as twos-complement 32-bit binary integers with the most significant byte first
- SignedMSB8** - Values of Array_Element are stored as twos-complement 64-bit binary integers with the most significant byte first
- UnsignedBitString** - Values of Array_Element are stored as unsigned bit strings
- UnsignedByte** - Values of Array_Element are stored as 8-bit unsigned binary integers
- UnsignedLSB2** - Values of Array_Element are stored as 16-bit unsigned binary integers with the less significant byte first
- UnsignedLSB4** - Values of Array_Element are stored as 32-bit unsigned binary integers with the least significant byte first
- UnsignedLSB8** - Values of Array_Element are stored as 64-bit unsigned binary integers with the least significant byte first
- UnsignedMSB2** - Values of Array_Element are stored as 16-bit unsigned binary integers with the more significant byte first
- UnsignedMSB4** - Values of Array_Element are stored as 32-bit unsigned binary integers with the most significant byte first
- UnsignedMSB8** - Values of Array_Element are stored as 64-bit unsigned binary integers with the most significant byte first
- **data_type in Field_Binary**
 - steward: **pds**
 - namespace id: **pds**
 - class: **Field_Binary**
 - version: **1.0**
 - definition: **The data_type attribute provides the hardware representation used to store a value.**
 - value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
 - ASCII_AnyURI** - Values in Field_Binary have data type ASCII_AnyURI
 - ASCII_Boolean** - Values in Field_Binary have data type ASCII_Boolean
 - ASCII_DOI** - Values in Field_Binary have data type ASCII_DOI
 - ASCII_Date** - Values in Field_Binary have data type ASCII_Date
 - ASCII_Date_DOY** - Values in Field_Binary have data type ASCII_Date_DOY
 - ASCII_Date_Time** - Values in Field_Binary have data type ASCII_Date_Time

- ASCII_Date_Time_DOY** - Values in Field_Binary have data type ASCII_Date_Time_DOY
- ASCII_Date_Time_UTC** - Values in Field_Binary have data type ASCII_Date_Time_UTC
- ASCII_Date_Time_YMD** - Values in Field_Binary have data type ASCII_Date_Time_YMD
- ASCII_Date_YMD** - Values in Field_Binary have data type ASCII_Date_YMD
- ASCII_Directory_Path_Name** - Values in Field_Binary have data type ASCII_Directory_Path_Name
- ASCII_File_Name** - Values in Field_Binary have data type ASCII_File_Name
- ASCII_File_Specification_Name** - Values in Field_Binary have data type ASCII_File_Specification_Name
- ASCII_Integer** - Values in Table_Binary_Field have data type ASCII_Integer
- ASCII_LID** - Values in Field_Binary have data type ASCII_LID
- ASCII_LIDVID** - Values in Field_Binary have data type ASCII_LIDVID
- ASCII_LIDVID_LID** - Values in Field_Binary have data type ASCII_LIDVID_LID
- ASCII_MD5_Checksum** - Values in Field_Binary have data type ASCII_MD5_Checksum
- ASCII_NonNegative_Integer** - Values in Field_Binary have data type ASCII_NonNegative_Integer
- ASCII_Numeric_Base16** - Values in Field_Binary have data type ASCII_Numeric_Base16
- ASCII_Numeric_Base2** - Values in Field_Binary have data type ASCII_Numeric_Base2
- ASCII_Numeric_Base8** - Values in Field_Binary have data type ASCII_Numeric_Base8
- ASCII_Real** - Values in Field_Binary have data type ASCII_Real
- ASCII_String** - Values in Field_Binary have data type ASCII_String
- ASCII_Time** - Values in Field_Binary have data type ASCII_Time
- ASCII_VID** - Values in Field_Binary have data type ASCII_VID
- ComplexLSB16** - Values in Field_Binary have data type ComplexLSB16
- ComplexLSB8** - Values in Field_Binary have data type ComplexLSB8
- ComplexMSB16** - Values in Field_Binary have data type ComplexMSB16
- ComplexMSB8** - Values in Field_Binary have data type ComplexMSB8
- IEEE754LSBDouble** - Values in Field_Binary have data type IEEE754LSBDouble
- IEEE754LSBSingle** - Values in Field_Binary have data type IEEE754LSBSingle
- IEEE754MSBDouble** - Values in Field_Binary have data type IEEE754MSBDouble
- IEEE754MSBSingle** - Values in Field_Binary have data type IEEE754MSBSingle
- SignedBitString** - Values in Field_Binary have data type SignedBitString
- SignedByte** - Values in Field_Binary have data type SignedByte
- SignedLSB2** - Values in Field_Binary have data type SignedLSB2
- SignedLSB4** - Values in Field_Binary have data type SignedLSB4
- SignedLSB8** - Values in Field_Binary have data type SignedLSB8
- SignedMSB2** - Values in Field_Binary have data type SignedMSB2
- SignedMSB4** - Values in Field_Binary have data type SignedMSB4
- SignedMSB8** - Values in Field_Binary have data type SignedMSB8
- UTF8_String** - Values in Field_Binary have data type UTF8_String
- UnsignedBitString** - Values in Field_Binary have data type UnsignedBitString
- UnsignedByte** - Values in Field_Binary have data type UnsignedByte
- UnsignedLSB2** - Values in Field_Binary have data type UnsignedLSB2
- UnsignedLSB4** - Values in Field_Binary have data type UnsignedLSB4
- UnsignedLSB8** - Values in Field_Binary have data type UnsignedLSB8
- UnsignedMSB2** - Values in Field_Binary have data type UnsignedMSB2
- UnsignedMSB4** - Values in Field_Binary have data type UnsignedMSB4
- UnsignedMSB8** - Values in Field_Binary have data type UnsignedMSB8
- **data_type in Field_Bit**
 - steward: **pds**
 - namespace id: **pds**
 - class: **Field_Bit**

version: 1.0

- definition: **The data_type attribute provides the hardware representation used to store a value.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nullable: **false**
- permissible values

SignedBitString - Values of Array_Element are stored as signed bit strings

UnsignedBitString - Values of Array_Element are stored as unsigned bit strings

- **data_type in Field_Character**

steward: **pds**

namespace id: **pds**

class: **Field_Character**

version: 1.0

- definition: **The data_type attribute provides the hardware representation used to store a value.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nullable: **false**
- permissible values

ASCII_AnyURI - Values in Field_Character have data type ASCII_AnyURI

ASCII_Boolean - Values in Field_Character have data type ASCII_Boolean

ASCII_DOI - Values in Field_Character have data type ASCII_DOI

ASCII_Date - Values in Field_Character have data type ASCII_Date

ASCII_Date_DOY - Values in Field_Character have data type ASCII_Date_DOY

ASCII_Date_Time - Values in Field_Character have data type ASCII_Date_Time

ASCII_Date_Time_DOY - Values in Field_Character have data type ASCII_Date_Time_DOY

ASCII_Date_Time_UTC - Values in Field_Character have data type ASCII_Date_Time_UTC

ASCII_Date_Time_YMD - Values in Field_Character have data type ASCII_Date_Time_YMD

ASCII_Date_YMD - Values in Field_Character have data type ASCII_Date_YMD

ASCII_Directory_Path_Name - Values in Field_Character have data type

ASCII_Directory_Path_Name

ASCII_File_Name - Values in Field_Character have data type ASCII_File_Name

ASCII_File_Specification_Name - Values in Field_Character have data type

ASCII_File_Specification_Name

ASCII_Integer - Values in Field_Character have data type ASCII_Integer

ASCII_LID - Values in Field_Character have data type ASCII_LID

ASCII_LIDVID - Values in Field_Character have data type ASCII_LIDVID

ASCII_LIDVID_LID - Values in Field_Character have data type ASCII_LIDVID_LID

ASCII_MD5_Checksum - Values in Field_Character have data type ASCII_MD5_Checksum

ASCII_NonNegative_Integer - Values in Field_Character have data type

ASCII_NonNegative_Integer

ASCII_Numeric_Base16 - Values in Field_Character have data type ASCII_Numeric_Base16

ASCII_Numeric_Base2 - Values in Field_Character have data type ASCII_Numeric_Base2

ASCII_Numeric_Base8 - Values in Field_Character have data type ASCII_Numeric_Base8

ASCII_Real - Values in Field_Character have data type ASCII_Real

ASCII_String - Values in Field_Character have data type ASCII_String

ASCII_Time - Values in Field_Character have data type ASCII_Time

ASCII_VID - Values in Field_Character have data type ASCII_VID

UTF8_String - Values in Field_Character have data type UTF8_String

- **data_type** in **Field_Delimited**

steward: **pds**
 namespace id: **pds**
 class: **Field_Delimited**
 version: **1.0**

 - definition: **The data_type attribute provides the hardware representation used to store a value.**
 - value_data_type: [ASCII_Short_String_Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
 - permissible values
 - ASCII_AnyURI** - The delimited field has data type ASCII_AnyURI
 - ASCII_Boolean** - Values in Field_Delimited have data type ASCII_Boolean
 - ASCII_DOI** - The delimited field has data type ASCII_DOI
 - ASCII_Date** - Values in Field_Delimited have data type ASCII_Date
 - ASCII_Date_DOY** - The delimited field has data type ASCII_Date_DOY
 - ASCII_Date_Time** - Values in Field_Delimited have data type ASCII_Date_Time
 - ASCII_Date_Time_DOY** - The delimited field has data type ASCII_Date_Time_DOY
 - ASCII_Date_Time_UTC** - The delimited field has data type ASCII_Date_Time_UTC
 - ASCII_Date_Time_YMD** - The delimited field has data type ASCII_Date_Time_YMD
 - ASCII_Date_YMD** - The delimited field has data type ASCII_Date_YMD
 - ASCII_Directory_Path_Name** - Values in Field_Delimited have data type ASCII_Directory_Path_Name
 - ASCII_File_Name** - The delimited field has data type ASCII_File_Name
 - ASCII_File_Specification_Name** - The delimited field has data type ASCII_File_Specification_Name
 - ASCII_Integer** - The delimited field has data type ASCII_Integer
 - ASCII_LID** - The delimited field has data type ASCII_LID
 - ASCII_LIDVID** - The delimited field has data type ASCII_LIDVID
 - ASCII_LIDVID_LID** - Values in Field_Delimited have data type ASCII_LIDVID_LID
 - ASCII_MD5_Checksum** - The delimited field has data type ASCII_MD5_Checksum
 - ASCII_NonNegative_Integer** - The delimited field has data type ASCII_NonNegative_Integer
 - ASCII_Numeric_Base16** - The delimited field has data type ASCII_Numeric_Base16
 - ASCII_Numeric_Base2** - The delimited field has data type ASCII_Numeric_Base2
 - ASCII_Numeric_Base8** - Values in Field_Delimited have data type ASCII_Numeric_Base8
 - ASCII_Real** - The delimited field has data type ASCII_Real
 - ASCII_String** - Values in Field_Delimited have data type ASCII_String
 - ASCII_Time** - The delimited field has data type ASCII_Time
 - ASCII_VID** - The delimited field has data type ASCII_VID
 - UTF8_String** - Values in Field_Delimited have data type UTF8_String
- **data_type** in **Quaternion_Component**

steward: **pds**
 namespace id: **pds**
 class: **Quaternion_Component**
 version: **1.0**

 - definition: **The data_type attribute provides the hardware representation used to store a value.**
 - value_data_type: [ASCII_Short_String_Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**

- permissible value
ASCII_Real - The value is expressed using the data type ASCII_Real
- **data_type in Vector**
 steward: **pds**
 namespace id: **pds**
 class: **Vector**
 version: **1.0**
 - definition: **The data_type attribute provides the hardware representation used to store a value.**
 - value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
 - permissible value
ASCII_Real - The value is expressed using the data type ASCII_Real
- **date_time in Update_Entry**
 steward: **pds**
 namespace id: **pds**
 class: **Update_Entry**
 version: **1.0**
 - definition: **The date_time attribute provides the date and time of an event.**
 - value_data_type: [**ASCII Date Time**](#)
 - format: **YYYY-MM-DDTHH:MM:SS.SSS(Z)/YYYY-DOYTHH:MM:SS.SSS(Z)**
 - nullable: **false**
- **definition in DD_Attribute**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute**
 version: **1.0**
 - definition: **The definition attribute provides a statement, picture in words, or account that defines the term.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: **1**
 - nullable: **false**
- **definition in DD_Attribute_Full**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**
 - definition: **The definition attribute provides a statement, picture in words, or account that defines the term.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: **1**
 - nullable: **false**
- **definition in DD_Class**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Class**
 version: **1.0**
 - definition: **The definition attribute provides a statement, picture in words, or account that defines the term.**
 - value_data_type: [**ASCII Text Preserved**](#)

- minimum_characters: 1
 - nillable: **false**
- **definition in DD_Class_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**
 - definition: **The definition attribute provides a statement, picture in words, or account that defines the term.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **definition in Terminological_Entry**

steward: **pds**
 namespace id: **pds**
 class: **Terminological_Entry**
 version: **1.0**
 - definition: **The definition attribute provides a statement, picture in words, or account that defines the term.**
 - value_data_type: [**UTF8 Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Information_Package**

steward: **ops**
 namespace id: **pds**
 class: **Information_Package**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Node**

steward: **ops**
 namespace id: **pds**
 class: **Node**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in PDS_Affiliate**

steward: **ops**
 namespace id: **pds**
 class: **PDS_Affiliate**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**

- **description in PDS_Guest**
steward: **ops**
namespace id: **pds**
class: **PDS_Guest**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **description in Software**
steward: **ops**
namespace id: **pds**
class: **Software**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **description in Volume_PDS3**
steward: **ops**
namespace id: **pds**
class: **Volume_PDS3**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **description in Volume_Set_PDS3**
steward: **ops**
namespace id: **pds**
class: **Volume_Set_PDS3**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **description in Agency**
steward: **pds**
namespace id: **pds**
class: **Agency**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **description in Array**
steward: **pds**

namespace id: **pds**

class: **Array**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Bundle**

steward: **pds**

namespace id: **pds**

class: **Bundle**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Citation_Information**

steward: **pds**

namespace id: **pds**

class: **Citation_Information**

version: 1.0

- definition: **The description attribute provides a short (5KB or less) description of the product as a whole.**
- value_data_type: [UTF8 Text Preserved](#)
- minimum_characters: 1
- nullable: **false**
- schematron rule: **The description in Citation_Information must be greater than 1 and less than 5000 bytes (not counting spaces).**
- schematron rule: **In Product_Bundle a description is required in Citation_Information.**
- schematron rule: **In Product_Collection a description is required in Citation_Information.**
- schematron rule: **In Product_Document a description is required in Citation_Information.**
- schematron rule: **In Product_File_Text a description is required in Citation_Information.**

- **description in Collection**

steward: **pds**

namespace id: **pds**

class: **Collection**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Document**

steward: **pds**

namespace id: **pds**

class: **Document**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)

- minimum_characters: 1
 - nillable: **false**
- **description in Document_Format**

steward: **pds**
 namespace id: **pds**
 class: **Document_Format**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Encoded_Byte_Stream**

steward: **pds**
 namespace id: **pds**
 class: **Encoded_Byte_Stream**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in External_Reference**

steward: **pds**
 namespace id: **pds**
 class: **External_Reference**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Facility**

steward: **pds**
 namespace id: **pds**
 class: **Facility**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Field_Binary**

steward: **pds**
 namespace id: **pds**
 class: **Field_Binary**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [**ASCII Text Preserved**](#)
 - minimum_characters: 1
 - nillable: **false**

- **description in Field_Bit**
steward: **pds**
namespace id: **pds**
class: **Field_Bit**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Field_Character**
steward: **pds**
namespace id: **pds**
class: **Field_Character**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Field_Delimited**
steward: **pds**
namespace id: **pds**
class: **Field_Delimited**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Field_Statistics**
steward: **pds**
namespace id: **pds**
class: **Field_Statistics**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Instrument**
steward: **pds**
namespace id: **pds**
class: **Instrument**
version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: **false**
- **description in Instrument_Host**
steward: **pds**

namespace id: **pds**

class: **Instrument_Host**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Investigation**

steward: **pds**

namespace id: **pds**

class: **Investigation**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Modification_Detail**

steward: **pds**

namespace id: **pds**

class: **Modification_Detail**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Object_Statistics**

steward: **pds**

namespace id: **pds**

class: **Object_Statistics**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Observing_System**

steward: **pds**

namespace id: **pds**

class: **Observing_System**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: **false**

- **description in Observing_System_Component**

steward: **pds**

namespace id: **pds**

class: **Observing_System_Component**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**

- value_data_type: [ASCII Text Preserved](#)

- minimum_characters: 1

- nillable: **false**

- **description in Other**

steward: **pds**

namespace id: **pds**

class: **Other**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**

- value_data_type: [ASCII Text Preserved](#)

- minimum_characters: 1

- nillable: **false**

- **description in Packed_Data_Fields**

steward: **pds**

namespace id: **pds**

class: **Packed_Data_Fields**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**

- value_data_type: [ASCII Text Preserved](#)

- minimum_characters: 1

- nillable: **false**

- **description in Parsable_Byte_Stream**

steward: **pds**

namespace id: **pds**

class: **Parsable_Byte_Stream**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**

- value_data_type: [ASCII Text Preserved](#)

- minimum_characters: 1

- nillable: **false**

- **description in Primary_Result_Summary**

steward: **pds**

namespace id: **pds**

class: **Primary_Result_Summary**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**

- value_data_type: [ASCII Short String Preserved](#)

- minimum_characters: 1

- maximum_characters: 255

- nillable: **false**

- **description in Quaternion**

steward: **pds**

namespace id: **pds**

class: **Quaternion**

version: 1.0

- definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nillable: false
- **description in Quaternion_Component**

steward: **pds**
 namespace id: **pds**
 class: **Quaternion_Component**
 version: **1.0**

 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **description in Resource**

steward: **pds**
 namespace id: **pds**
 class: **Resource**
 version: **1.0**

 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **description in Table_Base**

steward: **pds**
 namespace id: **pds**
 class: **Table_Base**
 version: **1.0**

 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **description in Target**

steward: **pds**
 namespace id: **pds**
 class: **Target**
 version: **1.0**

 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **description in Target_Identification**

steward: **pds**
 namespace id: **pds**
 class: **Target_Identification**
 version: **1.0**

 - definition: **The description attribute provides additional information or clarification, as needed.**

- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nillable: false
- **description in Telescope**

steward: pds
 namespace id: pds
 class: Telescope
 version: 1.0

 - definition: The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **description in Update**

steward: pds
 namespace id: pds
 class: Update
 version: 1.0

 - definition: The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **description in Update_Entry**

steward: pds
 namespace id: pds
 class: Update_Entry
 version: 1.0

 - definition: The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **description in Vector**

steward: pds
 namespace id: pds
 class: Vector
 version: 1.0

 - definition: The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **description in Vector_Component**

steward: pds
 namespace id: pds
 class: Vector_Component
 version: 1.0

 - definition: The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.
 - value_data_type: [ASCII Text Preserved](#)

- minimum_characters: 1
- nullable: **false**
- **description in Zip**

steward: **pds**
 namespace id: **pds**
 class: **Zip**
 version: **1.0**
 - definition: **The description attribute provides a statement, picture in words, or account that describes or is otherwise relevant to the object.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **detector_number in Band_Bin**

steward: **img**
 namespace id: **pds**
 class: **Band_Bin**
 version: **1.0**
 - definition: **The detector_number attribute provides the spectrometer detector number corresponding to a band of a spectral cube. Detector numbers are usually assigned consecutively from 1, in order of increasing wavelength.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: **false**
- **directory_path_name in Document_File**

steward: **pds**
 namespace id: **pds**
 class: **Document_File**
 version: **1.0**
 - definition: **The directory_path_name attribute provides a sequence of names that locates a directory in a hierarchy of directories.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **document_name in Document**

steward: **pds**
 namespace id: **pds**
 class: **Document**
 version: **1.0**
 - definition: **The document_title attribute provides the full name of the published document. This optional attribute is used only if the title in the identification area of the document product is not sufficient.**
 - value_data_type: [UTF8 Text Preserved](#)
 - minimum_characters: 1
 - nullable: **false**
- **document_standard_id in Document_File**

steward: **pds**
 namespace id: **pds**
 class: **Document_File**
 version: **1.0**
 - definition: **The document_standard_id attribute provides the formal name of a standard used for the structure of a document file.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values
 - 7-Bit ASCII Text** - The Document_File contains simple text using only the 7-Bit ASCII character set. ANSI X3.4-1986.
 - Encapsulated Postscript** - The Document_File is governed by the external standard Encapsulated Postscript (EPS).
 - GIF** - The Document_File is governed by the standard Graphics Interchange Format (GIF).
 - HTML 2.0** - The Document_File is governed by the standard HyperText Markup Language (HTML), IETF RFC 2070.
 - HTML 3.2** - The Document_File is governed by the standard HyperText Markup Language (HTML), W3C Recommendation 14-Jan-1997.
 - HTML 4.0** - The Document_File is governed by the standard HyperText Markup Language (HTML), ISO 8879:1986.
 - HTML 4.01** - The Document_File is governed by the standard HyperText Markup Language (HTML), ISO/IEC 15445:2000.
 - JPEG** - The Document_File is governed by the standard Joint Photographic Experts Group (JPEG), ISO/IEC 10918-1.
 - LaTEX** - The Document_File is governed by the standard LaTEX, Version LaTeX2e.
 - Microsoft Word** - The Document_File is governed by a Microsoft Word standard, Microsoft Corporation.
 - PDF** - The Document_File is governed by the standard Portable Document Format (PDF), ISO 32000-1:2008.
 - PDF/A** - The Document_File is governed by the standard Portable Document Format / Archive (PDF/A), ISO 19005-1:2005.
 - PNG** - The Document_File is governed by the standard Portable Network Graphics (PNG), ISO/IEC 15948:2004.
 - Postscript** - The Document_File is governed by the standard Postscript (PS)
 - Rich Text** - The Document_File is governed by the standard Rich Text Format (RTF), Microsoft Corporation.
 - TIFF** - The Document_File is governed by the standard Tagged Image File Format (TIFF), Version 6.n, 1992.
 - UTF-8 Text** - The Document_File contains simple text using UTF-8 Unicode character encodings. RFC 3629.

- **doi in Document**

steward: **pds**
 namespace id: **pds**
 class: **Document**
 version: **1.0**

- definition: **The doi attribute provides the Digital Object Identifier for an object, assigned by the appropriate DOI System Registration Agency.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **doi in External_Reference**

steward: **pds**
 namespace id: **pds**
 class: **External_Reference**
 version: **1.0**

- definition: The doi attribute provides the Digital Object Identifier for an object, assigned by the appropriate DOI System Registration Agency.
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- **earth_received_start_date_time** in **Telemetry_Parameters**

steward: img
 namespace id: img
 class: Telemetry_Parameters
 version: 1.0

 - definition: The earth_received_start_date_time attribute provides the earliest time at which any component telemetry data for a particular product was received.
 - value_data_type: [ASCII Date Time UTC](#)
 - format: YYYY-MM-DDTHH:MM:SS.SSSZ/YYYY-DOYTHH:MM:SS.SSSZ
 - nillable: false
- **earth_received_stop_date_time** in **Telemetry_Parameters**

steward: img
 namespace id: img
 class: Telemetry_Parameters
 version: 1.0

 - definition: The earth_received_stop_date_time attribute provides the latest time at which any component telemetry data for a particular product was received.
 - value_data_type: [ASCII Date Time UTC](#)
 - format: YYYY-MM-DDTHH:MM:SS.SSSZ/YYYY-DOYTHH:MM:SS.SSSZ
 - nillable: false
- **editor_list** in **Citation_Information**

steward: pds
 namespace id: pds
 class: Citation_Information
 version: 1.0

 - definition: The editor_list attribute provides a list of people to be cited as the editors of the associated product. Lists are constructed with last names first and first and middle names and/or initials following. Initials are terminated by periods and delimited by single spaces. Suffixes (if applicable) follow everything else, after a final comma. Hyphenated names may be reduced to initials as "J.-P." Each person's full name is separated from the next by a semi-colon. There is no "and" before the last name.
 - value_data_type: [UTF8 Text Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **editor_list** in **Document**

steward: pds
 namespace id: pds
 class: Document
 version: 1.0

 - definition: The editor_list attribute provides a list of people to be cited as the editors of the associated product. Lists are constructed with last names first and first and middle names and/or initials following. Initials are terminated by periods and delimited by single spaces. Suffixes (if applicable) follow everything else, after a final comma. Hyphenated names may be reduced to initials as "J.-P." Each person's full name is separated from the next by a semi-colon. There is no "and" before the last name.
 - value_data_type: [UTF8 Text Preserved](#)

- minimum_characters: 1
 - nullable: **false**
- **electronic_mail_address** in **PDS_Affiliate**

steward: **ops**
 namespace id: **pds**
 class: **PDS_Affiliate**
 version: **1.0**
 - definition: **The electronic mail address attribute provides a multi-part email address: the first part (the user name), which identifies a unique user, is separated by an "at sign" from the host name, which uniquely identifies the mail server.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **electronic_mail_address** in **PDS_Guest**

steward: **ops**
 namespace id: **pds**
 class: **PDS_Guest**
 version: **1.0**
 - definition: **The electronic mail address attribute provides a multi-part email address: the first part (the user name), which identifies a unique user, is separated by an "at sign" from the host name, which uniquely identifies the mail server.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **elements** in **Axis_Array**

steward: **pds**
 namespace id: **pds**
 class: **Axis_Array**
 version: **1.0**
 - definition: **The elements attribute provides the count of the number of elements along an array axis.**
 - value_data_type: [**ASCII Integer**](#)
 - minimum_value: 1
 - nullable: **false**
- **encoding_standard_id** in **Encoded_Binary**

steward: **pds**
 namespace id: **pds**
 class: **Encoded_Binary**
 version: **1.0**
 - definition: **The encoding_standard_id attribute provides the formal name of a standard used for the structure of an Encoded Byte Stream digital object.**
 - value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
 - permissible value
CCSDS Communication Protocols - The digital object is governed by the Consultative Committee for Space Data Systems (CCSDS) recommended standards on telecommand, telemetry and space datalink protocols.
- **encoding_standard_id** in **Encoded_Byte_Stream**

steward: **pds**

namespace id: **pds**

class: **Encoded_Bit_Byte_Stream**

version: **1.0**

- definition: **The encoding_standard_id attribute provides the formal name of a standard used for the structure of an Encoded Byte Stream digital object.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **encoding_standard_id in Encoded_Header**

steward: **pds**

namespace id: **pds**

class: **Encoded_Header**

version: **1.0**

- definition: **The encoding_standard_id attribute provides the formal name of a standard used for the structure of an Encoded Byte Stream digital object.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible value

TIFF - The Header is governed by the standard Tagged Image File Format (TIFF), Version 6.n, 1992.

- **encoding_standard_id in Encoded_Image**

steward: **pds**

namespace id: **pds**

class: **Encoded_Image**

version: **1.0**

- definition: **The encoding_standard_id attribute provides the formal name of a standard used for the structure of an Encoded Byte Stream digital object.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

GIF - The Encoded_Image is governed by the standard Graphics Interchange Format (GIF).

J2C - The Encoded_Image is governed by the standard JPEG2000 compressed image codestream.

JPEG - The Encoded_Image is governed by the standard Joint Photographic Experts Group (JPEG), ISO/IEC 10918-1.

PDF - The Encoded_Image is governed by the standard Portable Document Format (PDF), ISO 32000-1:2008.

PDF/A - The Encoded_Image is governed by the standard Portable Document Format / Archive (PDF/A), ISO 19005-1:2005.

PNG - The Encoded_Image is governed by the standard Portable Network Graphics (PNG), ISO/IEC 15948:2004.

TIFF - The Encoded_Image is governed by the standard Tagged Image File Format (TIFF), Version 6.n, 1992.

- **enumeration_flag in DD_Value_Domain**

steward: **ops**

namespace id: **pds**

- class: **DD_Value_Domain**
version: **1.0**
- definition: **The enumeration_flag attribute indicates whether there is an enumerated set of permissible values.**
 - value_data_type: [ASCII Boolean](#)
 - nullable: **false**
- **enumeration_flag in DD_Value_Domain_Full**
- steward: **ops**
namespace id: **pds**
class: **DD_Value_Domain_Full**
version: **1.0**
- definition: **The enumeration_flag attribute indicates whether there is an enumerated set of permissible values.**
 - value_data_type: [ASCII Boolean](#)
 - nullable: **false**
- **error_constant in Special_Constants**
- steward: **pds**
namespace id: **pds**
class: **Special_Constants**
version: **1.0**
- definition: **The error_constant attribute provides a value that indicates the original value was in error.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **expected_packets in Telemetry_Parameters**
- steward: **img**
namespace id: **img**
class: **Telemetry_Parameters**
version: **1.0**
- definition: **The expected_packets attribute provides the total number of telemetry packets which constitute a complete data product, i.e., a data product without missing data.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: **0**
 - nullable: **false**
- **field_delimiter in Table_Delimited**
- steward: **pds**
namespace id: **pds**
class: **Table_Delimited**
version: **1.0**
- definition: **The field_delimiter attribute provides the character or characters that indicate the end of a character string.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
 - permissible values
comma - Fields in the delimited table are delimited by ASCII commas (0x2C)
horizontal tab - Fields in the delimited table are delimited by horizontal tab characters (0x09)
semicolon - Fields in the delimited table are delimited by ASCII semicolons (0x3B)

vertical bar - Fields in the delimited table are delimited by ASCII vertical bar characters ('|' - 0x7C)

- **field_format in Field_Binary**

steward: **pds**

namespace id: **pds**

class: **Field_Binary**

version: **1.0**

- definition: **The field_format attribute gives the magnitude and precision of the data value.**
The standard POSIX string formats are used.
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **field_format in Field_Bit**

steward: **pds**

namespace id: **pds**

class: **Field_Bit**

version: **1.0**

- definition: **The field_format attribute gives the magnitude and precision of the data value.**
The standard POSIX string formats are used.
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **field_format in Field_Character**

steward: **pds**

namespace id: **pds**

class: **Field_Character**

version: **1.0**

- definition: **The field_format attribute gives the magnitude and precision of the data value.**
The standard POSIX string formats are used.
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **field_format in Field_Delimited**

steward: **pds**

namespace id: **pds**

class: **Field_Delimited**

version: **1.0**

- definition: **The field_format attribute gives the magnitude and precision of the data value.**
The standard POSIX string formats are used.
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **field_length in Field_Binary**

steward: **pds**

namespace id: **pds**

class: **Field_Binary**

version: **1.0**

- definition: **The field_length attribute provides the number of bytes in the field.**

- value_data_type: [ASCII Integer](#)
- minimum_value: 1
- unit_of_measure_type: **Units_of_Storage**
- valid units: **byte**
- specified_unit_id: **byte**
- nillable: **false**
- **field_length** in **Field_Character**

steward: **pds**
 namespace id: **pds**
 class: **Field_Character**
 version: **1.0**
 - definition: **The field_length attribute provides the number of bytes in the field.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **field_location** in **Field_Binary**

steward: **pds**
 namespace id: **pds**
 class: **Field_Binary**
 version: **1.0**
 - definition: **The field_location attribute provides the starting byte for a field within a record or group, counting from '1'.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **field_location** in **Field_Character**

steward: **pds**
 namespace id: **pds**
 class: **Field_Character**
 version: **1.0**
 - definition: **The field_location attribute provides the starting byte for a field within a record or group, counting from '1'.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **field_number** in **Field**

steward: **pds**
 namespace id: **pds**
 class: **Field**
 version: **1.0**
 - definition: **The field_number attribute provides the position of a field, within a series of fields, counting from 1. If two fields within a record are physically separated by one or more groups, they have consecutive field numbers; the fields within the intervening**

group(s) are numbered separately. Fields within a group separated by one or more (sub)groups, will also have consecutive field numbers.

- value_data_type: [ASCII Integer](#)
- minimum_value: 1
- nullable: false
- **fields in Group**

steward: **pds**
namespace id: **pds**
class: **Group**
version: 1.0
 - definition: **The fields attribute provides a count of the total number of scalar fields directly associated with a group. Fields within (sub) groups of the group are not included in this count.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: false
- **fields in Record**

steward: **pds**
namespace id: **pds**
class: **Record**
version: 1.0
 - definition: **The fields attribute provides a count of the total number of scalar fields directly associated with a table record. Fields within groups within the record are not included in this count.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: false
- **file_name in File**

steward: **pds**
namespace id: **pds**
class: **File**
version: 1.0
 - definition: **The file_name attribute provides the name of a file.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **file_size in File**

steward: **pds**
namespace id: **pds**
class: **File**
version: 1.0
 - definition: **The file_size attribute provides the size of the file.**
 - value_data_type: [ASCII NonNegative Integer](#)
 - minimum_value: 0
 - unit_of_measure_type: **Units_of_Storage**
 - valid_units: **byte**
 - specified_unit_id: **byte**
 - nullable: false
- **files in Software_Binary**

steward: **ops**
namespace id: **pds**

class: **Software_Binary**
 version: 1.0

- definition: **The files attribute provides the number of files.**
- value_data_type: [ASCII_Integer](#)
- minimum_value: 1
- nillable: **false**

• **files in Software_Script**
 steward: **ops**
 namespace id: **pds**
 class: **Software_Script**
 version: 1.0

- definition: **The files attribute provides the number of files.**
- value_data_type: [ASCII_Integer](#)
- minimum_value: 1
- nillable: **false**

• **files in Software_Source**
 steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: 1.0

- definition: **The files attribute provides the number of files.**
- value_data_type: [ASCII_Integer](#)
- minimum_value: 1
- nillable: **false**

• **filter_number in Band_Bin**
 steward: **img**
 namespace id: **pds**
 class: **Band_Bin**
 version: 1.0

- definition: **The filter_number attribute of a spectral qube describes the physical location of a band (identified by the band_number) in a detector array. Filter 1 is on the leading edge of the array.**
- value_data_type: [ASCII_Integer](#)
- minimum_value: 1
- nillable: **false**

• **first_sampling_parameter_value in Uniformly_Sampled**
 steward: **pds**
 namespace id: **pds**
 class: **Uniformly_Sampled**
 version: 1.0

- definition: **The first_sampling_parameter_value element provides the first value in an ascending series and is therefore the minimum value at which a given data item was sampled.**
- value_data_type: [ASCII_Real](#)
- nillable: **false**

• **format_type in Document_Format**
 steward: **pds**
 namespace id: **pds**
 class: **Document_Format**
 version: 1.0

- definition: **The format type attribute indicates the digital format used.**
- value_data_type: [ASCII_Short_String_Collapsed](#) - Enumerated

- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values
 - multiple file** - The Document_Format has multiple files
 - single file** - The Document_Format has a single file
- **formation_rule in DD_Value_Domain**

steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain**
 version: **1.0**

 - definition: **The formation_rule attribute provides a 'user friendly' instruction for forming values.**
 - value_data_type: [**ASCII Text Collapsed**](#)
 - minimum_characters: 1
 - nillable: false
- **formation_rule in DD_Value_Domain_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain_Full**
 version: **1.0**

 - definition: **The formation_rule attribute provides a 'user friendly' instruction for forming values.**
 - value_data_type: [**ASCII Text Collapsed**](#)
 - minimum_characters: 1
 - nillable: false
- **full_name in Ingest_LDD**

steward: **ops**
 namespace id: **pds**
 class: **Ingest_LDD**
 version: **1.0**

 - definition: **The full_name attribute provides the complete name for a person and includes titles and suffixes.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **full_name in Subscriber_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Subscriber_PDS3**
 version: **1.0**

 - definition: **The full_name attribute provides the complete name for a person and includes titles and suffixes.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **full_name in Update_Entry**

steward: **pds**
 namespace id: **pds**
 class: **Update_Entry**

version: 1.0

- definition: The full_name attribute provides the complete name for a person and includes titles and suffixes.
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false

- **grating_position in Band_Bin**

steward: img

namespace id: pds

class: Band_Bin

version: 1.0

- definition: The grating_position attribute of a spectral cube describes the grating position which corresponds to the band. Grating positions are usually assigned consecutively from 0, and increasing position causes increasing wavelength for each detector.
- value_data_type: [ASCII Integer](#)
- minimum_value: 0
- nullable: false

- **group_length in Group_Field_Binary**

steward: pds

namespace id: pds

class: Group_Field_Binary

version: 1.0

- definition: The group_length attribute provides the total length, in bytes, of a repeating field and/or group structure. It is the number of bytes in the repeating fields/groups plus any embedded unused bytes that are also repeated multiplied by the number of repetitions.
- value_data_type: [ASCII Integer](#)
- minimum_value: 1
- unit_of_measure_type: Units_of_Storage
- valid_units: byte
- specified_unit_id: byte
- nullable: false

- **group_length in Group_Field_Character**

steward: pds

namespace id: pds

class: Group_Field_Character

version: 1.0

- definition: The group_length attribute provides the total length, in bytes, of a repeating field and/or group structure. It is the number of bytes in the repeating fields/groups plus any embedded unused bytes that are also repeated multiplied by the number of repetitions.
- value_data_type: [ASCII Integer](#)
- minimum_value: 1
- unit_of_measure_type: Units_of_Storage
- valid_units: byte
- specified_unit_id: byte
- nullable: false

- **group_location in Group_Field_Binary**

steward: pds

namespace id: pds

class: Group_Field_Binary

version: 1.0

- definition: The group_location attribute provides the starting position for a Group_Field_Binary within the containing Record_Binary or Group_Field_Binary class, in bytes. Location "1" denotes the first byte of the containing class.
- value_data_type: [ASCII Integer](#)
- minimum_value: 1
- unit_of_measure_type: **Units_of_Storage**
- valid_units: **byte**
- specified_unit_id: **byte**
- nillable: **false**

- **group_location in Group_Field_Character**

steward: **pds**

namespace id: **pds**

class: **Group_Field_Character**

version: 1.0

- definition: The group_location attribute provides the starting position for a Group_Field_Character within the containing Record_Character or Group_Field_Character class, in bytes. Location "1" denotes the first byte of the containing class.
- value_data_type: [ASCII Integer](#)
- minimum_value: 1
- unit_of_measure_type: **Units_of_Storage**
- valid_units: **byte**
- specified_unit_id: **byte**
- nillable: **false**

- **group_number in Group**

steward: **pds**

namespace id: **pds**

class: **Group**

version: 1.0

- definition: The group_number attribute provides the position of a group, within a series of groups, counting from 1. If two groups within a record are physically separated by one or more fields, they have consecutive group numbers; the intervening fields are numbered separately. Groups within a parent group, but separated by one or more fields, will also have consecutive group numbers.
- value_data_type: [ASCII Integer](#)
- nillable: **false**

- **groups in Group**

steward: **pds**

namespace id: **pds**

class: **Group**

version: 1.0

- definition: The groups attribute provides a count of the number of (sub)groups within the repeating structure of a group. (Subsub)groups within (sub)groups within the group are not included in this count.
- value_data_type: [ASCII Integer](#)
- minimum_value: 0
- nillable: **false**

- **groups in Record**

steward: **pds**

namespace id: **pds**

class: **Record**

version: 1.0

- definition: **The groups attribute provides a count of the total number of groups directly associated with a table record. Groups within groups within the record are not included in this count.**

- value_data_type: [ASCII Integer](#)
- minimum_value: 0
- nullable: false

- **high_instrument_saturation in Special_Constants**

steward: **pds**

namespace id: **pds**

class: **Special_Constants**

version: 1.0

- definition: **The high_instrument_saturation attribute specifies a special value whose presence indicates the measuring instrument was saturated at the high end. The value must be less than the value of the valid_minimum attribute or more than the value of the valid_maximum attribute. Values of this attribute should be represented in the same data_type as the elements in the object with which the Special_Constants class is associated.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- permissible values

-32765 - conventional PDS3 and ISIS 2/3 qube value for a two byte signed integer data type

255 - conventional ISIS 2/3 qube value for a one byte unsigned integer data type

3 - conventional PDS3 qube value for any unsigned integer data type

65534 - conventional ISIS 3 qube value for a two byte unsigned integer data type

FF7FFFFE - conventional PDS3 and ISIS 2/3 qube value for a four byte IEEE floating point data type

FFFCFFFF - conventional PDS3 and ISIS 2 qube value for a four byte VAX floating point data type

- **high_representation_saturation in Special_Constants**

steward: **pds**

namespace id: **pds**

class: **Special_Constants**

version: 1.0

- definition: **The high_representative_saturation attribute specifies a special value whose presence indicates the true value cannot be represented in the chosen data type and length – in this case being above the allowable range – which may happen during conversion from another data type. The value must be less than the value of the valid_minimum attribute or more than the value of the valid_maximum attribute. Values of this attribute should be represented in the same data_type as the elements in the object with which the Special_Constants class is associated.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- permissible values

-32764 - conventional PDS3 and ISIS 2/3 qube value for a two byte signed integer data type

255 - conventional ISIS 2/3 qube value for a one byte unsigned integer data type

4 - conventional PDS3 qube value for any unsigned integer data type

65535 - conventional ISIS 3 qube value for a two byte unsigned integer data type

FF7FFFFFF - conventional PDS3 and ISIS 2/3 qube value for a four byte IEEE floating point data type

FFFBBFFFF - conventional PDS3 and ISIS 2 qube value for a four byte VAX floating point data type

- **information_model_version in Identification_Area**

steward: **pds**

namespace id: **pds**

class: **Identification_Area**

version: **1.0**

- definition: **The information_model_version attribute provides the version identification of the PDS Information Model on which the label and schema are based.**

- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated

- minimum_characters: **1**

- maximum_characters: **255**

- nillable: **false**

- permissible value

1.0.0.0 - This version of the information model is an operational release.

- **install_note in Software_Script**

steward: **ops**

namespace id: **pds**

class: **Software_Script**

version: **1.0**

- definition: **The install note attribute provides a brief statement giving particulars about the installation of the software.**

- value_data_type: [**ASCII Text Preserved**](#)

- minimum_characters: **1**

- nillable: **false**

- **institution_name in Node**

steward: **ops**

namespace id: **pds**

class: **Node**

version: **1.0**

- definition: **The institution_name attribute provides the name of the associated institution.**

- value_data_type: [**ASCII Short String Collapsed**](#)

- minimum_characters: **1**

- maximum_characters: **255**

- pattern: **[a-zA-Z]{1}([-_.a-zA-Z0-9]*)**

- nillable: **false**

- **institution_name in PDS_Affiliate**

steward: **ops**

namespace id: **pds**

class: **PDS_Affiliate**

version: **1.0**

- definition: **The institution_name attribute provides the name of the associated institution.**

- value_data_type: [**ASCII Short String Collapsed**](#)

- minimum_characters: **1**

- maximum_characters: **255**

- pattern: **[a-zA-Z]{1}([-_.a-zA-Z0-9]*)**

- nillable: **false**

- **instrument_desc in Instrument_PDS3**

steward: **ops**

namespace id: **pds**

- class: **Instrument_PDS3**
version: 1.0
 - definition: The instrument_desc attribute describes a given instrument.
 - value_data_type: [ASCII_Text_Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **instrument_host_desc in Instrument_Host_PDS3**
steward: **ops**
namespace id: **pds**
class: **Instrument_Host_PDS3**
version: 1.0
 - definition: The instrument_host_desc provides a description of an instrument host
 - value_data_type: [ASCII_Text_Preserved](#)
 - minimum_characters: 1
 - nillable: false
- **instrument_host_id in Instrument_Host_PDS3**
steward: **ops**
namespace id: **pds**
class: **Instrument_Host_PDS3**
version: 1.0
 - definition: The instrument_host_id attribute provides a unique identifier for the host on which an instrument is located. This host can be either a spacecraft or an earth base (e.g. earth).
 - value_data_type: [ASCII_Short_String_Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **instrument_host_name in Instrument_Host_PDS3**
steward: **ops**
namespace id: **pds**
class: **Instrument_Host_PDS3**
version: 1.0
 - definition: The instrument_host_name attribute provides the full name of the platform or facility upon which an instrument or other device is mounted. For example, the host can be a spacecraft, a ground-based telescope, or a laboratory.
 - value_data_type: [ASCII_Short_String_Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **instrument_host_type in Instrument_Host_PDS3**
steward: **ops**
namespace id: **pds**
class: **Instrument_Host_PDS3**
version: 1.0
 - definition: The instrument_host_type attribute provides the type of host on which an instrument is based. For example instrument is located on a spacecraft instrument_host_type attribute would have the value SPACECRAFT.
 - value_data_type: [ASCII_Short_String_Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **instrument_id in Instrument_PDS3**

- steward: **ops**
 namespace id: **pds**
 class: **Instrument_PDS3**
 version: **1.0**
- definition: **The instrument id provides a formal name used to refer to an instrument.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **instrument_name** in **Instrument_PDS3**
- steward: **ops**
 namespace id: **pds**
 class: **Instrument_PDS3**
 version: **1.0**
- definition: **The instrument_name attribute provides a unique name for an instrument.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **instrument_serial_number** in **Instrument_PDS3**
- steward: **ops**
 namespace id: **pds**
 class: **Instrument_PDS3**
 version: **1.0**
- definition: **The instrument serial number element provides the manufacturer's serial number assigned to an instrument. This number may be used to uniquely identify a particular instrument for tracing its components or determining its calibration history, for example.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **instrument_type** in **Instrument_PDS3**
- steward: **ops**
 namespace id: **pds**
 class: **Instrument_PDS3**
 version: **1.0**
- definition: **The instrument_type attribute identifies the type of an instrument. Example values: POLARIMETER SPECTROMETER**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **instrument_version_id** in **Instrument_PDS3**
- steward: **ops**
 namespace id: **pds**
 class: **Instrument_PDS3**
 version: **1.0**
- definition: **The Instrument_Version_Id element identifies the specific model of an instrument used to obtain data. For example, this keyword could be used to distinguish between an engineering model of a camera used to acquire test data, and a flight model of a camera used to acquire science data during a mission.**

- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- **invalid_constant in Special_Constants**

steward: **pds**
 namespace id: **pds**
 class: **Special_Constants**
 version: 1.0

 - definition: **The invalid_constant attribute provides a value that indicates the original value was outside the valid range for the parameter.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **kernel_type in SPICE_Kernel**

steward: **pds**
 namespace id: **pds**
 class: **SPICE_Kernel**
 version: 1.0

 - definition: **The kernel_type attribute identifies the type of SPICE kernel.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible values
 - CK** - SPICE_Kernel is type CK (orientation kernel)
 - DBK** - SPICE_Kernel is type DBK (database kernel)
 - DSK** - SPICE_Kernel is type DSK (digital shape kernel)
 - EK** - SPICE_Kernel is type EK (events kernel)
 - FK** - SPICE_Kernel is type FK (frames kernel)
 - IK** - SPICE_Kernel is type IK (instrument kernel)
 - LSK** - SPICE_Kernel is type LSK (leap seconds kernel)
 - MK** - SPICE_Kernel is type MK (meta kernel names SPICE kernels to be used together)
 - PCK** - SPICE_Kernel is type PCL (planetary constants kernel)
 - SCLK** - SPICE_Kernel is type SCLK (spacecraft clock kernel)
 - SPK** - SPICE_Kernel is type SPK (ephemeris kernel)
- **keyword in Citation_Information**

steward: **pds**
 namespace id: **pds**
 class: **Citation_Information**
 version: 1.0

 - definition: **The keyword attribute provides one or more words to be used for keyword search.**
 - value_data_type: [UTF8 Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **language in Terminological_Entry**

steward: **pds**
 namespace id: **pds**
 class: **Terminological_Entry**

version: 1.0

- definition: **The language attribute provides the language used for definition and designation of the term.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values

English - Values in Terminological_Entry are in English

Russian - Values in Terminological_Entry are in Russian

- **last_modification_date_time in Ingest_LDD**

steward: **ops**

namespace id: **pds**

class: **Ingest_LDD**

version: 1.0

- definition: **The last_modification_date_time attribute gives the most recent date and time that a change was made.**
- value_data_type: [ASCII Date Time YMD](#)
- format: YYYY-MM-DDTHH:MM:SS.SSS(Z)
- nillable: false

- **last_sampling_parameter_value in Uniformly_Sampled**

steward: **pds**

namespace id: **pds**

class: **Uniformly_Sampled**

version: 1.0

- definition: **The last_sampling_parameter_value element provides the last value in an ascending series and is therefore the maximum value at which a given data item was sampled.**
- value_data_type: [ASCII Real](#)
- nillable: false

- **ldd_version_id in Ingest_LDD**

steward: **ops**

namespace id: **pds**

class: **Ingest_LDD**

version: 1.0

- definition: **The ldd_version_id attribute provides the version of the Local Data Dictionary.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- pattern: ([0-9])(\.){1}([0-9])
- nillable: false

- **lid_reference in Bundle_Member_Entry**

steward: **pds**

namespace id: **pds**

class: **Bundle_Member_Entry**

version: 1.0

- definition: **The lid_reference attribute provides the logical_identifier for a product.**
- value_data_type: [ASCII LID](#)
- minimum_characters: 14
- maximum_characters: 255
- format: urn:nasa:pds:xxxx
- nillable: false

- **lid_reference in Internal_Reference**

steward: **pds**
 namespace id: **pds**
 class: **Internal_Reference**
 version: **1.0**

 - definition: **The lid_reference attribute provides the logical_identifier for a product.**
 - value_data_type: [**ASCII_LID**](#)
 - minimum_characters: **14**
 - maximum_characters: **255**
 - format: **urn:nasa:pds:xxxx**
 - nullable: **false**
 - schematron rule: **The number of colons found in lid_reference is validated.**
 - schematron rule: **The value of the attribute lid_reference must start with 'urn:nasa:pds:'**
- **lidvid_reference in Bundle_Member_Entry**

steward: **pds**
 namespace id: **pds**
 class: **Bundle_Member_Entry**
 version: **1.0**

 - definition: **The lidvid_reference attribute provides the logical_identifier plus version_id, which uniquely identifies a product.**
 - value_data_type: [**ASCII_LIDVID**](#)
 - minimum_characters: **19**
 - maximum_characters: **255**
 - format: **urn:nasa:pds:xxxx::M.n**
 - nullable: **false**
- **lidvid_reference in Internal_Reference**

steward: **pds**
 namespace id: **pds**
 class: **Internal_Reference**
 version: **1.0**

 - definition: **The lidvid_reference attribute provides the logical_identifier plus version_id, which uniquely identifies a product.**
 - value_data_type: [**ASCII_LIDVID**](#)
 - minimum_characters: **19**
 - maximum_characters: **255**
 - format: **urn:nasa:pds:xxxx::M.n**
 - nullable: **false**
 - schematron rule: **The number of colons found in lidvid_reference is validated.**
 - schematron rule: **The value of the attribute lidvid_reference must start with 'urn:nasa:pds:'**
 - schematron rule: **The value of the attribute lidvid_reference must include a value that contains '::' followed by version id**
- **line_display_direction in Display_2D_Image**

steward: **pds**
 namespace id: **pds**
 class: **Display_2D_Image**
 version: **1.0**

 - definition: **The line_display_direction element is the preferred orientation of lines within an image for viewing on a display device. Note that if this keyword is present in a label, the sample_display_direction keyword must also be present and must contain a value orthogonal to the value selected for this keyword.**
 - value_data_type: [**ASCII_Short_String_Collapsed**](#) - Enumerated
 - minimum_characters: **1**

- maximum_characters: **255**
- nullable: **false**
- permissible values
 - Down** - The preferred orientation of lines within an image for viewing on a display device is Down
 - Up** - The preferred orientation of lines within an image for viewing on a display device is Up
- **local_identifier** in **DD_Association**

steward: **ops**
 namespace id: **pds**
 class: **DD_Association**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **local_identifier** in **DD_Attribute**

steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **local_identifier** in **DD_Attribute_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **local_identifier** in **DD_Class**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **local_identifier** in **DD_Class_Full**

steward: **ops**

namespace id: **pds**

class: **DD_Class_Full**

version: **1.0**

- definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **local_identifier in Subscriber_PDS3**

steward: **ops**

namespace id: **pds**

class: **Subscriber_PDS3**

version: **1.0**

- definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **local_identifier in Byte_Stream**

steward: **pds**

namespace id: **pds**

class: **Byte_Stream**

version: **1.0**

- definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **local_identifier in Field_Statistics**

steward: **pds**

namespace id: **pds**

class: **Field_Statistics**

version: **1.0**

- definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **local_identifier in File**

steward: **pds**

namespace id: **pds**

class: **File**

version: **1.0**

- definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**

- nillable: **false**
- **local_identifier** in **Geometry**

steward: **pds**
 namespace id: **pds**
 class: **Geometry**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **local_identifier** in **Object_Statistics**

steward: **pds**
 namespace id: **pds**
 class: **Object_Statistics**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **local_identifier** in **Quaternion**

steward: **pds**
 namespace id: **pds**
 class: **Quaternion**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **local_identifier** in **Update**

steward: **pds**
 namespace id: **pds**
 class: **Update**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **local_identifier** in **Vector**

steward: **pds**
 namespace id: **pds**
 class: **Vector**
 version: **1.0**
 - definition: **The local_identifier attribute provides a character string which uniquely identifies the containing object within the label.**

- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- **local_mean_solar_time** in **Time_Coordinates**

steward: **pds**
 namespace id: **pds**
 class: **Time_Coordinates**
 version: 1.0

 - definition: **The local_mean_solar_time** attribute provides the hour angle of the fictitious mean Sun at a fixed point on a rotating solar system body.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 8
 - maximum_characters: 255
 - nullable: false
- **local_true_solar_time** in **Time_Coordinates**

steward: **pds**
 namespace id: **pds**
 class: **Time_Coordinates**
 version: 1.0

 - definition: **The local_true_solar_time** (LTST) attribute provides the local time on a rotating solar system body where LTST is 12 h at the sub-solar point (SSP) and increases 1 h for each 15 degree increase in east longitude away from the SSP for prograde rotation.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 8
 - maximum_characters: 255
 - nullable: false
- **logical_identifier** in **Identification_Area**

steward: **pds**
 namespace id: **pds**
 class: **Identification_Area**
 version: 1.0

 - definition: **A logical identifier identifies the set of all versions of an object. It is an object identifier without a version.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - schematron rule: **In the number of colons found in logical_identifier is validated.**
 - schematron rule: **The value of the attribute logical_identifier must start with 'urn:nasa:pds:'**
 - schematron rule: **The value of the attribute logical_identifier must not include a value that contains '::'**
 - schematron rule: **In Product_Bundle the number of colons in logical_identifier is validated.**
 - schematron rule: **In Product_Collection, the number of colons found in logical identifier is validated.**
- **low_instrument_saturation** in **Special_Constants**

steward: **pds**
 namespace id: **pds**
 class: **Special_Constants**
 version: 1.0

 - definition: **The low_instrument_saturation attribute specifies a special value whose**

presence indicates the measuring instrument was saturated at the low end. The value must be less than the value of the valid_minimum attribute. Values of this attribute should be represented in the same data_type as the elements in the object with which the Special_Constants class is associated.

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values
 - 32766 - conventional PDS3 and ISIS 2/3 qube value for a two byte signed integer data type
 - 0 - conventional ISIS 2/3 qube value for a one byte unsigned integer data type
 - 2 - conventional PDS3 and ISIS 3 qube value for any unsigned integer data type
 - FF7FFFFD - conventional PDS3 and ISIS 2/3 qube value for a four byte IEEE floating point data type
 - FFFDFFFF - conventional PDS3 and ISIS 2 qube value for a four byte VAX floating point data type
- **low_representation_saturation in Special_Constants**

steward: pds
namespace id: pds
class: Special_Constants
version: 1.0

 - definition: The low_representative_saturation attribute specifies a special value whose presence indicates the true value cannot be represented in the chosen data type and length – in this case being below the allowable range – which may happen during conversion from another data type. The value must be less than the value of the valid_minimum attribute. Values of this attribute should be represented in the same data_type as the elements in the object with which the Special_Constants class is associated.
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
 - permissible values
 - 32767 - conventional ISIS qube value for any two byte signed integer data type
 - 1 - conventional ISIS qube value for any unsigned data type
 - 16#FF7FFFFC# - Not VAX
 - 16#FFFEFFFF# - VAX
- **maximum in Field_Statistics**

steward: pds
namespace id: pds
class: Field_Statistics
version: 1.0

 - definition: The maximum attribute provides the largest stored value which appears in the field over all records (empty fields and Special_Constants values are excluded).
 - value_data_type: [ASCII Real](#)
 - nillable: false
- **maximum in Object_Statistics**

steward: pds
namespace id: pds
class: Object_Statistics
version: 1.0

 - definition: The maximum attribute provides the largest value which appears in the stored

- array after application of any bit mask (Special_Constants values are excluded).
 - value_data_type: [ASCII Real](#)
 - nullable: **false**
- **maximum_characters in DD_Value_Domain**

steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain**
 version: **1.0**
 - definition: **The maximum_characters attribute provides the upper, inclusive bound on the number of characters.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **maximum_characters in DD_Value_Domain_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain_Full**
 version: **1.0**
 - definition: **The maximum_characters attribute provides the upper, inclusive bound on the number of characters.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **maximum_field_length in Field_Delimited**

steward: **pds**
 namespace id: **pds**
 class: **Field_Delimited**
 version: **1.0**
 - definition: **The maximum_field_length attribute sets an upper, inclusive bound on the number of bytes in the field.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: **1**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nullable: **false**
- **maximum_occurrences in DD_Association**

steward: **ops**
 namespace id: **pds**
 class: **DD_Association**
 version: **1.0**
 - definition: **The maximum occurrences attribute indicates the number of times something may occur. It is also called the maximum cardinality. The asterisk character is used as a value to indicate that no upper bound exists.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **maximum_occurrences in DD_Association_External**

steward: **ops**

- namespace id: **pds**
 class: **DD_Association_External**
 version: **1.0**
- definition: **The maximum_occurrences attribute indicates the number of times something may occur. It is also called the maximum cardinality. The asterisk character is used as a value to indicate that no upper bound exists.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **maximum_record_length in Record_Delimited**
- steward: **pds**
 namespace id: **pds**
 class: **Record_Delimited**
 version: **1.0**
- definition: **The maximum_record_length attribute provides the maximum length of a record, including the record delimiter.**
 - value_data_type: [**ASCII Integer**](#)
 - minimum_value: **1**
 - unit_of_measure_type: **Units_of_Storage**
 - valid_units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **maximum_scaled_value in Object_Statistics**
- steward: **pds**
 namespace id: **pds**
 class: **Object_Statistics**
 version: **1.0**
- definition: **The maximum_scaled_value attribute provides the maximum value after application of scaling_value and value_offset (see their definitions; maximum_scaled_value is the maximum of Ov).**
 - value_data_type: [**ASCII Real**](#)
 - nillable: **false**
- **maximum_value in DD_Value_Domain**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain**
 version: **1.0**
- definition: **The maximum_value attribute provides the upper, inclusive bound on the value.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **maximum_value in DD_Value_Domain_Full**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain_Full**
 version: **1.0**
- definition: **The maximum_value attribute provides the upper, inclusive bound on the value.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**

- nillable: **false**
- **md5_checksum** in **File**

steward: **pds**
 namespace id: **pds**
 class: **File**
 version: **1.0**
 - definition: **The md5_checksum attribute is the 32-character hexadecimal number computed for a file using the MD5 algorithm.**
 - value_data_type: [ASCII MD5 Checksum](#)
 - minimum_characters: **32**
 - maximum_characters: **32**
 - pattern: **([a-f0-9]{32})**
 - format: **0123456789abcdef**
 - nillable: **false**
- **md5_checksum** in **Object_Statistics**

steward: **pds**
 namespace id: **pds**
 class: **Object_Statistics**
 version: **1.0**
 - definition: **The md5_checksum attribute is the 32-character hexadecimal number computed for a file using the MD5 algorithm.**
 - value_data_type: [ASCII MD5 Checksum](#)
 - minimum_characters: **32**
 - maximum_characters: **32**
 - pattern: **([a-f0-9]{32})**
 - format: **0123456789abcdef**
 - nillable: **false**
- **mean** in **Field_Statistics**

steward: **pds**
 namespace id: **pds**
 class: **Field_Statistics**
 version: **1.0**
 - definition: **The mean attribute provides the sum of the stored field values divided by the number of values in all records (empty fields and Special_Constants values are excluded from both the sum and the count).**
 - value_data_type: [ASCII Real](#)
 - nillable: **false**
- **mean** in **Object_Statistics**

steward: **pds**
 namespace id: **pds**
 class: **Object_Statistics**
 version: **1.0**
 - definition: **The mean attribute provides the sum of the stored array element values (after application of any bit mask) divided by the number of elements (Special_Constants values are excluded from both the sum and the count).**
 - value_data_type: [ASCII Real](#)
 - nillable: **false**
- **median** in **Field_Statistics**

steward: **pds**
 namespace id: **pds**
 class: **Field_Statistics**
 version: **1.0**

- definition: The median attribute provides the number separating the larger half of stored field values from the algebraically smaller half over all records (empty fields and Special_Constants values are excluded from the sort).
 - value_data_type: [ASCII Real](#)
 - nillable: **false**
- **median in Object_Statistics**

steward: **pds**
 namespace id: **pds**
 class: **Object_Statistics**
 version: **1.0**

 - definition: The median attribute provides the number separating the larger half of stored array element values from the algebraically smaller half after application of any bit mask (Special_Constants values are excluded from the sort).
 - value_data_type: [ASCII Real](#)
 - nillable: **false**
- **medium_type in NSSDC**

steward: **ops**
 namespace id: **pds**
 class: **NSSDC**
 version: **1.0**

 - definition: The medium_type attribute identifies the physical storage medium for a data volume. Examples: CD-ROM, CARTRIDGE TAPE.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **medium_type in Volume_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Volume_PDS3**
 version: **1.0**

 - definition: The medium_type attribute identifies the physical storage medium for a data volume. Examples: CD-ROM, CARTRIDGE TAPE.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **member_status in Bundle_Member_Entry**

steward: **pds**
 namespace id: **pds**
 class: **Bundle_Member_Entry**
 version: **1.0**

 - definition: The member_status attribute indicates whether the collection is primary and whether the file_specification_name has been provided for the product_collection label.
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
 - Primary** - The collection is a primary member of the bundle
 - Secondary** - The collection is a secondary member of the bundle
- **minimum in Field_Statistics**

steward: **pds**

namespace id: **pds**

class: **Field_Statistics**

version: **1.0**

- definition: **The minimum attribute provides the algebraically smallest stored value which appears in the field over all records (empty fields and Special_Constants values are excluded).**
- value_data_type: [ASCII Real](#)
- nullable: **false**

- **minimum in Object_Statistics**

steward: **pds**

namespace id: **pds**

class: **Object_Statistics**

version: **1.0**

- definition: **The minimum attribute provides the algebraically smallest value which appears in the stored array after application of any bit mask (Special_Constants values are excluded).**
- value_data_type: [ASCII Real](#)
- nullable: **false**

- **minimum_characters in DD_Value_Domain**

steward: **ops**

namespace id: **pds**

class: **DD_Value_Domain**

version: **1.0**

- definition: **The minimum_characters attribute provides the lower, inclusive bound on the number of characters.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **minimum_characters in DD_Value_Domain_Full**

steward: **ops**

namespace id: **pds**

class: **DD_Value_Domain_Full**

version: **1.0**

- definition: **The minimum_characters attribute provides the lower, inclusive bound on the number of characters.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **minimum_occurrences in DD_Association**

steward: **ops**

namespace id: **pds**

class: **DD_Association**

version: **1.0**

- definition: **The minimum_occurrences attribute indicates the number of times something may occur. It is also called the minimum cardinality.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **minimum_occurrences** in **DD_Association_External**
steward: **ops**
namespace id: **pds**
class: **DD_Association_External**
version: **1.0**
 - definition: **The minimum occurrences attribute indicates the number of times something may occur. It is also called the minimum cardinality.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **minimum_scaled_value** in **Object_Statistics**
steward: **pds**
namespace id: **pds**
class: **Object_Statistics**
version: **1.0**
 - definition: **The minimum_scaled_value attribute provides the minimum value after application of scaling_value and value_offset (see their definitions; minimum_scaled_value is the minimum of Ov).**
 - value_data_type: [ASCII Real](#)
 - nullable: **false**
- **minimum_value** in **DD_Value_Domain**
steward: **ops**
namespace id: **pds**
class: **DD_Value_Domain**
version: **1.0**
 - definition: **The minimum_value attribute provides the lower inclusive bound on the value.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **minimum_value** in **DD_Value_Domain_Full**
steward: **ops**
namespace id: **pds**
class: **DD_Value_Domain_Full**
version: **1.0**
 - definition: **The minimum_value attribute provides the lower inclusive bound on the value.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **missing_constant** in **Special_Constants**
steward: **pds**
namespace id: **pds**
class: **Special_Constants**
version: **1.0**
 - definition: **The missing_constant attribute provides a value that indicates the original value was missing, such as due to a gap in coverage.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**

- **mission_desc** in **Mission_PDS3**
steward: **ops**
namespace id: **pds**
class: **Mission_PDS3**
version: **1.0**
 - definition: **The mission_desc attribute summarizes major aspects of a planetary mission or project, including the number and type of spacecraft, the target body or bodies and major accomplishments.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: **1**
 - nullable: **false**
- **mission_name** in **Mission_PDS3**
steward: **ops**
namespace id: **pds**
class: **Mission_PDS3**
version: **1.0**
 - definition: **The mission_name attribute identifies a major planetary mission or project. A given planetary mission may be associated with one or more spacecraft.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **mission_objectives_summary** in **Mission_PDS3**
steward: **ops**
namespace id: **pds**
class: **Mission_PDS3**
version: **1.0**
 - definition: **The mission_objectives_summary attribute describes the major scientific objectives of a planetary mission or project.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: **1**
 - nullable: **false**
- **mission_start_date** in **Mission_PDS3**
steward: **ops**
namespace id: **pds**
class: **Mission_PDS3**
version: **1.0**
 - definition: **The mission_start_date attribute provides the date of the beginning of a mission in UTC system format.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **mission_stop_date** in **Mission_PDS3**
steward: **ops**
namespace id: **pds**
class: **Mission_PDS3**
version: **1.0**
 - definition: **The mission_stop_date attribute provides the date of the end of a mission in UTC system format.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**

- maximum_characters: **255**
- nullable: **false**
- **model_id** in **Instrument**

steward: **pds**
 namespace id: **pds**
 class: **Instrument**
 version: **1.0**
 - definition: **The model_id attribute helps discriminate instrument hardware. For example "flight", "engineering", or "proto" have been used.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **modification_date** in **Modification_Detail**

steward: **pds**
 namespace id: **pds**
 class: **Modification_Detail**
 version: **1.0**
 - definition: **The modification_date attribute provides date the modifications were completed**
 - value_data_type: [**ASCII Date YMD**](#)
 - format: **YYYY-MM-DD**
 - nullable: **false**
- **naif_host_id** in **Instrument_Host**

steward: **pds**
 namespace id: **pds**
 class: **Instrument_Host**
 version: **1.0**
 - definition: **The naif_instrument_id element provides the numeric ID used within the SPICE system to identify the spacecraft, spacecraft structure or science instrument.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **naif_instrument_id** in **Instrument**

steward: **pds**
 namespace id: **pds**
 class: **Instrument**
 version: **1.0**
 - definition: **The naif_instrument_id element provides the numeric ID used within the SPICE system to identify the spacecraft, spacecraft structure or science instrument.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **name** in **DD_Association_External**

steward: **ops**
 namespace id: **pds**
 class: **DD_Association_External**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**

- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- name in DD_Attribute

steward: ops
 namespace id: pds
 class: DD_Attribute
 version: 1.0

 - definition: The name attribute provides a word or combination of words by which the object is known.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- name in DD_Attribute_Full

steward: ops
 namespace id: pds
 class: DD_Attribute_Full
 version: 1.0

 - definition: The name attribute provides a word or combination of words by which the object is known.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- name in DD_Class

steward: ops
 namespace id: pds
 class: DD_Class
 version: 1.0

 - definition: The name attribute provides a word or combination of words by which the object is known.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- name in DD_Class_Full

steward: ops
 namespace id: pds
 class: DD_Class_Full
 version: 1.0

 - definition: The name attribute provides a word or combination of words by which the object is known.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- name in External_Reference_Extended

steward: ops
 namespace id: pds
 class: External_Reference_Extended

version: 1.0

- definition: **The name attribute provides a word or combination of words by which the object is known.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **name in Ingest_LDD**

steward: ops

namespace id: pds

class: Ingest_LDD

version: 1.0

- definition: **The name attribute provides a word or combination of words by which the object is known.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **name in Node**

steward: ops

namespace id: pds

class: Node

version: 1.0

- definition: **The name attribute provides a word or combination of words by which the object is known.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values

Engineering - The Node has name Engineering

Geosciences - The Node has name Geosciences

Imaging - The Node has name Imaging

Management - The Node has name Management

Navigation Ancillary Information Facility - The Node has name Navigation Ancillary Information Facility

Planetary Atmospheres - The Node has name Planetary Atmospheres

Planetary Plasma Interactions - The Node has name Planetary Plasma Interactions

Planetary Rings - The Node has name Planetary Rings

Planetary Science Archive - The Node has name Planetary Science Archive

Radio Science - The Node has name Radio Science

Small Bodies - The Node has name Small Bodies

- **name in PDS_Affiliate**

steward: ops

namespace id: pds

class: PDS_Affiliate

version: 1.0

- definition: **The name attribute provides a word or combination of words by which the object is known.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255

- nillable: **false**
- **name in PDS_Guest**

steward: **ops**
 namespace id: **pds**
 class: **PDS_Guest**
 version: **1.0**

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **name in Software**

steward: **ops**
 namespace id: **pds**
 class: **Software**
 version: **1.0**

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **name in Agency**

steward: **pds**
 namespace id: **pds**
 class: **Agency**
 version: **1.0**

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
European Space Agency - The Agency has name European Space Agency
National Aeronautics and Space Administration - The Agency has name National Aeronautics and Space Administration
- **name in Byte_Stream**

steward: **pds**
 namespace id: **pds**
 class: **Byte_Stream**
 version: **1.0**

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **name in Facility**

steward: **pds**
 namespace id: **pds**

- class: **Facility**
version: 1.0
- definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **name in Field**
- steward: **pds**
namespace id: **pds**
class: **Field**
version: 1.0
- definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **name in Field_Binary**
- steward: **pds**
namespace id: **pds**
class: **Field_Binary**
version: 1.0
- definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **name in Field_Bit**
- steward: **pds**
namespace id: **pds**
class: **Field_Bit**
version: 1.0
- definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **name in Field_Character**
- steward: **pds**
namespace id: **pds**
class: **Field_Character**
version: 1.0
- definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**

- **name** in **Field_Delimited**

steward: **pds**
 namespace id: **pds**
 class: **Field_Delimited**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **name** in **Instrument**

steward: **pds**
 namespace id: **pds**
 class: **Instrument**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **name** in **Instrument_Host**

steward: **pds**
 namespace id: **pds**
 class: **Instrument_Host**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **name** in **Investigation**

steward: **pds**
 namespace id: **pds**
 class: **Investigation**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **name** in **Investigation_Area**

steward: **pds**
 namespace id: **pds**
 class: **Investigation_Area**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)

- minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- name in Observing_System

steward: pds
 namespace id: pds
 class: Observing_System
 version: 1.0

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- name in Observing_System_Component

steward: pds
 namespace id: pds
 class: Observing_System_Component
 version: 1.0

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- name in Quaternion

steward: pds
 namespace id: pds
 class: Quaternion
 version: 1.0

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- name in Quaternion_Component

steward: pds
 namespace id: pds
 class: Quaternion_Component
 version: 1.0

 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- name in Resource

steward: pds
 namespace id: pds
 class: Resource
 version: 1.0

- definition: **The name attribute provides a word or combination of words by which the object is known.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- **name in Target**
 steward: **pds**
 namespace id: **pds**
 class: **Target**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **name in Target_Identification**
 steward: **pds**
 namespace id: **pds**
 class: **Target_Identification**
 version: **1.0**
 - definition: **The name attribute provides a human-readable primary name/identification in the standard format for the target type.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **name in Terminological_Entry**
 steward: **pds**
 namespace id: **pds**
 class: **Terminological_Entry**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [UTF8 Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **name in Vector**
 steward: **pds**
 namespace id: **pds**
 class: **Vector**
 version: **1.0**
 - definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **name in Vector_Component**
 steward: **pds**

- namespace id: **pds**
 class: **Vector_Component**
 version: **1.0**
- definition: **The name attribute provides a word or combination of words by which the object is known.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **namespace_id** in **DD_Association_External**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Association_External**
 version: **1.0**
- definition: **The namespace_id attribute provides the abbreviation of the XML schema namespace container for this logical grouping of classes and attributes. It is assigned by the steward.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **namespace_id** in **DD_Attribute_Full**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**
- definition: **The namespace_id attribute provides the abbreviation of the XML schema namespace container for this logical grouping of classes and attributes. It is assigned by the steward.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **namespace_id** in **DD_Class_Full**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**
- definition: **The namespace_id attribute provides the abbreviation of the XML schema namespace container for this logical grouping of classes and attributes. It is assigned by the steward.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **namespace_id** in **Ingest_LDD**
- steward: **ops**
 namespace id: **pds**
 class: **Ingest_LDD**
 version: **1.0**
- definition: **The namespace_id attribute provides the abbreviation of the XML schema namespace container for this logical grouping of classes and attributes. It is assigned by**

- the steward.**
- value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **nil_reason in Symbolic_Literals_PDS**

steward: ops
 namespace id: pds
 class: **Symbolic_Literals_PDS**
 version: 1.0

 - definition: **The nil_reason attribute provides the permissible values allowed as reasons when an attribute assigned a nil value.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
 - permissible values
 - anticipated** - The value is temporarily not available.
 - inapplicable** - There is no value.
 - missing** - The correct value is not readily available to the sender of this data. However, a correct value probably exists.
 - unknown** - The correct value is not readily available to the sender of this data. Furthermore, a correct value may not exist.
 - **nillable_flag in DD_Attribute**

steward: ops
 namespace id: pds
 class: **DD_Attribute**
 version: 1.0

 - definition: **The nillable_flag attribute indicates whether an attribute is allowed to take on nil as a value.**
 - value_data_type: [ASCII Boolean](#)
 - nillable: false
 - **nillable_flag in DD_Attribute_Full**

steward: ops
 namespace id: pds
 class: **DD_Attribute_Full**
 version: 1.0

 - definition: **The nillable_flag attribute indicates whether an attribute is allowed to take on nil as a value.**
 - value_data_type: [ASCII Boolean](#)
 - nillable: false
 - **not_applicable_constant in Special_Constants**

steward: pds
 namespace id: pds
 class: **Special_Constants**
 version: 1.0

 - definition: **The not_applicable_constant attribute provides a value that indicates the parameter is not applicable.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false

- **nssdc_collection_id** in **NSSDC**
 steward: **ops**
 namespace id: **pds**
 class: **NSSDC**
 version: **1.0**
 - definition: **An NSSDC Collection ID is an NSSDC assigned identifier for a collection of PDS datasets.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **object_length** in **Encoded_Byte_Stream**
 steward: **pds**
 namespace id: **pds**
 class: **Encoded_Byte_Stream**
 version: **1.0**
 - definition: **The object_length attribute provides the length of the digital object in bytes.**
 - value_data_type: [**ASCII Integer**](#)
 - minimum_value: **1**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **object_length** in **Header**
 steward: **pds**
 namespace id: **pds**
 class: **Header**
 version: **1.0**
 - definition: **The object_length attribute provides the length of the digital object in bytes.**
 - value_data_type: [**ASCII Integer**](#)
 - minimum_value: **1**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **object_length** in **Parsable_Byte_Stream**
 steward: **pds**
 namespace id: **pds**
 class: **Parsable_Byte_Stream**
 version: **1.0**
 - definition: **The object_length attribute provides the length of the digital object in bytes.**
 - value_data_type: [**ASCII Integer**](#)
 - minimum_value: **1**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **offset** in **Array**
 steward: **pds**
 namespace id: **pds**
 class: **Array**
 version: **1.0**

- definition: **The offset attribute provides the displacement of the object starting position from the beginning of the parent structure (file, record, etc.). If there is no displacement, offset=0.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: **0**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **offset in Encoded_Byte_Stream**
steward: **pds**
namespace id: **pds**
class: **Encoded_Byte_Stream**
version: **1.0**
 - definition: **The offset attribute provides the displacement of the object starting position from the beginning of the parent structure (file, record, etc.). If there is no displacement, offset=0.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: **0**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **offset in Parsable_Byte_Stream**
steward: **pds**
namespace id: **pds**
class: **Parsable_Byte_Stream**
version: **1.0**
 - definition: **The offset attribute provides the displacement of the object starting position from the beginning of the parent structure (file, record, etc.). If there is no displacement, offset=0.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: **0**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **offset in Table_Base**
steward: **pds**
namespace id: **pds**
class: **Table_Base**
version: **1.0**
 - definition: **The offset attribute provides the displacement of the object starting position from the beginning of the parent structure (file, record, etc.). If there is no displacement, offset=0.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: **0**
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nillable: **false**
- **orbit_direction in Target_PDS3**

- steward: **ops**
 namespace id: **pds**
 class: **Target_PDS3**
 version: **1.0**
 - definition: **The orbit_direction element provides the direction of movement along the orbit about the primary as seen from the north pole of the 'invariable plane of the solar system', which is the plane passing through the center of mass of the solar system and perpendicular to the angular momentum vector of the solar system orbit motion.**
PROGRADE for positive rotation according to the right-hand rule, **RETROGRADE** for negative rotation.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- original_band in Band_Bin**
- steward: **img**
 namespace id: **pds**
 class: **Band_Bin**
 version: **1.0**
 - definition: **The original_band attribute of a spectral qube provides the sequence of band numbers in the qube relative to some original qube. In the original qube, the values are just consecutive integers beginning with 1. In a qube which contains a subset of the bands in the original qube, the values are the original sequence numbers from that qube.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: **1**
 - maximum_value: **512**
 - nillable: **false**
- os_version in Software_Binary**
- steward: **ops**
 namespace id: **pds**
 class: **Software_Binary**
 version: **1.0**
 - definition: **The OS version attribute indicates the version of an operating system.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- os_version in Software_Source**
- steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: **1.0**
 - definition: **The OS version attribute indicates the version of an operating system.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- packet_map_mask in Telemetry_Parameters**
- steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: **1.0**

- definition: The packet_map_mask attribute is a binary or hexadecimal number identifying which of a data file's expected packets were actually received. The digits correspond positionally with the relative packet numbers of the data file. The bits are to be read left to right; i.e., the first (left-most) digit of the number corresponds to the first packet of the data file. A bit value of 1 indicates that the packet was received; a value of 0 indicates that it was not received.
- value_data_type: [ASCII Numeric Base16](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- **parsing_standard_id** in **Checksum_Manifest**

steward: **ops**
 namespace id: **pds**
 class: **Checksum_Manifest**
 version: 1.0

 - definition: The parsing_standard_id attribute provides the formal name of a standard used for the structure of a Parsable Byte Stream digital object.
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible value
MD5Deep 4.n - The checksum manifest is governed by the Message-Digest Algorithm (MD5) output of the MD5 Deep Package Version 4.n.
- **parsing_standard_id** in **Service_Description**

steward: **ops**
 namespace id: **pds**
 class: **Service_Description**
 version: 1.0

 - definition: The parsing_standard_id attribute provides the formal name of a standard used for the structure of a Parsable Byte Stream digital object.
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible values
WADL - The service is governed by the standard Web Application Description Language (WADL).
WSDL 2.n - The service is governed by the standard Web Services Description Language (WSDL) Version 2.n.
- **parsing_standard_id** in **Header**

steward: **pds**
 namespace id: **pds**
 class: **Header**
 version: 1.0

 - definition: The parsing_standard_id attribute provides the formal name of a standard used for the structure of a Parsable Byte Stream digital object.
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible values

7-Bit ASCII Text - The Header contains simple text using only the 7-Bit ASCII character set. ANSI X3.4-1986.

FITS 3.0 - The Header is governed by the standard Flexible Image Transport System (FITS), Version 3.0.

ISIS2 - The Header is governed by the standard Integrated Software for Imagers and Spectrometers (ISIS), USGS Astrogeology Isis Cube, Version 2.

ISIS3 - The Header is governed by the standard Integrated Software for Imagers and Spectrometers (ISIS), USGS Astrogeology ISIS Cube, Version 3.

PDS DSV 1 - The Header is governed by the standard Planetary Data System (PDS) Delimiter Separated Values (DSV) Format, Version 1.n.

PDS ODL 2 - The Header is governed by the standard Planetary Data System (PDS) Object Description Language (ODL), Version 2.n.

PDS3 - The Header is governed by the Planetary Data System (PDS) Data Standards Version 3.n.

Pre-PDS3 - The Header is governed by Planetary Data System (PDS) Data Standards prior to Version 3.0.

UTF-8 Text - The Header contains simple text using UTF-8 Unicode character encodings. RFC 3629.

VICAR1 - The Header is governed by the standard Video Image Communication And Retrieval (VICAR).

VICAR2 - The Header is governed by the standard Video Image Communication And Retrieval (VICAR).

- **parsing_standard_id in Parsable_Byte_Stream**

steward: **pds**

namespace id: **pds**

class: **Parsable_Byte_Stream**

version: **1.0**

- definition: **The parsing_standard_id attribute provides the formal name of a standard used for the structure of a Parsable Byte Stream digital object.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **parsing_standard_id in SPICE_Kernel**

steward: **pds**

namespace id: **pds**

class: **SPICE_Kernel**

version: **1.0**

- definition: **The parsing_standard_id attribute provides the formal name of a standard used for the structure of a Parsable Byte Stream digital object.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible value

SPICE - The SPICE_Kernel is governed by the standard Spacecraft Planet Instrument C-matrix Events (SPICE).

- **parsing_standard_id in Table_Delimited**

steward: **pds**

namespace id: **pds**

class: **Table_Delimited**

version: **1.0**

- definition: **The parsing_standard_id attribute provides the formal name of a standard used for the structure of a Parsable Byte Stream digital object.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible value
PDS DSV 1 - The table format is governed by the standard Planetary Data System (PDS) Delimiter Separated Values (DSV) Format, Version 1.n.
- **parsing_standard_id in XML_Schema**
 steward: **pds**
 namespace id: **pds**
 class: **XML_Schema**
 version: **1.0**
 - definition: **The parsing_standard_id attribute provides the formal name of a standard used for the structure of a Parsable Byte Stream digital object.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
Schematron ISO/IEC 19757-3:2006 - Schematron is governed by the standard for Schematron
XML Schema Version 1.1 - XML_Schema is governed by the standard for XML_Schema
- **pattern in DD_Value_Domain**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain**
 version: **1.0**
 - definition: **The pattern attribute provides a symbolic instruction for forming values.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **pattern in DD_Value_Domain_Full**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain_Full**
 version: **1.0**
 - definition: **The pattern attribute provides a symbolic instruction for forming values.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **phone_book_flag in PDS_Affiliate**
 steward: **ops**
 namespace id: **pds**
 class: **PDS_Affiliate**
 version: **1.0**
 - definition: **The phone_book_flag attribute indicates whether or not this person should be included in the phone book.**
 - value_data_type: [ASCII Boolean](#)
 - nillable: **false**

- **postal_address_text** in **PDS_Affiliate**
 steward: **ops**
 namespace id: **pds**
 class: **PDS_Affiliate**
 version: **1.0**
 - definition: **The postal address text attribute provides a mailing address.**
 - value_data_type: [**ASCII_Text_Preserved**](#)
 - minimum_characters: **1**
 - nullable: **false**
- **preferred_flag** in **Terminological_Entry**
 steward: **ops**
 namespace id: **pds**
 class: **Terminological_Entry**
 version: **1.0**
 - definition: **The preferred_flag indicates whether this entry is preferred over all other entries.**
 - value_data_type: [**ASCII_Boolean**](#)
 - nullable: **false**
- **primary_body_name** in **Target_PDS3**
 steward: **ops**
 namespace id: **pds**
 class: **Target_PDS3**
 version: **1.0**
 - definition: **The primary_body_name attribute identifies the primary body with which a given target body is associated as a secondary body.**
 - value_data_type: [**ASCII_Short_String_Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **processing_level_id** in **Primary_Result_Summary**
 steward: **pds**
 namespace id: **pds**
 class: **Primary_Result_Summary**
 version: **1.0**
 - definition: **The processing_level_id attribute provides a broad indication of data processing level.**
 - value_data_type: [**ASCII_Short_String_Collapsed**](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
 - permissible values
 - Calibrated** - Data converted to physical units, which makes values independent of the instrument.
 - Derived** - Results that have been distilled from one or more calibrated data products (for example, maps, gravity or magnetic fields, or ring particle size distributions). Supplementary data, such as calibration tables or tables of viewing geometry, used to interpret observational data should also be classified as 'derived' data if not easily matched to one of the other three categories.
 - Partially Processed** - Data that have been processed beyond the raw stage but which have not yet reached calibrated status.
 - Raw** - Original data from an instrument. If compression, reformatting, packetization, or other translation has been applied to facilitate data transmission or storage, those processes will be

reversed so that the archived data are in a PDS approved archive format.

Telemetry - An encoded byte stream used to transfer data from one or more instruments to temporary storage where the raw instrument data will be extracted.

- **producer_full_name** in **Data_Set_PDS3**

steward: **ops**

namespace id: **pds**

class: **Data_Set_PDS3**

version: **1.0**

- definition: **The producer_full_name attribute provides the full_name of the individual mainly responsible for the production of the data set. This individual does not have to be registered with the PDS.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **product_class** in **Identification_Area**

steward: **pds**

namespace id: **pds**

class: **Identification_Area**

version: **1.0**

- definition: **The product_class attribute provides the name of the product class. For example the value of the attribute product_class must be Product_Document for any Product_Document.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

Product_AIP - This is a product of type Product_AIP

Product_Attribute_Definition - This is a product of type Product_Attribute_Definition

Product_Browse - This is a product of type Product_Browse

Product_Bundle - This is a product of type Product_Bundle

Product_Class_Definition - This is a product of type Product_Class_Definition

Product_Collection - This is a product of type Product_Collection

Product_Context - This is a product of type Product_Context

Product_DIP - This is a product of type Product_DIP

Product_DIP_Deep_Archive - This is a product of type Product_DIP_Deep_Archive

Product_Data_Set_PDS3 - This is a product of type Product_Data_Set_PDS3

Product_Document - This is a product of type Product_Document

Product_File_Repository - This is a product of type Product_File_Repository

Product_File_Text - This is a product of type Product_File_Text

Product_Instrument_Host_PDS3 - This is a product of type Product_Instrument_Host_PDS3

Product_Instrument_PDS3 - This is a product of type Product_Instrument_PDS3

Product_Mission_PDS3 - This is a product of type Product_Mission_PDS3

Product_Observational - This is a product of type Product_Observational

Product_Proxy_PDS3 - This is a product of type Product_Proxy_PDS3

Product_SIP - This is a product of type Product_SIP

Product_SPICE_Kernel - This is a product of type Product_SPICE_Kernel

Product_Service - This is a product of type Product_Service

Product_Software - This is a product of type Product_Software

Product_Subscription_PDS3 - This is a product of type Product_Subscription_PDS3

Product_Target_PDS3 - This is a product of type Product_Target_PDS3

- Product_Thumbnail** - This is a product of type Product_Thumbnail
- Product_Update** - This is a product of type Product_Update
- Product_Volume_PDS3** - This is a product of type Product_Volume_PDS3
- Product_Volume_Set_PDS3** - This is a product of type Product_Volume_Set_PDS3
- Product_XML_Schema** - This is a product of type Product_XML_Schema
- Product_Zipped** - This is a product of type Product_Zipped
- schematron rule: **The ROOT element must be one of the allowed types.**
- **program_notes_id** in **Software_Binary**

steward: **ops**
 namespace id: **pds**
 class: **Software_Binary**
 version: **1.0**

 - definition: **The program notes id attribute provides an identifier to a brief statement giving particulars about a software program.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **program_notes_id** in **Software_Source**

steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: **1.0**

 - definition: **The program notes id attribute provides an identifier to a brief statement giving particulars about a software program.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **programmers_manual_id** in **Software**

steward: **ops**
 namespace id: **pds**
 class: **Software**
 version: **1.0**

 - definition: **The programmers manual id attribute provides an identifier to a document giving instruction about the programming of the software.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **publication_date** in **Volume_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Volume_PDS3**
 version: **1.0**

 - definition: **The publication_date attribute provides the date on which an item was published.**
 - value_data_type: [**ASCII Date YMD**](#)
 - format: **YYYY-MM-DD**
 - nillable: **true**
- **publication_date** in **Document**

steward: **pds**

- namespace id: **pds**
 class: **Document**
 version: 1.0
- definition: **The publication_date attribute provides the date on which an item was published.**
 - value_data_type: [ASCII Date YMD](#)
 - format: YYYY-MM-DD
 - nullable: true
- **publication_year** in **Citation_Information**
 steward: **pds**
 namespace id: **pds**
 class: **Citation_Information**
 version: 1.0
- definition: **The publication_year attribute provides the year in which the product should be considered as published. Generally, this will be the year the data were declared "Certified" or "Archived".**
 - value_data_type: [ASCII Date](#)
 - format: YYYY-MM-DD/YYYY-DOY
 - nullable: false
- **purpose** in **Primary_Result_Summary**
 steward: **pds**
 namespace id: **pds**
 class: **Primary_Result_Summary**
 version: 1.0
- definition: **The purpose attribute provides an indication of the primary purpose of the observations included.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible values
 - Calibration** - Data collected to determine the relationship between measurement values and physical units.
 - Checkout** - Data collected during operational tests
 - Engineering** - Data collected about support systems and structures, which are ancillary to the primary measurements.
 - Navigation** - Data collected to support navigation
 - Science** - Data collected primarily to answer questions about the targets of the investigation.
- **received_packets** in **Telemetry_Parameters**
 steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: 1.0
- definition: **The received_packets attribute provides the total number of telemetry packets which constitute a reconstructed data product, cf. expected_packets.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 0
 - nullable: false
- **record_delimiter** in **Stream_Text**
 steward: **pds**
 namespace id: **pds**
 class: **Stream_Text**

version: 1.0

- definition: **The record_delimiter attribute provides the character or characters used to indicate the end of a record.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- permissible value

carriage-return line-feed - Records in the delimited table are delimited by ASCII carriage-return line-feed pairs (0x0D0x0A)

- **record_delimiter in Table_Binary**

steward: **pds**

namespace id: **pds**

class: **Table_Binary**

version: 1.0

- definition: **The record_delimiter attribute provides the character or characters used to indicate the end of a record.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- **record_delimiter in Table_Character**

steward: **pds**

namespace id: **pds**

class: **Table_Character**

version: 1.0

- definition: **The record_delimiter attribute provides the character or characters used to indicate the end of a record.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- permissible value

carriage-return line-feed - Records in the delimited table are delimited by ASCII carriage-return line-feed pairs (0x0D0x0A)

- **record_delimiter in Table_Delimited**

steward: **pds**

namespace id: **pds**

class: **Table_Delimited**

version: 1.0

- definition: **The record_delimiter attribute provides the character or characters used to indicate the end of a record.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- permissible value

carriage-return line-feed - Records in the delimited table are delimited by ASCII carriage-return line-feed pairs (0x0D0x0A)

- **record_length in Record_Binary**

steward: **pds**

namespace id: **pds**

- class: **Record_Binary**
version: 1.0
- definition: **The record_length attribute provides the length of a record, including a record delimiter, if present.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nullable: **false**
- **record_length in Record_Character**
- steward: **pds**
namespace id: **pds**
class: **Record_Character**
version: 1.0
- definition: **The record_length attribute provides the length of a record, including the record delimiter.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - unit_of_measure_type: **Units_of_Storage**
 - valid units: **byte**
 - specified_unit_id: **byte**
 - nullable: **false**
- **records in File**
- steward: **pds**
namespace id: **pds**
class: **File**
version: 1.0
- definition: **The records attribute provides a count of records.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: **false**
- **records in Table_Base**
- steward: **pds**
namespace id: **pds**
class: **Table_Base**
version: 1.0
- definition: **The records attribute provides a count of records.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: **false**
- **records in Table_Delimited**
- steward: **pds**
namespace id: **pds**
class: **Table_Delimited**
version: 1.0
- definition: **The records attribute provides a count of records.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: **false**
- **reference_frame_id in Vector**
- steward: **pds**

namespace id: **pds**

class: **Vector**

version: 1.0

- definition: **The reference frame id attribute identifies a reference frame, an origin and set of axes, the physical realization of a reference system, i.e., the reference frame orientation and axes are established by the reported coordinates of datum points in the reference system.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: true

- permissible values

ICRF - International celestial reference frame

MOON_ME_DE421 - Moon mean Earth based on JPL DE421

- **reference_frame_id** in **Vector_Cartesian_3**

steward: **pds**

namespace id: **pds**

class: **Vector_Cartesian_3**

version: 1.0

- definition: **The reference frame id attribute identifies a reference frame, an origin and set of axes, the physical realization of a reference system, i.e., the reference frame orientation and axes are established by the reported coordinates of datum points in the reference system.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- permissible values

ICRF - International celestial reference frame

MOON_ME_DE421 - Moon mean Earth based on JPL DE421

- **reference_text** in **External_Reference**

steward: **pds**

namespace id: **pds**

class: **External_Reference**

version: 1.0

- definition: **The reference_text attribute provides a complete bibliographic citation for a published work.**

- value_data_type: [ASCII Text Preserved](#)

- minimum_characters: 1

- nullable: false

- **reference_type** in **DD_Association**

steward: **ops**

namespace id: **pds**

class: **DD_Association**

version: 1.0

- definition: **The reference_type attribute provides the name of the association.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1

- maximum_characters: 255

- nullable: false

- permissible values

attribute_of - The referenced attribute is a member of this class

- component_of** - The referenced class is a component of this class
- extension_of** - The referenced class is an extension of this class
- restriction_of** - The referenced class is a restriction of this class
- subclass_of** - The referenced class is a subclass of this class
- **reference_type in DD_Association_External**

steward: **ops**
 namespace id: **pds**
 class: **DD_Association_External**
 version: **1.0**

 - definition: **The reference_type attribute provides the name of the association.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
 - attribute_of** - The referenced attribute is a member of this class
 - component_of** - The referenced class is a component of this class
 - extension_of** - The referenced class is an extension of this class
 - restriction_of** - The referenced class is a restriction of this class
 - subclass_of** - The referenced class is a subclass of this class
- **reference_type in Bundle_Member_Entry**

steward: **pds**
 namespace id: **pds**
 class: **Bundle_Member_Entry**
 version: **1.0**

 - definition: **The reference_type attribute provides the name of the association.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
 - bundle_has_browse_collection** - The bundle has a browse collection member
 - bundle_has_calibration_collection** - The bundle has a calibration collection member
 - bundle_has_context_collection** - The bundle has a context collection member
 - bundle_has_data_collection** - The bundle has a data collection member
 - bundle_has_document_collection** - The bundle has a document collection member
 - bundle_has_geometry_collection** - The bundle has a geometry collection member
 - bundle_has_member_collection** - The bundle has a member collection member
 - bundle_has_schema_collection** - The bundle has a schema collection member
 - bundle_has_spice_kernel_collection** - The bundle has a spice kernel collection member
- **reference_type in Internal_Reference**

steward: **pds**
 namespace id: **pds**
 class: **Internal_Reference**
 version: **1.0**

 - definition: **The reference_type attribute provides the name of the association.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - Extended Permissible Values for: pds:Observing_System_Component/pds:Internal_Reference
is_instrument - The referenced class is a context product describing the instrument.

- is_instrument_host** - The referenced class is a context product describing the instrument_host
- is_other** - The referenced class is a context product describing something not classified
- is_facility** - The referenced class is a context product describing the facility
- is_telescope** - The referenced class is a context product describing the telescope
- Extended Permissible Values for:
pds:Product_AIP/pds:Information_Package_Component/pds:Internal_Reference
package_has_collection - The Archival Information Package contains a Collection.
package_has_bundle - The Archival Information Package contains a Bundle.
package_has_product - The Archival Information Package contains a basic Product.
package_compiled_from_package - The Archival Information Package is compiled from a Submission Information Package.
- Extended Permissible Values for:
pds:Product_Browse/pds:Reference_List/pds:Internal_Reference
browse_to_data - The browse product is associated to a data product
browse_to_thumbnail - The browse product is associated to a thumbnail
- Extended Permissible Value for:
pds:Product_Bundle/pds:Context_Area/pds:Investigation_Area/pds:Internal_Reference
bundle_to_investigation - The bundle is associated to an investigation
- Extended Permissible Values for:
pds:Product_Bundle/pds:Reference_List/pds:Internal_Reference
bundle_to_errata - The bundle is associated to an errata document
bundle_to_document - The bundle is associated to a document
bundle_to_investigation - The bundle is associated to an investigation
bundle_to_instrument - The bundle is associated to an instrument
bundle_to_instrument_host - The bundle is associated to an instrument host
bundle_to_target - The bundle is associated to a target
bundle_to_associate - The bundle is associated to product
- Extended Permissible Value for:
pds:Product_Collection/pds:Context_Area/pds:Investigation_Area/pds:Internal_Reference
collection_to_investigation - The collection is associated to an investigation
- Extended Permissible Values for:
pds:Product_Collection/pds:Reference_List/pds:Internal_Reference
collection_to_resource - The collection is associated to a resource
collection_to_associate - The collection is associated to product
collection_to_calibration - The collection is associated to calibration data
collection_to_geometry - The collection is associated to geometry
collection_to_spice_kernel - The collection is associated to spice kernels
collection_curated_by_node - The collection is curated by the referenced node
collection_to_document - The collection is associated to a document
collection_to_browse - The collection is associated to a browse product
collection_to_context - The collection is associated to a context product
collection_to_data - The collection is associated to a data product
collection_to_schema - The collection is associated to a schema document
collection_to_errata - The collection is associated to an errata document
collection_to_bundle - The collection is associated to a bundle
collection_to_personnel - The collection is associated to personnel
collection_to_investigation - The collection is associated to an investigation
collection_to_instrument - The collection is associated to an instrument
collection_to_instrument_host - The collection is associated to an instrument host
collection_to_target - The collection is associated to a target
collection_to_associate - The collection is associated to product
- Extended Permissible Values for:
pds:Product_Context/pds:Reference_List/pds:Internal_Reference

- context_to_associate** - The context product is associated to a product
- instrument_host_to_investigation** - The instrument host is associated to an investigation
- instrument_host_to_document** - The instrument host is associated to a document
- instrument_host_to_target** - The instrument host is associated to a target
- instrument_to_instrument_host** - The instrument is associated to an instrument host
- instrument_to_document** - The instrument is associated to a document
- investigation_to_target** - The investigation is associated to a target
- investigation_to_document** - The investigation is associated to a document
- node_to_personnel** - The node is associated to a person
- node_to_agency** - The node is associated to an agency
- node_to_manager** - The node is associated to a manager
- node_to_operator** - The node is associated to an operator
- node_to_data_archivist** - The node is associated to a data archivist
- resource_to_instrument** - The resource is associated to an instrument
- resource_to_instrument_host** - The resource is associated to an instrument host
- resource_to_investigation** - The resource is associated to an investigation
- resource_to_target** - The resource is associated to a target
- target_to_document** - The target is associated to a document
- Extended Permissible Values for:
 pds:Product_DIP/pds:Information_Package_Component/pds:Internal_Reference
package_has_collection - The Dissemination Information Package contains a Collection.
package_has_bundle - The Dissemination Information Package contains a Bundle.
package_has_product - The Dissemination Information Package contains a basic Product.
package_compiled_from_package - The Dissemination Information Package is compiled from an Archival Information Package.
- Extended Permissible Values for:
 pds:Product_DIP_Deep_Archive/pds:Information_Package_Component/pds:Internal_Reference
package_has_collection - The Dissemination Information Package contains a Collection.
package_has_bundle - The Dissemination Information Package contains a Bundle.
package_has_product - The Dissemination Information Package contains a basic Product.
package_compiled_from_package - The Dissemination Information Package is compiled from an Archival Information Package.
- Extended Permissible Value for:
 pds:Product_Document/pds:Context_Area/pds:Investigation_Area/pds:Internal_Reference
document_to_investigation - The document is associated to an investigation
- Extended Permissible Value for:
 pds:Product_Document/pds:Context_Area/pds:Target_Identification/pds:Internal_Reference
document_to_target - The document is associated to a target
- Extended Permissible Values for:
 pds:Product_Document/pds:Reference_List/pds:Internal_Reference
document_to_associate - The document is associated to product
document_to_investigation - The document is associated to an investigation
document_to_instrument_host - The document is associated to an instrument_host
document_to_instrument - The document is associated to an instrument
document_to_target - The document is associated to a target
- Extended Permissible Value for:
 pds:Product_Observational/pds:Context_Area/pds:Investigation_Area/pds:Internal_Reference
data_to_investigation - The data product is associated to an investigation
- Extended Permissible Values for:
 pds:Product_Observational/pds:Reference_List/pds:Internal_Reference
data_to_resource - The data product is associated to a resource
data_to_calibration_document - The data product is associated to a calibration document
data_to_calibration_product - The data product is associated to a calibration product

data_to_raw_product - The data product is associated to a raw product
data_to_calibrated_product - The data product is associated to a calibrated product
data_to_geometry - The data product is associated to geometry
data_to_spice_kernel - The data product is associated to spice kernel(s)
data_to_thumbnail - The data product is associated to a thumbnail
data_to_document - The data product is associated to a document
data_curated_by_node - The data product is curated by the referenced node
data_to_browse - The data product is associated to a browse product
data_to_ancillary_data - The referencing data product requires the referenced data product to provide specific support for its own use. For example, a table with footnotes can be archived as two products: a data table file with a field giving a footnote code number; and a footnotes file sorted by those code numbers. The label of the data table would then reference the footnotes file with an association type of "data_to_ancillary_data".

- Extended Permissible Values for:

pds:Product_SIP/pds:Information_Package_Component/pds:Internal_Reference

package_has_collection - The Submission Information Package contains a Collection.

package_has_bundle - The Submission Information Package contains a Bundle.

package_has_product - The Submission Information Package is contains a basic Product.

- Extended Permissible Value for: pds:Product_Zipped/pds:Internal_Reference

zip_to_package - The zip file contains a copy of the package

- Extended Permissible Values for: pds:Target_Identification/pds:Internal_Reference

data_to_target - The data product is associated to a target

collection_to_target - The collection is associated to a target

bundle_to_target - The bundle is associated to a target

- Extended Permissible Values for: pds:Update_Entry/pds:Internal_Reference

data_to_update - The data product is associated to an update product

collection_to_update - The collection is associated to an update product

bundle_to_update - The bundle is associated to an update product

- **reference_type in Inventory**

steward: **pds**

namespace id: **pds**

class: **Inventory**

version: **1.0**

- definition: **The reference_type attribute provides the name of the association.**

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: **1**

- maximum_characters: **255**

- nillable: **false**

- permissible value

inventory_has_member_product - The collection inventory has member products identified by either LIDVID or LID references

- **registered_by in DD_Attribute_Full**

steward: **ops**

namespace id: **pds**

class: **DD_Attribute_Full**

version: **1.0**

- definition: **The registered_by attribute provides the name of the person or organization that registered the object.**

- value_data_type: [ASCII Short String Collapsed](#)

- minimum_characters: **1**

- maximum_characters: **255**

- nillable: **false**

- **registered_by** in **DD_Class_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**

 - definition: **The registered_by attribute provides the name of the person or organization that registered the object.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **registration_authority_id** in **DD_Attribute_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**

 - definition: **The registration_authority_id attribute provides the name of the organization that registered the object.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
 - permissible value
0001_NASA_PDS_1 - The Attribute Registration_Authority is 0001_NASA_PDS_1
- **registration_authority_id** in **DD_Class_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**

 - definition: **The registration_authority_id attribute provides the name of the organization that registered the object.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **registration_date** in **PDS_Affiliate**

steward: **ops**
 namespace id: **pds**
 class: **PDS_Affiliate**
 version: **1.0**

 - definition: **The registration_date attribute provides the date of registration within the PDS system.**
 - value_data_type: [ASCII Date YMD](#)
 - format: **YYYY-MM-DD**
 - nullable: **false**
- **registration_date** in **PDS_Guest**

steward: **ops**
 namespace id: **pds**
 class: **PDS_Guest**
 version: **1.0**

 - definition: **The registration_date attribute provides the date of registration within the PDS system.**

- value_data_type: [ASCII Date YMD](#)
 - format: YYYY-MM-DD
 - nullable: false
- **repetitions in Group**

steward: **pds**
 namespace id: **pds**
 class: **Group**
 version: 1.0

 - definition: **The repetitions attribute provides the number of times a set of repeating fields and, possibly, (sub)groups is replicated within a group.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: false
- **revision_id in Document**

steward: **pds**
 namespace id: **pds**
 class: **Document**
 version: 1.0

 - definition: **The revision_id attribute provides the revision level of a document, which may be set outside PDS and may be different from its version_id.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **rotation_direction in Target_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Target_PDS3**
 version: 1.0

 - definition: **The rotation_direction element provides the direction of rotation as viewed from the north pole of the 'invariable plane of the solar system', which is the plane passing through the center of mass of the solar system and perpendicular to the angular momentum vector of the solar system. The value for this element is PROGRADE for counter-clockwise rotation, RETROGRADE for clockwise rotation and SYNCHRONOUS for satellites which are tidally locked with the primary. Sidereal_rotation_period and rotation_direction_type are unknown for a number of satellites, and are not applicable (N/A) for satellites which are tumbling.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **sample_display_direction in Display_2D_Image**

steward: **pds**
 namespace id: **pds**
 class: **Display_2D_Image**
 version: 1.0

 - definition: **The sample_display_direction attribute provides the preferred orientation of samples within a line for viewing on a display device. The attribute sample_display_direction must be used with line_display_direction.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255

- nillable: **false**
- permissible value

Right - The preferred orientation of samples within an line for viewing on a display device is Right
- **sampling_parameter_interval** in **Uniformly_Sampled**

steward: **pds**
 namespace id: **pds**
 class: **Uniformly_Sampled**
 version: **1.0**

 - definition: **The sampling_parameter_interval element identifies the spacing of points at which data are sampled and at which a value for an instrument or dataset parameter is available. This sampling interval can be either the original (raw) sampling or the result of some resampling process. For example, in 48-second magnetometer data the sampling interval is 48. The sampling parameter (time, in the example) is identified by the sampling_parameter_name element.**
 - value_data_type: [ASCII Real](#)
 - nillable: **false**
- **sampling_parameter_name** in **Uniformly_Sampled**

steward: **pds**
 namespace id: **pds**
 class: **Uniformly_Sampled**
 version: **1.0**

 - definition: **The sampling_parameter_name element provides the name of the parameter which determines the sampling interval of a particular instrument or dataset parameter. For example, magnetic field intensity is sampled in time increments, and a spectrum is sampled in wavelength or frequency.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **sampling_parameter_scale** in **Uniformly_Sampled**

steward: **pds**
 namespace id: **pds**
 class: **Uniformly_Sampled**
 version: **1.0**

 - definition: **The sampling_parameter_scale element specifies whether the sampling interval is linear or something other such as logarithmic.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values

Exponential - Values of Uniformly_Sampled are given at uniform spacings of the exponential of an independent variable [e.g., log(1), log(2), log(3), log(4), ...]

Linear - Values of Uniformly_Sampled are given at uniform (linear) spacings of an independent variable [e.g., 1, 2, 3, 4, ...]

Logarithmic - Values of Uniformly_Sampled are given at uniform spacings of the logarithm of an independent variable [e.g., 1, 10, 100, 1000, ...]
- **sampling_parameter_unit** in **Uniformly_Sampled**

steward: **pds**
 namespace id: **pds**
 class: **Uniformly_Sampled**

version: 1.0

- definition: The sampling_parameter_unit element specifies the unit of measure of associated data sampling parameters.
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **saturated_constant in Special_Constants**

steward: pds

namespace id: pds

class: Special_Constants

version: 1.0

- definition: The saturated_constant attribute provides a value that indicates the original value was invalid because of sensor saturation.
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **scaling_factor in Band_Bin**

steward: img

namespace id: pds

class: Band_Bin

version: 1.0

- definition: The scaling_factor attribute is the scaling factor to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: Ov = (Sv * scaling_factor) + value_offset. The default value is 1.
- value_data_type: [ASCII Real](#)
- nillable: false

- **scaling_factor in Element_Array**

steward: pds

namespace id: pds

class: Element_Array

version: 1.0

- definition: The scaling_factor attribute is the scaling factor to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: Ov = (Sv * scaling_factor) + value_offset. The default value is 1.
- value_data_type: [ASCII Real](#)
- nillable: false

- **scaling_factor in Field_Binary**

steward: pds

namespace id: pds

class: Field_Binary

version: 1.0

- definition: The scaling_factor attribute is the scaling factor to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: Ov = (Sv * scaling_factor) + value_offset. The default value is 1.
- value_data_type: [ASCII Real](#)
- nillable: false

- **scaling_factor in Field_Bit**

steward: **pds**

namespace id: **pds**

class: **Field_Bit**

version: **1.0**

- definition: **The scaling_factor** attribute is the scaling factor to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: $Ov = (Sv * scaling_factor) + value_offset$. The default value is 1.
- value_data_type: [ASCII Real](#)
- nillable: **false**

- **scaling_factor in Field_Character**

steward: **pds**

namespace id: **pds**

class: **Field_Character**

version: **1.0**

- definition: **The scaling_factor** attribute is the scaling factor to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: $Ov = (Sv * scaling_factor) + value_offset$. The default value is 1.
- value_data_type: [ASCII Real](#)
- nillable: **false**

- **scaling_factor in Field_Delimited**

steward: **pds**

namespace id: **pds**

class: **Field_Delimited**

version: **1.0**

- definition: **The scaling_factor** attribute is the scaling factor to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: $Ov = (Sv * scaling_factor) + value_offset$. The default value is 1.
- value_data_type: [ASCII Real](#)
- nillable: **false**

- **sequence_number in Axis_Array**

steward: **pds**

namespace id: **pds**

class: **Axis_Array**

version: **1.0**

- definition: **The sequence_number** attribute provides a number that is used to order axes in an array.
- value_data_type: [ASCII Integer](#)
- minimum_value: **1**
- maximum_value: **16**
- nillable: **false**
- schematron rule: **The sequence number of the first axis of an Array_2d_Image must be set to 1.**
- schematron rule: **The sequence number of the second axis of an Array_2d_Image must be set to 2.**

- **sequence_number in Quaternion_Component**

steward: **pds**

namespace id: **pds**

class: **Quaternion_Component**

version: **1.0**

- definition: **The sequence_number attribute provides a number that is used to order axes in an array.**
- value_data_type: [ASCII Integer](#)
- minimum_value: 1
- maximum_value: 16
- nullable: false
- **sequence_number in Vector_Component**

steward: **pds**
 namespace id: **pds**
 class: **Vector_Component**
 version: 1.0

 - definition: **The sequence_number attribute provides a number that is used to order axes in an array.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - maximum_value: 16
 - nullable: false
- **serial_number in Instrument**

steward: **pds**
 namespace id: **pds**
 class: **Instrument**
 version: 1.0

 - definition: **The serial number element provides the assigned manufacturer's serial number.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **serial_number in Instrument_Host**

steward: **pds**
 namespace id: **pds**
 class: **Instrument_Host**
 version: 1.0

 - definition: **The serial number attribute provides the manufacturer's serial number assigned to an instrument host.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **software_dialect in Software_Source**

steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: 1.0

 - definition: **The software dialect attribute indicates the variety of a language used to write the software.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **software_format_type in Software_Binary**

steward: **ops**

- namespace id: **pds**
 class: **Software_Binary**
 version: **1.0**
- definition: **The software format type attribute classifies the format of the software.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **software_format_type in Software_Source**
 steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: **1.0**
- definition: **The software format type attribute classifies the format of the software.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **software_id in Software**
 steward: **ops**
 namespace id: **pds**
 class: **Software**
 version: **1.0**
- definition: **The software id attribute provides a formal name used to refer to the software.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **software_language in Software_Source**
 steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: **1.0**
- definition: **The software language attribute identifies the language used to write the software.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **software_type in Software**
 steward: **ops**
 namespace id: **pds**
 class: **Software**
 version: **1.0**
- definition: **The software type attribute identifies the class of which the software is a member.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **solar_longitude in Time_Coordinates**
 steward: **pds**

- namespace id: **pds**
 class: **Time_Coordinates**
 version: **1.0**
- definition: **The solar_longitude attribute provides the angle between the body-Sun line at the time of interest and the body-Sun line at its vernal equinox.**
 - value_data_type: [ASCII Real](#)
 - minimum_value: **0**
 - maximum_value: **360**
 - unit_of_measure_type: **Units_of_Angle**
 - valid_units: **arcmin, arcsec, deg, hr, mrad, rad**
 - specified_unit_id: **deg**
 - nullable: **false**
- **sort_name** in **PDS_Affiliate**
- steward: **ops**
 namespace id: **pds**
 class: **PDS_Affiliate**
 version: **1.0**
- definition: **The sort name attribute provides a string to be used in ordering. For people, the last name (surname) is typically first, followed by a comma and then other names.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **sort_name** in **PDS_Guest**
- steward: **ops**
 namespace id: **pds**
 class: **PDS_Guest**
 version: **1.0**
- definition: **The sort name attribute provides a string to be used in ordering. For people, the last name (surname) is typically first, followed by a comma and then other names.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **specified_unit_id** in **DD_Value_Domain**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain**
 version: **1.0**
- definition: **The specified_unit_id attribute provides the units chosen for maximum_value, minimum_value, and permissible_value.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **specified_unit_id** in **DD_Value_Domain_Full**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain_Full**
 version: **1.0**
- definition: **The specified_unit_id attribute provides the units chosen for maximum_value, minimum_value, and permissible_value.**

- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- **spice_file_name** in **Telemetry_Parameters**
 steward: img
 namespace id: img
 class: Telemetry_Parameters
 version: 1.0
 - definition: The spice_file_name attribute provides the names of the SPICE files used in processing the data.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **standard_deviation** in **Band_Bin**
 steward: img
 namespace id: pds
 class: Band_Bin
 version: 1.0
 - definition: The standard_deviation attribute provides the standard deviation of values in the associated object; empty and Special_Constants values are excluded.
 - value_data_type: [ASCII Real](#)
 - nullable: false
- **standard_deviation** in **Field_Statistics**
 steward: pds
 namespace id: pds
 class: Field_Statistics
 version: 1.0
 - definition: The standard_deviation attribute provides the standard deviation of the stored field over all records (empty fields and Special_Constants values are excluded from the computation).
 - value_data_type: [ASCII Real](#)
 - minimum_value: 0
 - nullable: false
- **standard_deviation** in **Object_Statistics**
 steward: pds
 namespace id: pds
 class: Object_Statistics
 version: 1.0
 - definition: The standard_deviation attribute provides the standard deviation of the stored array element values after application of any bit mask (Special_Constants values are excluded from the computation).
 - value_data_type: [ASCII Real](#)
 - minimum_value: 0
 - nullable: false
- **start_bit** in **Field_Bit**
 steward: pds
 namespace id: pds
 class: Field_Bit
 version: 1.0
 - definition: The start_bit attribute provides the position of the first bit within an ordered

- sequence of bits.
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: **false**
- **start_date** in **Investigation**

steward: **pds**
 namespace id: **pds**
 class: **Investigation**
 version: **1.0**
 - definition: **The start_date attribute provides the date when an activity began.**
 - value_data_type: [ASCII Date YMD](#)
 - format: **YYYY-MM-DD**
 - nullable: **false**
- **start_date_time** in **Data_Set_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Data_Set_PDS3**
 version: **1.0**
 - definition: **The start_date_time attribute provides the date and time at the beginning of the data set.**
 - value_data_type: [ASCII Date Time](#)
 - format: **YYYY-MM-DDTHH:MM:SS.SSS(Z)/YYYY-DOYTHH:MM:SS.SSS(Z)**
 - nullable: **true**
- **start_date_time** in **Time_Coordinates**

steward: **pds**
 namespace id: **pds**
 class: **Time_Coordinates**
 version: **1.0**
 - definition: **The start_date_time attribute provides the date and time appropriate to the beginning of the product being labeled.**
 - value_data_type: [ASCII Date Time UTC](#)
 - format: **YYYY-MM-DDTHH:MM:SS.SSSZ/YYYY-DOYTHH:MM:SS.SSSZ**
 - nullable: **true**
- **starting_point_identifier** in **Document_Format**

steward: **pds**
 namespace id: **pds**
 class: **Document_Format**
 version: **1.0**
 - definition: **The starting_point attribute provides the local_identifier of the object to be accessed first.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: **false**
- **steward_id** in **DD_Attribute_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**
 - definition: **The steward attribute indicates the person or organization who manages a set of registered attributes and classes.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated

- minimum_characters: 1
- maximum_characters: 255
- nullable: false
- permissible values
 - atm** - Steward of the attribute is the PDS Atmospheres Discipline Node
 - geo** - Steward of the attribute is the PDS Geosciences Discipline Node
 - img** - Steward of the attribute is the PDS Imaging support node
 - naif** - Steward of the attribute is the PDS Navigation and Ancillary Information support node
 - ops** - Steward of the attribute is the PDS operations function
 - pds** - Steward of the attribute is the Planetary Data System
 - ppi** - Steward of the attribute is the PDS Planetary Plasma Interaction Discipline Node
 - rings** - Steward of the attribute is the PDS Rings Discipline Node
 - rs** - Steward of the attribute is the PDS radio science function
 - sbn** - Steward of the attribute is the PDS Small Bodies Discipline Node
- **steward_id in DD_Class_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: 1.0

 - definition: **The steward_id attribute provides the abbreviation of the organization that manages the set of registered attributes and classes.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
 - permissible values
 - atm** - Steward of the attribute is the PDS Atmospheres Discipline Node
 - geo** - Steward of the attribute is the PDS Geosciences Discipline Node
 - img** - Steward of the attribute is the PDS Imaging support node
 - naif** - Steward of the attribute is the PDS Navigation and Ancillary Information support node
 - ops** - Steward of the attribute is the PDS operations function
 - pds** - Steward of the attribute is the Planetary Data System
 - ppi** - Steward of the attribute is the PDS Planetary Plasma Interaction Discipline Node
 - rings** - Steward of the attribute is the PDS Rings Discipline Node
 - rs** - Steward of the attribute is the PDS radio science function
 - sbn** - Steward of the attribute is the PDS Small Bodies Discipline Node
- **steward_id in Ingest_LDD**

steward: **ops**
 namespace id: **pds**
 class: **Ingest_LDD**
 version: 1.0

 - definition: **The steward_id attribute provides the abbreviation of the organization that manages the set of registered attributes and classes.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **stop_bit in Field_Bit**

steward: **pds**
 namespace id: **pds**
 class: **Field_Bit**
 version: 1.0

- definition: The stop_bit attribute provides the location of the last bit in this bit field relative to the first bit in the packed_data field. Bits are numbered continuously across byte boundaries. The first bit location in the packed data field is "1".
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 1
 - nullable: false
- **stop_date in Investigation**

steward: **pds**
 namespace id: **pds**
 class: **Investigation**
 version: 1.0

 - definition: The stop_date attribute provides the date when an activity ended.
 - value_data_type: [ASCII Date YMD](#)
 - format: YYYY-MM-DD
 - nullable: true
- **stop_date_time in Data_Set_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Data_Set_PDS3**
 version: 1.0

 - definition: The stop_date_time attribute provides the date and time at the end of the data set.
 - value_data_type: [ASCII Date Time](#)
 - format: YYYY-MM-DDTHH:MM:SS.SSS(Z)/YYYY-DOYTHH:MM:SS.SSS(Z)
 - nullable: true
- **stop_date_time in Time_Coordinates**

steward: **pds**
 namespace id: **pds**
 class: **Time_Coordinates**
 version: 1.0

 - definition: The stop_date_time attribute provides the date and time appropriate to the end of the product being labeled.
 - value_data_type: [ASCII Date Time UTC](#)
 - format: YYYY-MM-DDTHH:MM:SS.SSSZ/YYYY-DOYTHH:MM:SS.SSSZ
 - nullable: true
- **submitter_name in DD_Attribute**

steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute**
 version: 1.0

 - definition: The submitter_name attribute provides the name of the author, who submits the item to the steward.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **submitter_name in DD_Attribute_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: 1.0

 - definition: The submitter_name attribute provides the name of the author, who submits

- the item to the steward.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **submitter_name** in **DD_Class**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class**
 version: **1.0**

 - definition: **The submitter_name attribute provides the name of the author, who submits the item to the steward.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **submitter_name** in **DD_Class_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**

 - definition: **The submitter_name attribute provides the name of the author, who submits the item to the steward.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **subscription_id** in **Subscriber_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Subscriber_PDS3**
 version: **1.0**

 - definition: **The subscriber_id provides the identification of a PDS subscription.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **supported_architecture_note** in **Software_Binary**

steward: **ops**
 namespace id: **pds**
 class: **Software_Binary**
 version: **1.0**

 - definition: **The supported architecture note attribute identifies the hardware architecture that can process the software.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **supported_architecture_note** in **Software_Source**

steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: **1.0**

- definition: **The supported architecture note attribute identifies the hardware architecture that can process the software.**
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: false
- **supported_environment_note in Software_Script**
 steward: ops
 namespace id: pds
 class: Software_Script
 version: 1.0
 - definition: **The supported environment note attribute identifies the environment that can process the software.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **supported_operating_system_note in Software_Binary**
 steward: ops
 namespace id: pds
 class: Software_Binary
 version: 1.0
 - definition: **The supported operating system note attribute identifies the Operating System that supports the software.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **supported_operating_system_note in Software_Source**
 steward: ops
 namespace id: pds
 class: Software_Source
 version: 1.0
 - definition: **The supported operating system note attribute identifies the Operating System that supports the software.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **system_requirements_note in Software_Binary**
 steward: ops
 namespace id: pds
 class: Software_Binary
 version: 1.0
 - definition: **The system requirements note attribute identifies what is necessary to process the software.**
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **system_requirements_note in Software_Script**
 steward: ops
 namespace id: pds
 class: Software_Script
 version: 1.0
 - definition: **The system requirements note attribute identifies what is necessary to process the software.**

- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nullable: false
- **system_requirements_note** in **Software_Source**

steward: **ops**
 namespace id: **pds**
 class: **Software_Source**
 version: **1.0**
 - definition: **The system requirements note** attribute identifies what is necessary to process the software.
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **target_desc** in **Target_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Target_PDS3**
 version: **1.0**
 - definition: **The target_desc** attribute describes the characteristics of a particular target.
 - value_data_type: [ASCII Text Preserved](#)
 - minimum_characters: 1
 - nullable: false
- **target_name** in **Target_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Target_PDS3**
 version: **1.0**
 - definition: **The target_name** attribute provides a name by which the target is formally known.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **target_type** in **Target_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Target_PDS3**
 version: **1.0**
 - definition: **The target_type** attribute identifies the type of a named target.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **team_name** in **PDS_Affiliate**

steward: **ops**
 namespace id: **pds**
 class: **PDS_Affiliate**
 version: **1.0**
 - definition: **The team_name** attribute provides the name of a group of individuals.
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: 1
 - maximum_characters: 255

- nillable: **false**
- permissible values
 - Engineering** - Team name is Engineering
 - Geosciences** - Team name is Geosciences
 - Headquarters** - Team name is Headquarters
 - Imaging** - Team name is Imaging
 - Management** - Team name is Management
 - National Space Science Data Center** - Team name is National Space Science Data Center
 - Navigation Ancillary Information Facility** - Team name is Navigation Ancillary Information Facility
 - Planetary Atmospheres** - Team name is Planetary Atmospheres
 - Planetary Plasma Interactions** - Team name is Planetary Plasma Interactions
 - Planetary Rings** - Team name is Planetary Rings
 - Radio Science** - Team name is Radio Science
 - Small Bodies** - Team name is Radio Science
- **telemetry_format_id** in **Telemetry_Parameters**

steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: **1.0**
 - definition: **The telemetry_format_id attribute supplies a telemetry format code.**
 - value_data_type: **ASCII Short String Collapsed**
 - minimum_characters: **1**
 - maximum_characters: **4**
 - nillable: **false**
- **telemetry_provider_id** in **Telemetry_Parameters**

steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: **1.0**
 - definition: **The telemetry_provider_id attribute identifies the provider and or version of the telemetry data used in the generation of this data.**
 - value_data_type: **ASCII Short String Collapsed**
 - minimum_characters: **1**
 - maximum_characters: **20**
 - nillable: **false**
- **telemetry_source_name** in **Telemetry_Parameters**

steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: **1.0**
 - definition: **The telemetry_source_name attribute identifies the telemetry source used in creation of a data set.**
 - value_data_type: **ASCII Short String Collapsed**
 - minimum_characters: **1**
 - maximum_characters: **60**
 - nillable: **false**
- **telemetry_source_type** in **Telemetry_Parameters**

steward: **img**
 namespace id: **img**
 class: **Telemetry_Parameters**
 version: **1.0**

- definition: **The telemetry_source_type** attribute classifies the source of the telemetry used in creation of this data collection.
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- valid units: **none**
- nullable: **false**
- permissible values
DATA_PRODUCT -
SFDU -
- **telephone_number** in **PDS_Affiliate**
steward: **ops**
namespace id: **pds**
class: **PDS_Affiliate**
version: **1.0**
 - definition: **The telephone_number** attribute provides a telephone number in international notation in compliance with the E.164 telephone number format recommendation.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **telescope_latitude** in **Telescope**
steward: **pds**
namespace id: **pds**
class: **Telescope**
version: **1.0**
 - definition: **The latitude** attribute provides the angular distance north or south from the equator of a point on the object's surface, measured on the meridian of the point.
 - value_data_type: [ASCII Real](#)
 - minimum_value: **-90**
 - maximum_value: **90**
 - unit_of_measure_type: **Units_of_Angle**
 - valid units: **arcmin, arcsec, deg, hr, mrad, rad**
 - specified_unit_id: **deg**
 - nullable: **false**
- **telescope_longitude** in **Telescope**
steward: **pds**
namespace id: **pds**
class: **Telescope**
version: **1.0**
 - definition: **The longitude** attribute provides the angular distance east or west on the object's surface, measured by the angle contained between the meridian of a particular place and some prime meridian.
 - value_data_type: [ASCII Real](#)
 - minimum_value: **0**
 - maximum_value: **360**
 - unit_of_measure_type: **Units_of_Angle**
 - valid units: **arcmin, arcsec, deg, hr, mrad, rad**
 - specified_unit_id: **deg**
 - nullable: **false**
- **title** in **Identification_Area**
steward: **pds**

- namespace id: **pds**
 class: **Identification_Area**
 version: **1.0**
- definition: **The name given to the resource. Typically, a Title will be a name by which the resource is formally known.** - Dublin Core - The title is used to refer to an object in a version independent manner.
 - value_data_type: [**UTF8 Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **transfer_manifest_checksum** in **Information_Package_Component**
- steward: **ops**
 namespace id: **pds**
 class: **Information_Package_Component**
 version: **1.0**
- definition: **The transfer manifest checksum provides the checksum for the transfer manifest file.**
 - value_data_type: [**ASCII MD5 Checksum**](#)
 - minimum_characters: **32**
 - maximum_characters: **32**
 - format: **0123456789abcdef**
 - nullable: **false**
- **type** in **DD_Attribute_Full**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**
- definition: **The type attribute provides a classification for the resource.**
 - value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
 - permissible values
PDS3 - The attribute definition is classified as being of type PDS3
PDS4 - The attribute definition is classified as being of type PDS4
- **type** in **DD_Class_Full**
- steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**
- definition: **The type attribute provides a classification for the resource.**
 - value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
 - permissible values
PDS3 - The class definition is classified as being of type PDS3
PDS4 - The class definition is classified as being of type PDS4
- **type** in **Facility**
- steward: **pds**
 namespace id: **pds**
 class: **Facility**

version: 1.0

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values

Laboratory - The Facility is classified as being of type Laboratory

Observatory - The Facility is classified as being of type Observatory

• **type in Instrument**

steward: pds

namespace id: pds

class: **Instrument**

version: 1.0

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: false
- permissible values

Accelerometer - An instrument that measures proper (i.e., its own) acceleration.

Alpha Particle Detector - An instrument that measures the number and/or distribution of alpha particles.

Alpha Particle Xray Spectrometer - An instrument that bombards a sample with alpha particles and X-rays and measures the energy spectrum of scattered alpha particles and X-rays to determine the sample's elemental composition.

Altimeter - An instrument that measures its own altitude above a reference level (for example, a locally flat surface on the Earth)

Anemometer - An in situ instrument that measures wind speed.

Atomic Force Microscope - An instrument that uses atomic forces between a probe and a sample to produce high-resolution topographic scans of the sample.

Barometer - An in situ instrument that measures atmospheric pressure.

Biology Experiments - An instrument that conducts one or more experiments on samples to determine their potential for biological activity.

Bolometer - An instrument that estimates radiation intensity by measuring changes in electrical resistivity as the temperature of its sensor varies in response to the incident power density.

Camera - An instrument that records and stores analog images (compare 'imager').

Cosmic Ray Detector - An instrument that detects and/or measures cosmic rays.

Dust Detector - An instrument that detects and/or measures dust.

Electrical Probe - An in situ instrument that measures electrical properties (e.g., conductivity) of a medium into which it is inserted.

Energetic Particle Detector - An instrument that detects and/or measures energetic charged particles.

Gamma Ray Detector - An instrument that detects and/or measures gamma rays.

Gas Analyzer - A high-temperature furnace combined with a mass spectrometer that heats a sample and analyzes the mass distribution of the evolved gases.

Grinding And Drilling Tool - A tool that grinds or drills into samples.

Hygrometer - An instrument used to measure the moisture content of its environment.

Imager - An instrument that records and stores digital images (compare 'camera').

Imaging Spectrometer - An instrument that combines the functions of a spectrometer and an imager - i.e., it captures and stores multiple images, each at a slightly different wavelength.

Inertial Measurement Unit - An instrument that measures changes in its own velocity and

orientation by using a combination of accelerometers, gyroscopes, and/or other devices.

Infrared Spectrometer - An instrument that measures the spectral distribution of infrared radiation.

Laser Induced Breakdown Spectrometer - An instrument that uses an active laser to generate a plasma from a target and then measures the energy spectrum of the evolved plasma.

Magnetometer - An instrument that measures the strength and/or direction of a magnetic field.

Mass Spectrometer - An instrument that measures the number of particles in a sample as a function of their mass.

Microwave Spectrometer - An instrument that measures the spectral distribution of microwave radiation.

Moessbauer Spectrometer - An instrument that uses the Mossbauer effect to determine the abundance of Fe-bearing minerals in a sample.

Naked Eye - Observations made with the naked eye and recorded in a data product.

Neutral Particle Detector - An instrument that detects and/or measures neutral particles.

Neutron Detector - An instrument that measures the number and/or energy distribution of neutrons.

Photometer - An instrument that measures radiation intensity (e.g., of visible light), sometimes with the goal of inferring optical properties of materials illuminated by the source and observed by the photometer.

Plasma Analyzer - An instrument that measures the spectral distribution of energy in a low-frequency plasma.

Plasma Detector - An instrument that detects and/or measures low energy charged particles.

Plasma Wave Spectrometer - An instrument that measures the energy distribution in a low-frequency plasma.

Polarimeter - An instrument that measures the polarization of electromagnetic radiation.

RADAR - An instrument that transmits and receives radio signals for the purpose of detecting, determining the range (distance) to, velocity of, and/or direction of one or more distant targets.

Radio Science - An instrument suite used to conduct measurements at radio frequencies.

Radio Spectrometer - An instrument that measures the spectral distribution of electromagnetic radiation at radio frequencies.

Radio Telescope - An instrument used to focus and capture radio waves.

Radiometer - An instrument which measures the radiant flux of electromagnetic radiation.

Reflectometer - An instrument that measures the reflectance of surfaces. An electron reflectometer measures the properties of electrons trapped along magnetic field lines to infer the strength and direction of the field remotely.

Spectrograph Imager - See Imaging Spectrometer.

Spectrometer - An instrument used to measure properties over a specific portion of a spectrum - for example, a mass spectrometer measures the number of particles in discrete mass ranges, and a radio spectrometer measures the amount of electromagnetic radiation as a function of frequency or wavelength.

Thermal And Electrical Conductivity Probe - An instrument that measures the thermal and electrical conductivity of a soil sample.

Thermal Imager - An instrument that captures an image at thermal infrared wavelengths.

Thermal Probe - An in situ instrument that measures thermal properties (e.g., temperature) at one or more points along its length.

Thermometer - An instrument that measures temperature.

Ultraviolet Spectrometer - An instrument that measures the spectral distribution of ultraviolet radiation.

Wet Chemistry Laboratory - An instrument that mixes soil samples with solutions to measure material properties such as pH, conductivity, oxidation-reduction potential, etc.

X-ray Defraction Spectrometer - An instrument that uses a beam of X-rays to probe the internal structure of a powdered sample and identify its mineral composition.

X-ray Detector - An instrument that detects and/or measures X-rays.

X-ray Fluorescence - An instrument that measures the emission of secondary X-rays from a sample that has been irradiated with X-rays to elemental composition of the sample.

X-ray Fluorescence Spectrometer - An instrument that measures the emission of secondary X-rays to determine the elemental composition of a sample that has been irradiated with primary X-rays.

- **type in Instrument_Host**

steward: **pds**

namespace id: **pds**

class: **Instrument_Host**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible values

Earth Based - The Instrument Host is classified as being of type Earth Based

Rover - The Instrument Host is classified as being of type Rover

Spacecraft - The Instrument Host is classified as being of type Spacecraft

- **type in Investigation**

steward: **pds**

namespace id: **pds**

class: **Investigation**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible values

Individual Investigation - A set of experiments and/or observations with a clearly defined purpose that uses existing facilities and is under the direction of a single individual. For example, a series of related laboratory experiments/observations conducted by a small university team and funded through a single proposal could be an Individual Investigation. Library research by one person on previously published results to distill common conclusions could also be an Individual Investigation.

Mission - A set of experiments and/or observations with a clearly defined purpose that occupies the designated resources for all (or at least a significant fraction) of the available time. A mission is usually conducted by a national or international space agency using a small number (often one) of spacecraft especially designed and built for the purpose. For example: (1) the NASA Voyager mission launched two spacecraft to Jupiter and Saturn; (2) the Deep Impact (DI) mission launched a spacecraft, part of which impacted the comet Tempel 2; and (3) the EPOXI mission redefined the objectives of the surviving DI hardware for further exploration of the solar system.

Observing Campaign - A set of experiments and/or observations with a clearly defined purpose that uses (primarily) existing facilities, but not exclusively. After (and possibly during) the campaign other investigations are carried out using the same facilities. For example, the International Halley Watch mobilized observatories around the world for collection of data during the most recent apparition of Comet Halley. The Shoemaker-Levy-9 (SL9) campaign used both Earth-based and spacecraft instruments to monitor the SL9 impact on Jupiter.

Other Investigation - Any other set of experiments and/or observations with a unifying theme.

- **type in Investigation_Area**

steward: **pds**

namespace id: **pds**

class: **Investigation_Area**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [**ASCII_Short_String_Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible values

Individual Investigation - A set of experiments and/or observations with a clearly defined purpose that uses existing facilities and is under the direction of a single individual. For example, a series of related laboratory experiments/observations conducted by a small university team and funded through a single proposal could be an Individual Investigation. Library research by one person on previously published results to distill common conclusions could also be an Individual Investigation.

Mission - A set of experiments and/or observations with a clearly defined purpose that occupies the designated resources for all (or at least a significant fraction) of the available time. A mission is usually conducted by a national or international space agency using a small number (often one) of spacecraft especially designed and built for the purpose. For example: (1) the NASA Voyager mission launched two spacecraft to Jupiter and Saturn; (2) the Deep Impact (DI) mission launched a spacecraft, part of which impacted the comet Tempel 2; and (3) the EPOXI mission redefined the objectives of the surviving DI hardware for further exploration of the solar system.

Observing Campaign - A set of experiments and/or observations with a clearly defined purpose that uses (primarily) existing facilities, but not exclusively. After (and possibly during) the campaign other investigations are carried out using the same facilities. For example, the International Halley Watch mobilized observatories around the world for collection of data during the most recent apparition of Comet Halley. The Shoemaker-Levy-9 (SL9) campaign used both Earth-based and spacecraft instruments to monitor the SL9 impact on Jupiter.

Other Investigation - Any other set of experiments and/or observations with a unifying theme.

- **type in Observing_System_Component**

steward: **pds**

namespace id: **pds**

class: **Observing_System_Component**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [**ASCII_Short_String_Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**
- permissible values

Artificial Illumination - The observing system component is classified as Artificial Illumination

Instrument - The observing system component is classified as Instrument

Laboratory - The observing system component is classified as Laboratory

Literature Search - The observing system component is classified as Literature Search

Naked Eye - The observing system component is classified as Naked Eye (a person)

Observatory - The observing system component is classified as Observatory

Spacecraft - The observing system component is classified as Spacecraft

Telescope - The observing system component is classified as Telescope

- **type in Primary_Result_Summary**

steward: **pds**

namespace id: **pds**

class: **Primary_Result_Summary**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: **ASCII Short String Collapsed** - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

Altimetry - Measurement of altitude.

Astrometry - Precise measurement of positions of heavenly bodies.

Count - A recording of the number of discrete events

E/B-Field Vectors - Arrays populated by values of the electric/magnetic field in three orthogonal directions.

Gravity Model - An approximation to the gravity field of an object derived from measurement and/or theory

Image - A two-dimensional representation of a field of view

Lightcurves - This value indicates data products containing time-sequences of magnitude measurements for one or more individual targets (typically asteroids or comets).

Magnetometry - Measurements of a magnetic field

Map - A two-dimensional representation of the plan view of a surface

Meteorology - Measurements of the meteorological conditions of an atmosphere such as pressure, temperature, wind speed, etc.

Null Result - Measurements which failed.

Occultation - Measurements conducted when one celestial body progressively hides another

Photometry - Measurement of light flux

Physical Parameters - This value indicates data products containing compilations of one or more physical parameters - like albedo, density, absolute magnitude, etc. It is generally used for data that combines these highly-derived results from multiple sources.

Polarimetry - Measurement of the polarization state of radiation.

Radiometry - Measurement of the radiation coming from a body, usually at infrared and longer wavelengths

Reference - A Reference product provides ancillary information needed to support the use of another data product. Reference products include things like tables of foot notes or lists of detailed citations, and are usually associated with data products compiled from the published literature.

Shape Model - An approximation to the shape of an object derived from measurements and/or theory

Spectrum - An array containing values of a dependent variable as a function of an independent variable.

- **type in Quaternion**

steward: **pds**

namespace id: **pds**

class: **Quaternion**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: **ASCII Short String Collapsed** - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

SPICE - Quaternion is type SPICE. This quaternion system defines components zero through three, with the 0th component as the scalar, and the 1st, 2nd and 3rd the vector components.

Spacecraft Telemetry - Quaternion is type Spacecraft Telemetry. This quaternion system defines components one through four, with the fourth component as the scalar, and the 1st, 2nd and 3rd as the vector components.

- **type in Resource**

steward: **pds**

namespace id: **pds**

class: **Resource**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

Information.Agency - An information resource that describes an agency.

Information.Instrument - An information resource that describes an instrument

Information.Instrument_Host - An information resource that describes an instrument host

Information.Investigation - An information resource that describes an investigation

Information.Node - An information resource that describes a node

Information.Person - An information resource that describes a person

Information.Resource - An information resource that describes a generic resource

Information.Science_Portal - An information resource that describes a science portal

Information.Target - An information resource that describes a target

System.Browse - A system resource that provides browse functionality.

System.Directory_Listing - A system resource that provides a directory listing.

System.Registry_Query - A system resource for registry query.

System.Search - A system resource that provides search functionality.

System.Transform - A system resource that provides transform functionality.

System.Transport - A system resource that provides transport functionality.

- **type in Target**

steward: **pds**

namespace id: **pds**

class: **Target**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

Asteroid - The Target is classified as an Asteroid

Comet - The Target is classified as a Comet

Dust - The Target is classified as Dust

Dwarf Planet - The Target is classified as a Dwarf Planet

Galaxy - The Target is classified as a Galaxy

Globular Cluster - The Target is classified as a Globular Cluster

Meteorite - The Target is classified as a Meteorite

Meteoroid - The Target is classified as a Meteoroid

Meteoroid Stream - The Target is classified as a Meteoroid Stream

Nebula - The Target is classified as a Nebula

Open Cluster - The Target is classified as an Open Cluster
Planet - The Target is classified as a Planet
Planetary Nebula - The Target is classified as a Planetary Nebula
Planetary System - The Target is classified as a Planetary System
Plasma Cloud - The Target is classified as a Plasma Cloud
Ring - The Target is classified as a Ring
Satellite - The Target is classified as a Satellite
Star - The Target is classified as a Star
Star Cluster - The Target is classified as a Star Cluster
Sun - The Target is classified as a Sun
Terrestrial Sample - The Target is classified as a Terrestrial Sample
Trans-Neptunian Object - The Target is classified as a Trans-Neptunian Object

- **type in Target_Identification**

steward: **pds**

namespace id: **pds**

class: **Target_Identification**

version: **1.0**

- definition: **The type attribute provides a target's type, used to determine correct nomenclature for the name field.**
- value_data_type: [**ASCII Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **type in Vector**

steward: **pds**

namespace id: **pds**

class: **Vector**

version: **1.0**

- definition: **The type attribute provides a classification for the resource.**
- value_data_type: [**ASCII Short String Collapsed**](#) - Enumerated
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**
- permissible values

Acceleration - Vector is type Acceleration

Pointing - Vector is type Pointing

Position - Vector is type Position

Velocity - Vector is type Velocity

- **unit in Element_Array**

steward: **pds**

namespace id: **pds**

class: **Element_Array**

version: **1.0**

- definition: **The unit attribute provides the unit of measurement.**
- value_data_type: [**UTF8 Short String Collapsed**](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nullable: **false**

- **unit in Field_Binary**

steward: **pds**

namespace id: **pds**

class: **Field_Binary**

version: 1.0

- definition: **The unit attribute provides the unit of measurement.**
- value_data_type: [UTF8 Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **unit in Field_Bit**

steward: pds

namespace id: pds

class: Field_Bit

version: 1.0

- definition: **The unit attribute provides the unit of measurement.**
- value_data_type: [UTF8 Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **unit in Field_Character**

steward: pds

namespace id: pds

class: Field_Character

version: 1.0

- definition: **The unit attribute provides the unit of measurement.**
- value_data_type: [UTF8 Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **unit in Field_Delimited**

steward: pds

namespace id: pds

class: Field_Delimited

version: 1.0

- definition: **The unit attribute provides the unit of measurement.**
- value_data_type: [UTF8 Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **unit in Vector_Component**

steward: pds

namespace id: pds

class: Vector_Component

version: 1.0

- definition: **The unit attribute provides the unit of measurement.**
- value_data_type: [UTF8 Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- nillable: false

- **unit_of_measure_type in DD_Value_Domain**

steward: ops

namespace id: pds

class: DD_Value_Domain

version: 1.0

- definition: **The unit_of_measure_type attribute provides the named grouping of units to be**

used for this attribute - for example Units_of_Length and Units_of_Time.

- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: **false**
- permissible values
 - Units_of_Acceleration** - The value is given in a unit which conveys acceleration
 - Units_of_Amount_Of_Substance** - The value is given in a unit which conveys amount of substance
 - Units_of_Angle** - The value is given in a unit which conveys angle
 - Units_of_Angular_Velocity** - The value is given in a unit which conveys angular velocity
 - Units_of_Area** - The value is given in a unit which conveys area
 - Units_of_Frame_Rate** - The value is given in a unit which conveys frame rate
 - Units_of_Frequency** - The value is given in a unit which conveys frequency
 - Units_of_Length** - The value is given in a unit which conveys length
 - Units_of_Map_Scale** - The value is given in a unit which conveys map scale
 - Units_of_Mass** - The value is given in a unit which conveys mass
 - Units_of_Misc** - The value is given in a unit which is in a miscellaneous category
 - Units_of_None** - The value is given without regard to a unit of measure
 - Units_of_Optical_Path_Length** - The value is given in a unit which conveys optical path length
 - Units_of_Pressure** - The value is given in a unit which conveys pressure
 - Units_of_Radiance** - The value is given in a unit which conveys radiance
 - Units_of_Rates** - The value is given in a unit which conveys rates or counts per unit time
 - Units_of_Solid_Angle** - The value is given in a unit which conveys solid angle
 - Units_of_Storage** - The value is given in a unit which conveys computer storage
 - Units_of_Temperature** - The value is given in a unit which conveys temperature
 - Units_of_Time** - The value is given in a unit which conveys time
 - Units_of_Velocity** - The value is given in a unit which conveys velocity
 - Units_of_Voltage** - The value is given in a unit which conveys voltage
 - Units_of_Volume** - The value is given in a unit which conveys volume

• **unit_of_measure_type** in [DD_Value_Domain_Full](#)

steward: **ops**

namespace id: **pds**

class: [DD_Value_Domain_Full](#)

version: 1.0

- definition: **The unit_of_measure_type attribute provides the named grouping of units to be used for this attribute - for example Units_of_Length and Units_of_Time.**
- value_data_type: [ASCII Short String Collapsed](#) - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nillable: **false**
- permissible values
 - Units_of_Amount_Of_Substance** - The value is given in a unit which conveys amount of substance
 - Units_of_Angle** - The value is given in a unit which conveys angle
 - Units_of_Angular_Velocity** - The value is given in a unit which conveys angular velocity
 - Units_of_Area** - The value is given in a unit which conveys area
 - Units_of_Frame_Rate** - The value is given in a unit which conveys frame rate
 - Units_of_Frequency** - The value is given in a unit which conveys frequency
 - Units_of_Length** - The value is given in a unit which conveys length
 - Units_of_Map_Scale** - The value is given in a unit which conveys map scale
 - Units_of_Mass** - The value is given in a unit which conveys mass

Units_of_Misc - The value is given in a unit which is in a miscellaneous category
Units_of_None - The value is given without regard to a unit of measure
Units_of_Optical_Path_Length - The value is given in a unit which conveys optical path length
Units_of_Pressure - The value is given in a unit which conveys pressure
Units_of_Radiance - The value is given in a unit which conveys radiance
Units_of_Rates - The value is given in a unit which conveys rates or counts per unit time
Units_of_Solid_Angle - The value is given in a unit which conveys solid angle
Units_of_Storage - The value is given in a unit which conveys computer storage
Units_of_Temperature - The value is given in a unit which conveys temperature
Units_of_Time - The value is given in a unit which conveys time
Units_of_Velocity - The value is given in a unit which conveys velocity
Units_of_Voltage - The value is given in a unit which conveys voltage
Units_of_Volume - The value is given in a unit which conveys volume

- **unknown_constant in Special_Constants**

steward: **pds**

namespace id: **pds**

class: **Special_Constants**

version: **1.0**

- definition: **The unknown_constant attribute provides a value that indicates the original value was unknown.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: **1**
- maximum_characters: **255**
- nillable: **false**

- **url in External_Reference_Extended**

steward: **ops**

namespace id: **pds**

class: **External_Reference_Extended**

version: **1.0**

- definition: **The url attribute provides a Uniform Resource Identifier (URI) that specifies where a resource is available and the mechanism for retrieving it.**
- value_data_type: [ASCII AnyURI](#)
- nillable: **false**

- **url in Resource**

steward: **pds**

namespace id: **pds**

class: **Resource**

version: **1.0**

- definition: **The url attribute provides a Uniform Resource Identifier (URI) that specifies where a resource is available and the mechanism for retrieving it.**
- value_data_type: [ASCII AnyURI](#)
- nillable: **false**

- **users_manual_id in Software**

steward: **ops**

namespace id: **pds**

class: **Software**

version: **1.0**

- definition: **The users manual id attribute provides a formal name used to refer to a manual that describes how to use the software.**
- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: **1**
- maximum_characters: **255**

- nillable: **false**
- **valid_maximum in Special_Constants**
 steward: **pds**
 namespace id: **pds**
 class: **Special_Constants**
 version: **1.0**
 - definition: **The valid_maximum attribute specifies the maximum valid value in the field or digital object with which the Special_Constants class is associated. Values above the valid_maximum have a special meaning. Values of this attribute should be represented in the same data_type as the elements in the object or field described.** (Note that PDS3 had no qube-related valid_maximum values because all special constants were set below the valid_minimum.)
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
254 - conventional ISIS 2/3 qube value for a one byte unsigned integer data type
32767 - conventional ISIS 2/3 qube value for a two byte signed integer data type
65522 - conventional ISIS 3 qube value for a two byte unsigned integer data type (Note that
- **valid_minimum in Special_Constants**
 steward: **pds**
 namespace id: **pds**
 class: **Special_Constants**
 version: **1.0**
 - definition: **The valid_minimum attribute specifies the minimum valid value in the field or digital object with which the Special_Constants class is associated. Values below the valid_minimum have a special meaning. Values of this attribute should be represented in the same data_type as the elements in the object or field described.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
 - permissible values
-32752 - conventional PDS3 and ISIS 2/3 qube value for a two byte signed integer data type
1 - conventional ISIS 2/3 qube value for a one byte unsigned integer data type
3 - conventional ISIS 3 qube value for a two byte unsigned integer data type
5 - conventional PDS3 qube value for any unsigned integer data type
FF7FFFFA - conventional ISIS 2 qube value for a four byte IEEE floating point data type
FFEFFFFFF - conventional PDS3 and ISIS 2 qube value for a four byte VAX floating point data type
- **value in DD_Permissible_Value**
 steward: **ops**
 namespace id: **pds**
 class: **DD_Permissible_Value**
 version: **1.0**
 - definition: **The value attribute provides a single, allowed numerical or character string value.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**

- **value in DD_Permissible_Value_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Permissible_Value_Full**
 version: **1.0**

 - definition: **The value attribute provides a single, allowed numerical or character string value.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **value in Quaternion_Component**

steward: **pds**
 namespace id: **pds**
 class: **Quaternion_Component**
 version: **1.0**

 - definition: **The value attribute provides a single, allowed numerical or character string value.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **value in Vector_Component**

steward: **pds**
 namespace id: **pds**
 class: **Vector_Component**
 version: **1.0**

 - definition: **The value attribute provides a single, allowed numerical or character string value.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nullable: **false**
- **value_begin_date in DD_Permissible_Value_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Permissible_Value_Full**
 version: **1.0**

 - definition: **The value_begin_date attribute provides the first date on which the permissible value is in effect.**
 - value_data_type: [ASCII Date Time YMD](#)
 - format: **YYYY-MM-DDTHH:MM:SS.SSS(Z)**
 - nullable: **false**
- **value_data_type in DD_Value_Domain**

steward: **ops**
 namespace id: **pds**
 class: **DD_Value_Domain**
 version: **1.0**

 - definition: **The value_data_type attribute provides the data type used to represent the value.**
 - value_data_type: [ASCII Short String Collapsed](#) - Enumerated
 - minimum_characters: **1**

- maximum_characters: **255**
 - nullable: **false**
 - permissible values
 - ASCII_AnyURI** - The value is expressed using the data type ASCII_AnyURI
 - ASCII_Boolean** - The value is expressed using the data type ASCII_Boolean
 - ASCII_DOI** - The value is expressed using the data type ASCII_DOI
 - ASCII_Date_DOY** - The value is expressed using the data type ASCII_Date_DOY
 - ASCII_Date_Time** - The value is expressed using the data type ASCII_Date_Time
 - ASCII_Date_Time_DOY** - The value is expressed using the data type ASCII_Date_Time_DOY
 - ASCII_Date_Time_UTC** - The value is expressed using the data type ASCII_Date_Time_UTC
 - ASCII_Date_Time_YMD** - The value is expressed using the data type ASCII_Date_Time_YMD
 - ASCII_Date_YMD** - The value is expressed using the data type ASCII_Date_YMD
 - ASCII_Directory_Path_Name** - The value is expressed using the data type ASCII_Directory_Path_Name
 - ASCII_File_Name** - The value is expressed using the data type ASCII_File_Name
 - ASCII_File_Specification_Name** - The value is expressed using the data type ASCII_File_Specification_Name
 - ASCII_Integer** - The value is expressed using the data type ASCII_Integer
 - ASCII_LID** - The value is expressed using the data type ASCII_LID
 - ASCII_LIDVID** - The value is expressed using the data type ASCII_LIDVID
 - ASCII_LIDVID_LID** - The value is expressed using the data type ASCII_LIDVID_LID
 - ASCII_MD5_Checksum** - The value is expressed using the data type ASCII_MD5_Checksum
 - ASCII_NonNegative_Integer** - The value is expressed using the data type ASCII_NonNegative_Integer
 - ASCII_Numeric_Base16** - The value is expressed using the data type ASCII_Numeric_Base16
 - ASCII_Numeric_Base2** - The value is expressed using the data type ASCII_Numeric_Base2
 - ASCII_Numeric_Base8** - The value is expressed using the data type ASCII_Numeric_Base8
 - ASCII_Real** - The value is expressed using the data type ASCII_Real
 - ASCII_Short_String_Collapsed** - The value is expressed using the data type ASCII_Short_String_Collapsed
 - ASCII_Short_String_Preserved** - The value is expressed using the data type ASCII_Short_String_Preserved
 - ASCII_Text_Collapsed** - The value is expressed using the data type ASCII_Text_Collapsed
 - ASCII_Text_Preserved** - The value is expressed using the data type ASCII_Text_Preserved
 - ASCII_Time** - The value is expressed using the data type ASCII_Time
 - ASCII_VID** - The value is expressed using the data type ASCII_VID
 - UTF8_Short_String_Collapsed** - The value is expressed using the data type UTF8_Short_String_Collapsed
 - UTF8_Short_String_Preserved** - The value is expressed using the data type UTF8_Short_String_Preserved
 - UTF8_Text_Preserved** - The value is expressed using the data type UTF8_Text_Preserved
 - Vector_Cartesian_3** - The value is expressed using the data type Vector_Cartesian_3
 - Vector_Cartesian_3_Acceleration** - The value is expressed using the data type Vector_Cartesian_3_Acceleration
 - Vector_Cartesian_3_Pointing** - The value is expressed using the data type Vector_Cartesian_3_Pointing
 - Vector_Cartesian_3_Position** - The value is expressed using the data type Vector_Cartesian_3_Position
 - Vector_Cartesian_3_Velocity** - The value is expressed using the data type Vector_Cartesian_3_Velocity
 - **value_data_type in DD_Value_Domain_Full**
- steward: **ops**

namespace id: **pds**

class: **DD_Value_Domain_Full**

version: 1.0

- definition: **The value_data_type attribute provides the data type used to represent the value.**
- value_data_type: **ASCII_Short_String_Collapsed** - Enumerated
- minimum_characters: 1
- maximum_characters: 255
- nullable: **false**
- permissible values
 - ASCII_AnyURI** - The value is expressed using the data type ASCII_AnyURI
 - ASCII_Boolean** - The value is expressed using the data type ASCII_Boolean
 - ASCII_DOI** - The value is expressed using the data type ASCII_DOI
 - ASCII_Date_DOY** - The value is expressed using the data type ASCII_Date_DOY
 - ASCII_Date_Time** - The value is expressed using the data type ASCII_Date_Time
 - ASCII_Date_Time_DOY** - The value is expressed using the data type ASCII_Date_Time_DOY
 - ASCII_Date_Time_UTC** - The value is expressed using the data type ASCII_Date_Time_UTC
 - ASCII_Date_Time_YMD** - The value is expressed using the data type ASCII_Date_Time_YMD
 - ASCII_Date_YMD** - The value is expressed using the data type ASCII_Date_YMD
 - ASCII_Directory_Path_Name** - The value is expressed using the data type ASCII_Directory_Path_Name
 - ASCII_File_Name** - The value is expressed using the data type ASCII_File_Name
 - ASCII_File_Specification_Name** - The value is expressed using the data type ASCII_File_Specification_Name
 - ASCII_Integer** - The value is expressed using the data type ASCII_Integer
 - ASCII_LID** - The value is expressed using the data type ASCII_LID
 - ASCII_LIDVID** - The value is expressed using the data type ASCII_LIDVID
 - ASCII_LIDVID_LID** - The value is expressed using the data type ASCII_LIDVID_LID
 - ASCII_MD5_Checksum** - The value is expressed using the data type ASCII_MD5_Checksum
 - ASCII_NonNegative_Integer** - The value is expressed using the data type ASCII_NonNegative_Integer
 - ASCII_Numeric_Base16** - The value is expressed using the data type ASCII_Numeric_Base16
 - ASCII_Numeric_Base2** - The value is expressed using the data type ASCII_Numeric_Base2
 - ASCII_Numeric_Base8** - The value is expressed using the data type ASCII_Numeric_Base8
 - ASCII_Real** - The value is expressed using the data type ASCII_Real
 - ASCII_Short_String_Collapsed** - The value is expressed using the data type ASCII_Short_String_Collapsed
 - ASCII_Short_String_Preserved** - The value is expressed using the data type ASCII_Short_String_Preserved
 - ASCII_Text_Collapsed** - The value is expressed using the data type ASCII_Text_Collapsed
 - ASCII_Text_Preserved** - The value is expressed using the data type ASCII_Text_Preserved
 - ASCII_Time** - The value is expressed using the data type ASCII_Time
 - ASCII_VID** - The value is expressed using the data type ASCII_VID
 - UTF8_Short_String_Collapsed** - The value is expressed using the data type UTF8_Short_String_Collapsed
 - UTF8_Short_String_Preserved** - The value is expressed using the data type UTF8_Short_String_Preserved
 - UTF8_Text_Preserved** - The value is expressed using the data type UTF8_Text_Preserved
- **value_end_date** in **DD_Permissible_Value_Full**
 - steward: **ops**
 - namespace id: **pds**
 - class: **DD_Permissible_Value_Full**

version: 1.0

- definition: The value_end_date attribute provides the last date on which the permissible value is in effect.
- value_data_type: [ASCII Date Time YMD](#)
- format: YYYY-MM-DDTHH:MM:SS.SSS(Z)
- nillable: false

- value_meaning in DD_Permissible_Value

steward: ops

namespace id: pds

class: DD_Permissible_Value

version: 1.0

- definition: The value_meaning attribute provides the meaning, or semantic content, of the associated permissible value.
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nillable: false

- value_meaning in DD_Permissible_Value_Full

steward: ops

namespace id: pds

class: DD_Permissible_Value_Full

version: 1.0

- definition: The value_meaning attribute provides the meaning, or semantic content, of the associated permissible value.
- value_data_type: [ASCII Text Preserved](#)
- minimum_characters: 1
- nillable: false

- value_offset in Band_Bin

steward: img

namespace id: pds

class: Band_Bin

version: 1.0

- definition: The value_offset attribute is the offset to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: Ov = (Sv * scaling_factor) + value_offset. The default value is 0.
- value_data_type: [ASCII Real](#)
- nillable: false

- value_offset in Element_Array

steward: pds

namespace id: pds

class: Element_Array

version: 1.0

- definition: The value_offset attribute is the offset to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: Ov = (Sv * scaling_factor) + value_offset. The default value is 0.
- value_data_type: [ASCII Real](#)
- nillable: false

- value_offset in Field_Binary

steward: pds

namespace id: pds

class: Field_Binary

version: 1.0

- definition: The value_offset attribute is the offset to be applied to each stored value in

order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: $Ov = (Sv * \text{scaling_factor}) + \text{value_offset}$. The default value is 0.

- value_data_type: [ASCII Real](#)
 - nullable: false
- **value_offset in Field_Bit**

steward: **pds**
namespace id: **pds**
class: **Field_Bit**
version: **1.0**
 - definition: The value_offset attribute is the offset to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: $Ov = (Sv * \text{scaling_factor}) + \text{value_offset}$. The default value is 0.
 - value_data_type: [ASCII Real](#)
 - nullable: false
- **value_offset in Field_Character**

steward: **pds**
namespace id: **pds**
class: **Field_Character**
version: **1.0**
 - definition: The value_offset attribute is the offset to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: $Ov = (Sv * \text{scaling_factor}) + \text{value_offset}$. The default value is 0.
 - value_data_type: [ASCII Real](#)
 - nullable: false
- **value_offset in Field_Delimited**

steward: **pds**
namespace id: **pds**
class: **Field_Delimited**
version: **1.0**
 - definition: The value_offset attribute is the offset to be applied to each stored value in order to recover an original value. The observed value (Ov) is calculated from the stored value (Sv) thus: $Ov = (Sv * \text{scaling_factor}) + \text{value_offset}$. The default value is 0.
 - value_data_type: [ASCII Real](#)
 - nullable: false
- **vector_components in Vector**

steward: **pds**
namespace id: **pds**
class: **Vector**
version: **1.0**
 - definition: The vector_components attribute provides a count of vector components.
 - value_data_type: [ASCII Integer](#)
 - nullable: false
- **version_id in DD_Attribute**

steward: **ops**
namespace id: **pds**
class: **DD_Attribute**
version: **1.0**
 - definition: The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255

- nillable: **false**
- **version_id** in **DD_Attribute_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Attribute_Full**
 version: **1.0**
 - definition: **The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **version_id** in **DD_Class**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class**
 version: **1.0**
 - definition: **The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **version_id** in **DD_Class_Full**

steward: **ops**
 namespace id: **pds**
 class: **DD_Class_Full**
 version: **1.0**
 - definition: **The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **version_id** in **Software**

steward: **ops**
 namespace id: **pds**
 class: **Software**
 version: **1.0**
 - definition: **The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.**
 - value_data_type: [**ASCII Short String Collapsed**](#)
 - minimum_characters: **1**
 - maximum_characters: **255**
 - nillable: **false**
- **version_id** in **Identification_Area**

steward: **pds**
 namespace id: **pds**
 class: **Identification_Area**
 version: **1.0**
 - definition: **The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.**

- value_data_type: [ASCII Short String Collapsed](#)
- minimum_characters: 1
- maximum_characters: 255
- pattern: ([0-9])(\.)(1)([0-9])
- nullable: false
- **version_id in Instrument_Host**

steward: **pds**
 namespace id: **pds**
 class: **Instrument_Host**
 version: **1.0**
 - definition: **The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **version_id in Modification_Detail**

steward: **pds**
 namespace id: **pds**
 class: **Modification_Detail**
 version: **1.0**
 - definition: **The version_id attribute provides the version of the product, expressed in the PDS [m.n] notation.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - pattern: ([0-9])(\.)(1)([0-9])
 - nullable: false
- **volume_de_fullname in Volume_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Volume_PDS3**
 version: **1.0**
 - definition: **The volume_de_fullname attribute provide the full name of the data engineer.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **volume_format in Volume_PDS3**

steward: **ops**
 namespace id: **pds**
 class: **Volume_PDS3**
 version: **1.0**
 - definition: **The volume_format attribute identifies the logical format used in writing a data volume.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nullable: false
- **volume_id in Volume_PDS3**

steward: **ops**
 namespace id: **pds**

- class: **Volume_PDS3**
version: 1.0
- definition: **The volume_id attribute provides a unique identifier for a data volume.**
Example: MG_1001.
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **volume_name in Volume_PDS3**
steward: **ops**
namespace id: **pds**
class: **Volume_PDS3**
version: 1.0
- definition: **The volume_name attribute contains the name of a data volume.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **volume_series_name in Volume_Set_PDS3**
steward: **ops**
namespace id: **pds**
class: **Volume_Set_PDS3**
version: 1.0
- definition: **The volume_series_name element provides a full, formal name that describes a broad categorization of data products or data sets related to a planetary body or a research campaign (e.g. International Halley Watch). A volume series consists of one or more volume sets that represent data from one or more missions or campaigns.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **volume_set_id in Volume_PDS3**
steward: **ops**
namespace id: **pds**
class: **Volume_PDS3**
version: 1.0
- definition: **The volume_set_id attribute identifies a data volume or a set of volumes.**
Volume sets are normally considered as a single orderable entity. Examples:
USA_NASA_PDS_MG_1001, USA_NASA_PDS_GR_0001_TO_GR_0009
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **volume_set_id in Volume_Set_PDS3**
steward: **ops**
namespace id: **pds**
class: **Volume_Set_PDS3**
version: 1.0
- definition: **The volume_set_id attribute identifies a data volume or a set of volumes.**
Volume sets are normally considered as a single orderable entity. Examples:
USA_NASA_PDS_MG_1001, USA_NASA_PDS_GR_0001_TO_GR_0009
 - value_data_type: [ASCII Short String Collapsed](#)

- minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **volume_set_name** in **Volume_Set_PDS3**

steward: ops
 namespace id: pds
 class: Volume_Set_PDS3
 version: 1.0

 - definition: **The volume_set_name element provides the full, formal name of one or more data volumes containing a single data set or a collection of related data sets. Volume sets are normally considered as a single orderable entity.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **volume_size** in **Volume_PDS3**

steward: ops
 namespace id: pds
 class: Volume_PDS3
 version: 1.0

 - definition: **The volume size attribute provide the number of bytes in the volume.**
 - value_data_type: [ASCII NonNegative Integer](#)
 - minimum_value: 0
 - nillable: false
- **volume_version_id** in **Volume_PDS3**

steward: ops
 namespace id: pds
 class: Volume_PDS3
 version: 1.0

 - definition: **The volume_version_id attribute identifies the version of a data volume. All original volumes should use a volume_version_id of 'Version 1'.**
 - value_data_type: [ASCII Short String Collapsed](#)
 - minimum_characters: 1
 - maximum_characters: 255
 - nillable: false
- **volumes** in **Volume_Set_PDS3**

steward: ops
 namespace id: pds
 class: Volume_Set_PDS3
 version: 1.0

 - definition: **The volumes element provides the number of physical data volumes contained in a volume set.**
 - value_data_type: [ASCII Integer](#)
 - minimum_value: 0
 - nillable: false
- **x** in **Vector_Cartesian_3**

steward: pds
 namespace id: pds
 class: Vector_Cartesian_3
 version: 1.0

 - definition: **The x attribute provides the value of the x coordinate in a position vector.**
 - value_data_type: [ASCII Real](#)

- nillable: **false**
- **y** in **Vector_Cartesian_3**

steward: **pds**
 namespace id: **pds**
 class: **Vector_Cartesian_3**
 version: **1.0**
 - definition: **The y attribute provides the value of the y coordinate in a position vector.**
 - value_data_type: [**ASCII_Real**](#)
 - nillable: **false**
- **z** in **Vector_Cartesian_3**

steward: **pds**
 namespace id: **pds**
 class: **Vector_Cartesian_3**
 version: **1.0**
 - definition: **The z attribute provides the value of the z coordinate in a position vector.**
 - value_data_type: [**ASCII_Real**](#)
 - nillable: **false**
- **AdministrationRecord**

identifier: **DD_1.0.0.0**
 administrative_note: Loaded from PDS4 Information Model
 administrative_status: Final
 change_description: *In development.
 creation_date: **2013-05-03**
 effective_date: **2013-05-03**
 last_change_date: **2013-05-03**
 origin: **Planetary Data System**
 registration_status: **Preferred**
 unresolved_issue: **Issues still being determined.**
 until_date: **2019-12-31**
 label: **DD_1.0.0.0**
 explanatory_comment: This is a test load of a ISO/IEC 11179 Data Dictionary from the PDS4 master model.
- **Steward**

identifier: [**Steward_PDS**](#)
 label: [**Steward_PDS**](#)
 contact: **Elizabeth_Rye**
 organization: [**RA_0001_NASA_PDS_1**](#)
- **Submitter**

identifier: [**Submitter_PDS**](#)
 label: [**Submitter_PDS**](#)
 contact: **Elizabeth_Rye**
 organization: [**RA_0001_NASA_PDS_1**](#)
- **RegistrationAuthority**

Identifier: [**RA_0001_NASA_PDS_1**](#)
 organization_mailing_address: **4800 Oak Grove Drive, Pasadena, CA 91109**
 organization_name: **NASA Planetary Data System**
 label: [**RA_0001_NASA_PDS_1**](#)
 documentation_language_identifier: **LI_English**
 language_used: **LI_English**
 registrar: **PDS_Registrar**
 registration_authority_identifier: [**0001_NASA_PDS_1**](#)

- **ASCII_AnyURI**

description: **The ASCII_AnyURI class indicates a URI or its subclasses URN and URL.**

xml_schema_base_type: **xsd:anyURI**

character_constraint: **ASCII**

character_encoding: **UTF-8**

- **ASCII_Boolean**

description: **The ASCII_Boolean class indicates a boolean. The allowed values are 'true' and 'false'.**

xml_schema_base_type: **xsd:boolean**

character_encoding: **UTF-8**

- **ASCII_DOI**

description: **The ASCII_DOI class indicates a digital object identifier (DOI).**

xml_schema_base_type: **xsd:string**

formation_rule: **nn.nnnn/nnn**

character_constraint: **ASCII**

character_encoding: **UTF-8**

- **ASCII_Date**

description: **The ASCII_Date class indicates a date in either YMD or DOY format.**

xml_schema_base_type: **xsd:string**

formation_rule: **YYYY-MM-DD/YYYY-DOY**

character_constraint: **ASCII**

character_encoding: **UTF-8**

- **ASCII_Date_DOY**

description: **The ASCII_Date_DOY class indicates a date in DOY format.**

xml_schema_base_type: **xsd:string**

formation_rule: **YYYY-DOY**

character_constraint: **ASCII**

character_encoding: **UTF-8**

- **ASCII_Date_Time**

description: **The ASCII_Date_Time class indicates a date in either YMD or DOY format and time.**

xml_schema_base_type: **xsd:string**

formation_rule: **YYYY-MM-DDTHH:MM:SS.SSS(Z)/YYYY-DOYTHH:MM:SS.SSS(Z)**

character_constraint: **ASCII**

character_encoding: **UTF-8**

- **ASCII_Date_Time_DOY**

description: **The ASCII_Date_Time_DOY class indicates a date in DOY format and time.**

xml_schema_base_type: **xsd:string**

formation_rule: **YYYY-DOYTHH:MM:SS.SSS(Z)**

character_constraint: **ASCII**

character_encoding: **UTF-8**

- **ASCII_Date_Time_UTC**

description: **The ASCII_Date_Time_UTC class indicates a date and time in UTC format.**

xml_schema_base_type: **xsd:string**

formation_rule: **YYYY-MM-DDTHH:MM:SS.SSSZ/YYYY-DOYTHH:MM:SS.SSSZ**

character_constraint: **ASCII**

character_encoding: **UTF-8**

- **ASCII_Date_Time_YMD**

description: **The ASCII_Date_Time_YMD class indicates a date in YMD format and time.**

xml_schema_base_type: **xsd:string**

formation_rule: **YYYY-MM-DDTHH:MM:SS.SSS(Z)**

- character_constraint: **ASCII**
 character_encoding: **UTF-8**
- **ASCII_Date_YMD**
 description: **The ASCII_Date_YMD class indicates a date in YMD format.**
 xml_schema_base_type: **xsd:string**
 formation_rule: **YYYY-MM-DD**
 character_constraint: **ASCII**
 character_encoding: **UTF-8**
- **ASCII_Directory_Path_Name**
 description: **The ASCII Directory Path Name class indicates a system directory path.**
 xml_schema_base_type: **xsd:token**
 formation_rule: **dir1/dir2/**
 minimum_characters: **1**
 character_constraint: **ASCII**
 maximum_characters: **255**
 character_encoding: **UTF-8**
- **ASCII_File_Name**
 description: **The ASCII File Name class indicates a system file name.**
 xml_schema_base_type: **xsd:token**
 formation_rule: **file_name.file_extension**
 minimum_characters: **1**
 character_constraint: **ASCII**
 maximum_characters: **255**
 character_encoding: **UTF-8**
- **ASCII_File_Specification_Name**
 description: **The ASCII File Specification Name class indicates a system file including directory path, file name, and file extension.**
 xml_schema_base_type: **xsd:token**
 formation_rule: **dir1/dir2/file_name.file_extension**
 minimum_characters: **1**
 character_constraint: **ASCII**
 maximum_characters: **255**
 character_encoding: **UTF-8**
- **ASCII_Integer**
 description: **The ASCII_Integer class indicates an integer.**
 xml_schema_base_type: **xsd:int**
 character_encoding: **UTF-8**
- **ASCII_LID**
 description: **The ASCII_LID class indicates a logical identifier.**
 xml_schema_base_type: **xsd:string**
 formation_rule: **urn:nasa:pds:xxxx**
 minimum_characters: **14**
 character_constraint: **ASCII**
 maximum_characters: **255**
 character_encoding: **UTF-8**
- **ASCII_LIDVID**
 description: **The ASCII_LIDVID class indicates a logical identifier and version identifier.**
 xml_schema_base_type: **xsd:string**
 formation_rule: **urn:nasa:pds:xxxx::M.n**
 minimum_characters: **19**
 character_constraint: **ASCII**

- maximum_characters: 255
character_encoding: **UTF-8**
- **ASCII_LIDVID_LID**
description: **The ASCII_LIDVID_LID class indicates a logical identifier and version identifier or simply the logical identifier.**
xml_schema_base_type: **xsd:string**
formation_rule: **urn:nasa:pds:xxxx, urn:nasa:pds:xxxx::M.n**
minimum_characters: 14
character_constraint: **ASCII**
maximum_characters: 255
character_encoding: **UTF-8**
- **ASCII_MD5_Checksum**
description: **The ASCII MD5 Checksum class indicates a checksum computed by the Message-Digest algorithm 5 (MD5).**
xml_schema_base_type: **xsd:string**
formation_rule: **0123456789abcdef**
minimum_characters: 32
character_constraint: **ASCII**
maximum_characters: 32
character_encoding: **UTF-8**
- **ASCII_NonNegative_Integer**
description: **The ASCII_NonNegative_Integer class indicates a non-negative integer.**
xml_schema_base_type: **xsd:long**
minimum_value: 0
character_encoding: **UTF-8**
- **ASCII_Numeric_Base16**
description: **The ASCII Numeric Base16 class indicates a ASCII encoded string constrained to hexadecimal digits.**
xml_schema_base_type: **xsd:hexBinary**
minimum_characters: 1
maximum_characters: 255
character_encoding: **UTF-8**
- **ASCII_Numeric_Base2**
description: **The ASCII Numeric Base2 class indicates a ASCII encoded string constrained to binary digits.**
xml_schema_base_type: **xsd:string**
minimum_characters: 1
character_constraint: **ASCII**
maximum_characters: 255
character_encoding: **UTF-8**
- **ASCII_Numeric_Base8**
description: **The ASCII Numeric Base8 class indicates a ASCII encoded string constrained to octal digits.**
xml_schema_base_type: **xsd:string**
minimum_characters: 1
character_constraint: **ASCII**
maximum_characters: 255
character_encoding: **UTF-8**
- **ASCII_Real**
description: **The ASCII_Real class indicates a real.**
xml_schema_base_type: **xsd:double**

- character_encoding: **UTF-8**
- **ASCII_Short_String_Collapsed**

description: **The ASCII_Short_String_Collapsed class indicates a limited length, whitespace-collapsed string.**
xml_schema_base_type: **xsd:token**
minimum_characters: **1**
character_constraint: **ASCII**
maximum_characters: **255**
character_encoding: **UTF-8**
- **ASCII_Short_String_Preserved**

description: **The ASCII_Short_String_Preserved class indicates a limited length, whitespace-preserved string.**
xml_schema_base_type: **xsd:string**
minimum_characters: **1**
character_constraint: **ASCII**
maximum_characters: **255**
character_encoding: **UTF-8**
- **ASCII_String**

description: **The ASCII_String class indicates a limited length ASCII text string with whitespaces removed.**
xml_schema_base_type: **xsd:token**
minimum_characters: **1**
character_constraint: **ASCII**
character_encoding: **UTF-8**
- **ASCII_Text_Collapsed**

description: **The ASCII_Text_Collapsed class indicates an unlimited length, whitespace-collapsed text string.**
xml_schema_base_type: **xsd:token**
minimum_characters: **1**
character_constraint: **ASCII**
character_encoding: **UTF-8**
- **ASCII_Text_Preserved**

description: **The ASCII_Text_Preserved class indicates an unlimited length, whitespace-preserved text string.**
xml_schema_base_type: **xsd:string**
minimum_characters: **1**
character_constraint: **ASCII**
character_encoding: **UTF-8**
- **ASCII_Time**

description: **The ASCII_Time class indicates a time value.**
xml_schema_base_type: **xsd:string**
formation_rule: **HH:MM:SS.SSS**
character_constraint: **ASCII**
character_encoding: **UTF-8**
- **ASCII_VID**

description: **The ASCII_VID class indicates a version identifier.**
xml_schema_base_type: **xsd:string**
formation_rule: **M.m**
minimum_characters: **3**
character_constraint: **ASCII**

- maximum_characters: 100
character_encoding: **UTF-8**
- **ComplexLSB16**
description: **Complex number consisting of two LSB 8 byte decimal reals.**
- **ComplexLSB8**
description: **Complex number consisting of two LSB 4 byte decimal reals.**
- **ComplexMSB16**
description: **Complex number consisting of two MSB 8 byte decimal reals.**
- **ComplexMSB8**
description: **Complex number consisting of two MSB 4 byte decimal reals.**
- **IEEE754LSBDouble**
description: **IEEE 754 LSB double precision floating point**
- **IEEE754LSBSingle**
description: **IEEE 754 LSB single precision floating point**
- **IEEE754MSBDouble**
description: **IEEE 754 MSB double precision floating point**
- **IEEE754MSBSingle**
description: **IEEE 754 MSB single precision floating point**
- **SignedBitString**
description: **Signed Bit String**
- **SignedByte**
description: **Signed 8-bit byte**
- **SignedLSB2**
description: **Signed 2's-complement LSB 2-byte integer**
- **SignedLSB4**
description: **Signed 2's-complement LSB 4-byte integer**
- **SignedLSB8**
description: **Signed 2's-complement LSB 8-byte integer**
- **SignedMSB2**
description: **Signed 2's-complement MSB 2-byte integer**
- **SignedMSB4**
description: **Signed 2's-complement MSB 4-byte integer**
- **SignedMSB8**
description: **Signed 2's-complement MSB 8-byte integer**
- **UTF8_Short_String_Collapsed**
description: **The UTF8_Short_String_Collapsed class indicates a limited length, whitespace-collapsed string constrained to the UTF-8 character encoding.**
xml_schema_base_type: **xsd:token**
minimum_characters: 1
maximum_characters: 255
character_encoding: **UTF-8**
- **UTF8_Short_String_Preserved**
description: **The UTF8_Short_String_Preserved class indicates a limited length, whitespace-preserved string constrained to the UTF-8 character encoding.**
xml_schema_base_type: **xsd:string**
minimum_characters: 1
maximum_characters: 255
character_encoding: **UTF-8**
- **UTF8_String**
description: **The UTF8_String class indicates a limited length UTF8 text string with whitespaces**

removed.

xml_schema_base_type: **xsd:token**

minimum_characters: **1**

character_encoding: **UTF-8**

- **UTF8_Text_Preserved**

description: **The UTF8_Text_Preserved class indicates an unlimited length, whitespace-preserved text string constrained to the UTF-8 character encoding.**

xml_schema_base_type: **xsd:string**

minimum_characters: **1**

character_encoding: **UTF-8**

- **UnsignedBitString**

description: **Unsigned Bit String**

- **UnsignedByte**

description: **Unsigned 8-bit byte**

- **UnsignedLSB2**

description: **Unsigned 2's-complement LSB 2-byte integer**

- **UnsignedLSB4**

description: **Unsigned 2's-complement LSB 4-byte integer**

- **UnsignedLSB8**

description: **Unsigned 2's-complement LSB 8-byte integer**

- **UnsignedMSB2**

description: **Unsigned 2's-complement MSB 2-byte integer**

- **UnsignedMSB4**

description: **Unsigned 2's-complement MSB 4-byte integer**

- **UnsignedMSB8**

description: **Unsigned 2's-complement MSB 8-byte integer**

10. Product Index

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

- [Ingest_LDD](#)
- [Product_AIP](#)
- [Product_Attribute_Definition](#)
- [Product_Browse](#)
- [Product_Bundle](#)
- [Product_Class_Definition](#)
- [Product_Collection](#)
- [Product_Context](#)
- [Product_DIP](#)
- [Product_DIP_Deep_Archive](#)
- [Product_Data_Set_PDS3](#)
- [Product_Document](#)
- [Product_File_Repository](#)
- [Product_File_Text](#)
- [Product_Instrument_Host_PDS3](#)
- [Product_Instrument_PDS3](#)
- [Product_Mission_PDS3](#)
- [Product_Observational](#)
- [Product_Proxy_PDS3](#)
- [Product_SIP](#)
- [Product_SPICE_Kernel](#)

- [Product_Service](#)
- [Product_Software](#)
- [Product_Subscription_PDS3](#)
- [Product_Target_PDS3](#)
- [Product_Thumbnail](#)
- [Product_Update](#)
- [Product_Volume_PDS3](#)
- [Product_Volume_Set_PDS3](#)
- [Product_XML_Schema](#)
- [Product_Zipped](#)----

11. Class Index

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

- [Archival_Information_Package](#)
- [DIP_Deep_Archive](#)
- [Dissemination_Information_Package](#)
- [Encoded_Header](#)
- [Header](#)
- [Ingest_LDD](#)
- [Product_AIP](#)
- [Product_Attribute_Definition](#)
- [Product_Browse](#)
- [Product_Bundle](#)
- [Product_Class_Definition](#)
- [Product_Collection](#)
- [Product_Context](#)
- [Product_DIP](#)
- [Product_DIP_Deep_Archive](#)
- [Product_Data_Set_PDS3](#)
- [Product_Document](#)
- [Product_File_Repository](#)
- [Product_File_Text](#)
- [Product_Instrument_Host_PDS3](#)
- [Product_Instrument_PDS3](#)
- [Product_Mission_PDS3](#)
- [Product_Observational](#)
- [Product_Proxy_PDS3](#)
- [Product_SIP](#)
- [Product_SPICE_Kernel](#)
- [Product_Service](#)
- [Product_Software](#)
- [Product_Subscription_PDS3](#)
- [Product_Target_PDS3](#)
- [Product_Thumbnail](#)
- [Product_Update](#)
- [Product_Volume_PDS3](#)
- [Product_Volume_Set_PDS3](#)
- [Product_XML_Schema](#)
- [Product_Zipped](#)
- [Submission_Information_Package](#)
- [Telemetry_Parameters](#)----

12. Attribute and Class Indices

13. Attribute Index

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

- [abstract_desc](#) - [abstract_desc](#) in ops:Data_Set_PDS3
- [abstract_flag](#) - [abstract_flag](#) in ops:DD_Class, [abstract_flag](#) in ops:DD_Class_Full
- [acknowledgement_text](#) - [acknowledgement_text](#) in pds:Document
- [address](#) - [address](#) in pds:Facility
- [affiliation_type](#) - [affiliation_type](#) in pds:PDS_Affiliate
- [alternate_designation](#) - [alternate_designation](#) in pds:Target_Identification
- [alternate_id](#) - [alternate_id](#) in pds:Alias
- [alternate_telephone_number](#) - [alternate_telephone_number](#) in pds:PDS_Affiliate
- [alternate_title](#) - [alternate_title](#) in pds:Alias
- [altitude](#) - [altitude](#) in pds:Telescope
- [aperture](#) - [aperture](#) in pds:Telescope
- [application_process_id](#) - [application_process_id](#) in img:Telemetry_Parameters
- [application_process_name](#) - [application_process_name](#) in img:Telemetry_Parameters
- [archive_status](#) - [archive_status](#) in ops:Data_Set_PDS3, [archive_status](#) in ops:Volume_PDS3
- [archive_status_note](#) - [archive_status_note](#) in ops:Volume_PDS3
- [attribute_concept](#) - [attribute_concept](#) in ops:DD_Attribute_Full
- [author_list](#) - [author_list](#) in ops:Software, [author_list](#) in pds:Citation_Information, [author_list](#) in pds:Document
- [axes](#) - [axes](#) in pds:Array, [axes](#) in pds:Array_2D, [axes](#) in pds:Array_3D
- [axis_index_order](#) - [axis_index_order](#) in pds:Array
- [axis_name](#) - [axis_name](#) in pds:Axis_Array
- [band_number](#) - [band_number](#) in img:Band_Bin
- [band_width](#) - [band_width](#) in img:Band_Bin
- [bit_fields](#) - [bit_fields](#) in pds:Packed_Data_Fields
- [bit_mask](#) - [bit_mask](#) in pds:Object_Statistics
- [bit_string](#) - [bit_string](#) in ops:Digital_Object
- [bundle_type](#) - [bundle_type](#) in pds:Bundle
- [center_wavelength](#) - [center_wavelength](#) in img:Band_Bin
- [checksum_manifest_checksum](#) - [checksum_manifest_checksum](#) in ops:Information_Package_Component
- [checksum_type](#) - [checksum_type](#) in ops:Information_Package_Component
- [citation_text](#) - [citation_text](#) in ops:Data_Set_PDS3
- [class_name](#) - [class_name](#) in ops:DD_Attribute_Full
- [collection_type](#) - [collection_type](#) in pds:Collection
- [comment](#) - [comment](#) in ops:DD_Attribute, [comment](#) in ops:DD_Attribute_Full, [comment](#) in ops:DD_Class_Full, [comment](#) in ops:Ingest_LDD, [comment](#) in pds:Alias, [comment](#) in pds:Context_Area, [comment](#) in pds:File, [comment](#) in pds:Internal_Reference
- [compile_note](#) - [compile_note](#) in ops:Software_Source
- [conceptual_domain](#) - [conceptual_domain](#) in ops:DD_Value_Domain_Full
- [confidence_level_note](#) - [confidence_level_note](#) in ops:Data_Set_PDS3
- [constant_value](#) - [constant_value](#) in ops:DD_Association
- [container_type](#) - [container_type](#) in pds:Zip
- [coordinate_source](#) - [coordinate_source](#) in pds:Telescope
- [copyright](#) - [copyright](#) in pds:Document
- [country](#) - [country](#) in pds:Facility
- [creation_date_time](#) - [creation_date_time](#) in pds:File
- [curating_node_id](#) - [curating_node_id](#) in ops:Volume_PDS3
- [data_regime](#) - [data_regime](#) in pds:Primary_Result_Summary
- [data_set_desc](#) - [data_set_desc](#) in ops:Data_Set_PDS3

- **data_set_id** - [data_set_id](#) in ops:Data_Set_PDS3
- **data_set_name** - [data_set_name](#) in ops:Data_Set_PDS3
- **data_set_release_date** - [data_set_release_date](#) in ops:Data_Set_PDS3
- **data_set_terse_desc** - [data_set_terse_desc](#) in ops:Data_Set_PDS3
- **data_type** - [data_type](#) in pds:Element_Array, [data_type](#) in pds:Field_Binary, [data_type](#) in pds:Field_Bit, [data_type](#) in pds:Field_Character, [data_type](#) in pds:Field_Delimited, [data_type](#) in pds:Quaternion_Component, [data_type](#) in pds:Vector
- **date_time** - [date_time](#) in pds:Update_Entry
- **definition** - [definition](#) in ops:DD_Attribute, [definition](#) in ops:DD_Attribute_Full, [definition](#) in ops:DD_Class, [definition](#) in ops:DD_Class_Full, [definition](#) in ops:Terminological_Entry
- **description** - [description](#) in ops:Information_Package, [description](#) in pds:Node, [description](#) in pds:PDS_Affiliate, [description](#) in pds:PDS_Guest, [description](#) in ops:Software, [description](#) in ops:Volume_PDS3, [description](#) in ops:Volume_Set_PDS3, [description](#) in pds:Agency, [description](#) in pds:Array, [description](#) in pds:Bundle, [description](#) in pds:Citation_Information, [description](#) in pds:Collection, [description](#) in pds:Document, [description](#) in pds:Document_Format, [description](#) in pds:Encoded_Byte_Stream, [description](#) in pds:External_Reference, [description](#) in pds:Facility, [description](#) in pds:Field_Binary, [description](#) in pds:Field_Bit, [description](#) in pds:Field_Character, [description](#) in pds:Field_Delimited, [description](#) in pds:Field_Statistics, [description](#) in pds:Instrument, [description](#) in pds:Instrument_Host, [description](#) in pds:Investigation, [description](#) in pds:Modification_Detail, [description](#) in pds:Object_Statistics, [description](#) in pds:Observing_System, [description](#) in pds:Observing_System_Component, [description](#) in pds:Other, [description](#) in pds:Packed_Data_Fields, [description](#) in pds:Parseable_Byte_Stream, [description](#) in pds:Primary_Result_Summary, [description](#) in pds:Quaternion, [description](#) in pds:Quaternion_Component, [description](#) in pds:Resource, [description](#) in pds:Table_Base, [description](#) in pds:Target, [description](#) in pds:Target_Identification, [description](#) in pds:Telescope, [description](#) in pds:Update, [description](#) in pds:Update_Entry, [description](#) in pds:Vector, [description](#) in pds:Vector_Component, [description](#) in pds:Zip
- **detector_number** - [detector_number](#) in img:Band_Bin
- **directory_path_name** - [directory_path_name](#) in pds:Document_File
- **document_name** - [document_name](#) in pds:Document
- **document_standard_id** - [document_standard_id](#) in pds:Document_File
- **doi** - [doi](#) in pds:Document, [doi](#) in pds:External_Reference
- **earth_received_start_date_time** - [earth_received_start_date_time](#) in img:Telemetry_Parameters
- **earth_received_stop_date_time** - [earth_received_stop_date_time](#) in img:Telemetry_Parameters
- **editor_list** - [editor_list](#) in pds:Citation_Information, [editor_list](#) in pds:Document
- **electronic_mail_address** - [electronic_mail_address](#) in pds:PDS_Affiliate, [electronic_mail_address](#) in pds:PDS_Guest
- **elements** - [elements](#) in pds:Axis_Array
- **encoding_standard_id** - [encoding_standard_id](#) in pds:Encoded_Binary, [encoding_standard_id](#) in pds:Encoded_Byte_Stream, [encoding_standard_id](#) in pds:Encoded_Header, [encoding_standard_id](#) in pds:Encoded_Image
- **enumeration_flag** - [enumeration_flag](#) in ops:DD_Value_Domain, [enumeration_flag](#) in ops:DD_Value_Domain_Full
- **error_constant** - [error_constant](#) in pds:Special_Constants
- **expected_packets** - [expected_packets](#) in img:Telemetry_Parameters
- **field_delimiter** - [field_delimiter](#) in pds:Table_Delimited
- **field_format** - [field_format](#) in pds:Field_Binary, [field_format](#) in pds:Field_Bit, [field_format](#) in pds:Field_Character, [field_format](#) in pds:Field_Delimited
- **field_length** - [field_length](#) in pds:Field_Binary, [field_length](#) in pds:Field_Character
- **field_location** - [field_location](#) in pds:Field_Binary, [field_location](#) in pds:Field_Character
- **field_number** - [field_number](#) in pds:Field
- **fields** - [fields](#) in pds:Group, [fields](#) in pds:Record

- **file_name** - [file_name](#) in pds:File
- **file_size** - [file_size](#) in pds:File
- **files** - [files](#) in ops:Software_Binary, [files](#) in ops:Software_Script, [files](#) in ops:Software_Source
- **filter_number** - [filter_number](#) in img:Band_Bin
- **first_sampling_parameter_value** - [first_sampling_parameter_value](#) in pds:Uniformly_Sampled
- **format_type** - [format_type](#) in pds:Document_Format
- **formation_rule** - [formation_rule](#) in ops:DD_Value_Domain, [formation_rule](#) in ops:DD_Value_Domain_Full
- **full_name** - [full_name](#) in ops:Ingest_LDD, [full_name](#) in ops:Subscriber_PDS3, [full_name](#) in pds:Update_Entry
- **grating_position** - [grating_position](#) in img:Band_Bin
- **group_length** - [group_length](#) in pds:Group_Field_Binary, [group_length](#) in pds:Group_Field_Character
- **group_location** - [group_location](#) in pds:Group_Field_Binary, [group_location](#) in pds:Group_Field_Character
- **group_number** - [group_number](#) in pds:Group
- **groups** - [groups](#) in pds:Group, [groups](#) in pds:Record
- **high_instrument_saturation** - [high_instrument_saturation](#) in pds:Special_Constants
- **high_representation_saturation** - [high_representation_saturation](#) in pds:Special_Constants
- **information_model_version** - [information_model_version](#) in pds:Identification_Area
- **install_note** - [install_note](#) in ops:Software_Script
- **institution_name** - [institution_name](#) in pds:Node, [institution_name](#) in pds:PDS_Affiliate
- **instrument_desc** - [instrument_desc](#) in ops:Instrument_PDS3
- **instrument_host_desc** - [instrument_host_desc](#) in ops:Instrument_Host_PDS3
- **instrument_host_id** - [instrument_host_id](#) in ops:Instrument_Host_PDS3
- **instrument_host_name** - [instrument_host_name](#) in ops:Instrument_Host_PDS3
- **instrument_host_type** - [instrument_host_type](#) in ops:Instrument_Host_PDS3
- **instrument_id** - [instrument_id](#) in ops:Instrument_PDS3
- **instrument_name** - [instrument_name](#) in ops:Instrument_PDS3
- **instrument_serial_number** - [instrument_serial_number](#) in ops:Instrument_PDS3
- **instrument_type** - [instrument_type](#) in ops:Instrument_PDS3
- **instrument_version_id** - [instrument_version_id](#) in ops:Instrument_PDS3
- **invalid_constant** - [invalid_constant](#) in pds:Special_Constants
- **kernel_type** - [kernel_type](#) in pds:SPICE_Kernel
- **keyword** - [keyword](#) in pds:Citation_Information
- **language** - [language](#) in ops:Terminological_Entry
- **last_modification_date_time** - [last_modification_date_time](#) in ops:Ingest_LDD
- **last_sampling_parameter_value** - [last_sampling_parameter_value](#) in pds:Uniformly_Sampled
- **lhd_version_id** - [lhd_version_id](#) in ops:Ingest_LDD
- **lid_reference** - [lid_reference](#) in pds:Bundle_Member_Entry, [lid_reference](#) in pds:Internal_Reference
- **lidvid_reference** - [lidvid_reference](#) in pds:Bundle_Member_Entry, [lidvid_reference](#) in pds:Internal_Reference
- **line_display_direction** - [line_display_direction](#) in pds:Display_2D_Image
- **local_identifier** - [local_identifier](#) in ops:DD_Association, [local_identifier](#) in ops:DD_Attribute, [local_identifier](#) in ops:DD_Attribute_Full, [local_identifier](#) in ops:DD_Class, [local_identifier](#) in ops:DD_Class_Full, [local_identifier](#) in ops:Subscriber_PDS3, [local_identifier](#) in pds:Byte_Stream, [local_identifier](#) in pds:Field_Statistics, [local_identifier](#) in pds:File, [local_identifier](#) in pds:Geometry, [local_identifier](#) in pds:Object_Statistics, [local_identifier](#) in pds:Quaternion, [local_identifier](#) in pds:Update, [local_identifier](#) in pds:Vector
- **local_mean_solar_time** - [local_mean_solar_time](#) in pds:Time_Coordinates
- **local_true_solar_time** - [local_true_solar_time](#) in pds:Time_Coordinates
- **logical_identifier** - [logical_identifier](#) in pds:Identification_Area

- **low_instrument_saturation** - [low_instrument_saturation](#) in pds:Special_Constants
- **low_representation_saturation** - [low_representation_saturation](#) in pds:Special_Constants
- **maximum** - [maximum](#) in pds:Field_Statistics, [maximum](#) in pds:Object_Statistics
- **maximum_characters** - [maximum_characters](#) in ops:DD_Value_Domain, [maximum_characters](#) in ops:DD_Value_Domain_Full
- **maximum_field_length** - [maximum_field_length](#) in pds:Field_Delimited
- **maximum_occurrences** - [maximum_occurrences](#) in ops:DD_Association, [maximum_occurrences](#) in ops:DD_Association_External
- **maximum_record_length** - [maximum_record_length](#) in pds:Record_Delimited
- **maximum_scaled_value** - [maximum_scaled_value](#) in pds:Object_Statistics
- **maximum_value** - [maximum_value](#) in ops:DD_Value_Domain, [maximum_value](#) in ops:DD_Value_Domain_Full
- **md5_checksum** - [md5_checksum](#) in pds:File, [md5_checksum](#) in pds:Object_Statistics
- **mean** - [mean](#) in pds:Field_Statistics, [mean](#) in pds:Object_Statistics
- **median** - [median](#) in pds:Field_Statistics, [median](#) in pds:Object_Statistics
- **medium_type** - [medium_type](#) in ops:NSSDC, [medium_type](#) in ops:Volume_PDS3
- **member_status** - [member_status](#) in pds:Bundle_Member_Entry
- **minimum** - [minimum](#) in pds:Field_Statistics, [minimum](#) in pds:Object_Statistics
- **minimum_characters** - [minimum_characters](#) in ops:DD_Value_Domain, [minimum_characters](#) in ops:DD_Value_Domain_Full
- **minimum_occurrences** - [minimum_occurrences](#) in ops:DD_Association, [minimum_occurrences](#) in ops:DD_Association_External
- **minimum_scaled_value** - [minimum_scaled_value](#) in pds:Object_Statistics
- **minimum_value** - [minimum_value](#) in ops:DD_Value_Domain, [minimum_value](#) in ops:DD_Value_Domain_Full
- **missing_constant** - [missing_constant](#) in pds:Special_Constants
- **mission_desc** - [mission_desc](#) in ops:Mission_PDS3
- **mission_name** - [mission_name](#) in ops:Mission_PDS3
- **mission_objectives_summary** - [mission_objectives_summary](#) in ops:Mission_PDS3
- **mission_start_date** - [mission_start_date](#) in ops:Mission_PDS3
- **mission_stop_date** - [mission_stop_date](#) in ops:Mission_PDS3
- **model_id** - [model_id](#) in pds:Instrument
- **modification_date** - [modification_date](#) in pds:Modification_Detail
- **naif_host_id** - [naif_host_id](#) in pds:Instrument_Host
- **naif_instrument_id** - [naif_instrument_id](#) in pds:Instrument
- **name** - [name](#) in ops:DD_Association_External, [name](#) in ops:DD_Attribute, [name](#) in ops:DD_Attribute_Full, [name](#) in ops:DD_Class, [name](#) in ops:DD_Class_Full, [name](#) in ops:External_Reference_Extended, [name](#) in ops:Ingest_LDD, [name](#) in pds:Node, [name](#) in pds:PDS_Affiliate, [name](#) in pds:PDS_Guest, [name](#) in ops:Software, [name](#) in pds:Agency, [name](#) in pds:Byte_Stream, [name](#) in pds:Facility, [name](#) in pds:Field, [name](#) in pds:Field_Binary, [name](#) in pds:Field_Bit, [name](#) in pds:Field_Character, [name](#) in pds:Field_Delimited, [name](#) in pds:Instrument, [name](#) in pds:Instrument_Host, [name](#) in pds:Investigation, [name](#) in pds:Investigation_Area, [name](#) in pds:Observing_System, [name](#) in pds:Observing_System_Component, [name](#) in pds:Quaternion, [name](#) in pds:Quaternion_Component, [name](#) in pds:Resource, [name](#) in pds:Target, [name](#) in pds:Target_Identification, [name](#) in ops:Terminological_Entry, [name](#) in pds:Vector, [name](#) in pds:Vector_Component
- **namespace_id** - [namespace_id](#) in ops:DD_Association_External, [namespace_id](#) in ops:DD_Attribute_Full, [namespace_id](#) in ops:DD_Class_Full, [namespace_id](#) in ops:Ingest_LDD
- **nil_reason** - [nil_reason](#) in ops:Symbolic_Literals_PDS
- **nullable_flag** - [nullable_flag](#) in ops:DD_Attribute, [nullable_flag](#) in ops:DD_Attribute_Full
- **not_applicable_constant** - [not_applicable_constant](#) in pds:Special_Constants
- **nssdc_collection_id** - [nssdc_collection_id](#) in ops:NSSDC

- **object_length** - [object length](#) in pds:Encoded Byte Stream, [object length](#) in pds:Header, [object length](#) in pds:Parseable Byte Stream
- **offset** - [offset](#) in pds:Array, [offset](#) in pds:Encoded Byte Stream, [offset](#) in pds:Parseable Byte Stream, [offset](#) in pds:Table_Base
- **orbit_direction** - [orbit direction](#) in ops:Target_PDS3
- **original_band** - [original band](#) in img:Band_Bin
- **os_version** - [os version](#) in ops:Software_Binary, [os version](#) in ops:Software_Source
- **packet_map_mask** - [packet map mask](#) in img:Telemetry_Parameters
- **parsing_standard_id** - [parsing standard id](#) in ops:Checksum_Manifest, [parsing standard id](#) in ops:Service_Description, [parsing standard id](#) in pds:Header, [parsing standard id](#) in pds:Parseable Byte Stream, [parsing standard id](#) in pds:SPICE_Kernel, [parsing standard id](#) in pds:Table_Delimited, [parsing standard id](#) in pds:XML_Schema
- **pattern** - [pattern](#) in ops:DD_Value_Domain, [pattern](#) in ops:DD_Value_Domain_Full
- **phone_book_flag** - [phone book flag](#) in pds:PDS_Affiliate
- **postal_address_text** - [postal address text](#) in pds:PDS_Affiliate
- **preferred_flag** - [preferred flag](#) in ops:Terminological_Entry
- **primary_body_name** - [primary body name](#) in ops:Target_PDS3
- **processing_level_id** - [processing level id](#) in pds:Primary_Result_Summary
- **producer_full_name** - [producer full name](#) in ops:Data_Set_PDS3
- **product_class** - [product class](#) in pds:Identification_Area
- **program_notes_id** - [program notes id](#) in ops:Software_Binary, [program notes id](#) in ops:Software_Source
- **programmers_manual_id** - [programmers manual id](#) in ops:Software
- **publication_date** - [publication date](#) in ops:Volume_PDS3, [publication date](#) in pds:Document
- **publication_year** - [publication year](#) in pds:Citation_Information
- **purpose** - [purpose](#) in pds:Primary_Result_Summary
- **received_packets** - [received packets](#) in img:Telemetry_Parameters
- **record_delimiter** - [record delimiter](#) in pds:Stream_Text, [record delimiter](#) in pds:Table_Binary, [record delimiter](#) in pds:Table_Character, [record delimiter](#) in pds:Table_Delimited
- **record_length** - [record length](#) in pds:Record_Binary, [record length](#) in pds:Record_Character
- **records** - [records](#) in pds:File, [records](#) in pds:Table_Base, [records](#) in pds:Table_Delimited
- **reference_frame_id** - [reference frame id](#) in pds:Vector, [reference frame id](#) in pds:Vector_Cartesian_3
- **reference_text** - [reference text](#) in pds:External_Reference
- **reference_type** - [reference type](#) in ops:DD_Association, [reference type](#) in ops:DD_Association_External, [reference type](#) in pds:Bundle_Member_Entry, [reference type](#) in pds:Internal_Reference, [reference type](#) in pds:Inventory
- **registered_by** - [registered by](#) in ops:DD_Attribute_Full, [registered by](#) in ops:DD_Class_Full
- **registration_authority_id** - [registration authority id](#) in ops:DD_Attribute_Full, [registration authority id](#) in ops:DD_Class_Full
- **registration_date** - [registration date](#) in pds:PDS_Affiliate, [registration date](#) in pds:PDS_Guest
- **repetitions** - [repetitions](#) in pds:Group
- **revision_id** - [revision id](#) in pds:Document
- **rotation_direction** - [rotation direction](#) in ops:Target_PDS3
- **sample_display_direction** - [sample display direction](#) in pds:Display_2D_Image
- **sampling_parameter_interval** - [sampling parameter interval](#) in pds:Uniformly_Sampled
- **sampling_parameter_name** - [sampling parameter name](#) in pds:Uniformly_Sampled
- **sampling_parameter_scale** - [sampling parameter scale](#) in pds:Uniformly_Sampled
- **sampling_parameter_unit** - [sampling parameter unit](#) in pds:Uniformly_Sampled
- **saturated_constant** - [saturated constant](#) in pds:Special_Constants
- **scaling_factor** - [scaling factor](#) in img:Band_Bin, [scaling factor](#) in pds:Element_Array, [scaling factor](#) in pds:Field_Binary, [scaling factor](#) in pds:Field_Bit, [scaling factor](#) in pds:Field_Character, [scaling factor](#) in pds:Field_Delimited

ng_factor in pds:Field_Delimited

- sequence_number - sequence_number in pds:Axis_Array, sequence_number in pds:Quaternion_Component, sequence_number in pds:Vector_Component
- serial_number - serial_number in pds:Instrument, serial_number in pds:Instrument_Host
- software_dialect - software_dialect in ops:Software_Source
- software_format_type - software_format_type in ops:Software_Binary, software_format_type in ops:Software_Source
- software_id - software_id in ops:Software
- software_language - software_language in ops:Software_Source
- software_type - software_type in ops:Software
- solar_longitude - solar_longitude in pds:Time_Coordinates
- sort_name - sort_name in pds:PDS_Affiliate, sort_name in pds:PDS_Guest
- specified_unit_id - specified_unit_id in ops:DD_Value_Domain, specified_unit_id in ops:DD_Value_Domain_Full
- spice_file_name - spice_file_name in img:Telemetry_Parameters
- standard_deviation - standard_deviation in img:Band_Bin, standard_deviation in pds:Field_Statistics, standard_deviation in pds:Object_Statistics
- start_bit - start_bit in pds:Field_Bit
- start_date - start_date in pds:Investigation
- start_date_time - start_date_time in ops:Data_Set_PDS3, start_date_time in pds:Time_Coordinates
- starting_point_identifier - starting_point_identifier in pds:Document_Format
- steward_id - steward_id in ops:DD_Attribute_Full, steward_id in ops:DD_Class_Full, steward_id in ops:Ingest_LDD
- stop_bit - stop_bit in pds:Field_Bit
- stop_date - stop_date in pds:Investigation
- stop_date_time - stop_date_time in ops:Data_Set_PDS3, stop_date_time in pds:Time_Coordinates
- submitter_name - submitter_name in ops:DD_Attribute, submitter_name in ops:DD_Attribute_Full, submitter_name in ops:DD_Class, submitter_name in ops:DD_Class_Full
- subscription_id - subscription_id in ops:Subscriber_PDS3
- supported_architecture_note - supported_architecture_note in ops:Software_Binary, supported_architecture_note in ops:Software_Source
- supported_environment_note - supported_environment_note in ops:Software_Script
- supported_operating_system_note - supported_operating_system_note in ops:Software_Binary, supported_operating_system_note in ops:Software_Source
- system_requirements_note - system_requirements_note in ops:Software_Binary, system_requirements_note in ops:Software_Script, system_requirements_note in ops:Software_Source
- target_desc - target_desc in ops:Target_PDS3
- target_name - target_name in ops:Target_PDS3
- target_type - target_type in ops:Target_PDS3
- team_name - team_name in pds:PDS_Affiliate
- telemetry_format_id - telemetry_format_id in img:Telemetry_Parameters
- telemetry_provider_id - telemetry_provider_id in img:Telemetry_Parameters
- telemetry_source_name - telemetry_source_name in img:Telemetry_Parameters
- telemetry_source_type - telemetry_source_type in img:Telemetry_Parameters
- telephone_number - telephone_number in pds:PDS_Affiliate
- telescope_latitude - telescope_latitude in pds:Telescope
- telescope_longitude - telescope_longitude in pds:Telescope
- title - title in pds:Identification_Area
- transfer_manifest_checksum - transfer_manifest_checksum in ops:Information_Package_Component
- type - type in ops:DD_Attribute_Full, type in ops:DD_Class_Full, type in pds:Facility, type in

- [pds:Instrument](#), [type](#) in [pds:Instrument_Host](#), [type](#) in [pds:Investigation](#), [type](#) in [pds:Investigation_Area](#), [type](#) in [pds:Observing_System_Component](#), [type](#) in [pds:Primary_Result_Summary](#), [type](#) in [pds:Quaternion](#), [type](#) in [pds:Resource](#), [type](#) in [pds:Target](#), [type](#) in [pds:Target_Identification](#), [type](#) in [pds:Vector](#)
- [unit](#) - [unit](#) in [pds:Element_Array](#), [unit](#) in [pds:Field_Binary](#), [unit](#) in [pds:Field_Bit](#), [unit](#) in [pds:Field_Character](#), [unit](#) in [pds:Field_Delimited](#), [unit](#) in [pds:Vector_Component](#)
- [unit_of_measure_type](#) - [unit_of_measure_type](#) in [ops:DD_Value_Domain](#), [unit_of_measure_type](#) in [ops:DD_Value_Domain_Full](#)
- [unknown_constant](#) - [unknown_constant](#) in [pds:Special_Constants](#)
- [url](#) - [url](#) in [ops:External_Reference_Extended](#), [url](#) in [pds:Resource](#)
- [users_manual_id](#) - [users_manual_id](#) in [ops:Software](#)
- [valid_maximum](#) - [valid_maximum](#) in [pds:Special_Constants](#)
- [valid_minimum](#) - [valid_minimum](#) in [pds:Special_Constants](#)
- [value](#) - [value](#) in [ops:DD_Permissible_Value](#), [value](#) in [ops:DD_Permissible_Value_Full](#), [value](#) in [pds:Quaternion_Component](#), [value](#) in [pds:Vector_Component](#)
- [value_begin_date](#) - [value_begin_date](#) in [ops:DD_Permissible_Value_Full](#)
- [value_data_type](#) - [value_data_type](#) in [ops:DD_Value_Domain](#), [value_data_type](#) in [ops:DD_Value_Domain_Full](#)
- [value_end_date](#) - [value_end_date](#) in [ops:DD_Permissible_Value_Full](#)
- [value_meaning](#) - [value_meaning](#) in [ops:DD_Permissible_Value](#), [value_meaning](#) in [ops:DD_Permissible_Value_Full](#)
- [value_offset](#) - [value_offset](#) in [img:Band_Bin](#), [value_offset](#) in [pds:Element_Array](#), [value_offset](#) in [pds:Field_Binary](#), [value_offset](#) in [pds:Field_Bit](#), [value_offset](#) in [pds:Field_Character](#), [value_offset](#) in [pds:Field_Delimited](#)
- [vector_components](#) - [vector_components](#) in [pds:Vector](#)
- [version_id](#) - [version_id](#) in [ops:DD_Attribute](#), [version_id](#) in [ops:DD_Attribute_Full](#), [version_id](#) in [ops:DD_Class](#), [version_id](#) in [ops:DD_Class_Full](#), [version_id](#) in [ops:Software](#), [version_id](#) in [pds:Identification_Area](#), [version_id](#) in [pds:Instrument_Host](#), [version_id](#) in [pds:Modification_Detail](#)
- [volume_de_fullname](#) - [volume_de_fullname](#) in [ops:Volume_PDS3](#)
- [volume_format](#) - [volume_format](#) in [ops:Volume_PDS3](#)
- [volume_id](#) - [volume_id](#) in [ops:Volume_PDS3](#)
- [volume_name](#) - [volume_name](#) in [ops:Volume_PDS3](#)
- [volume_series_name](#) - [volume_series_name](#) in [ops:Volume_Set_PDS3](#)
- [volume_set_id](#) - [volume_set_id](#) in [ops:Volume_PDS3](#), [volume_set_id](#) in [ops:Volume_Set_PDS3](#)
- [volume_set_name](#) - [volume_set_name](#) in [ops:Volume_Set_PDS3](#)
- [volume_size](#) - [volume_size](#) in [ops:Volume_PDS3](#)
- [volume_version_id](#) - [volume_version_id](#) in [ops:Volume_PDS3](#)
- [volumes](#) - [volumes](#) in [ops:Volume_Set_PDS3](#)
- [x](#) - [x](#) in [pds:Vector_Cartesian_3](#)
- [y](#) - [y](#) in [pds:Vector_Cartesian_3](#)
- [z](#) - [z](#) in [pds:Vector_Cartesian_3](#)