

Subject: PDS CCB for 2018-0612 - One new SCR requires a vote

Date: Monday, June 4, 2018 at 10:11:00 AM Pacific Daylight Time

From: Steven Joy

To: EXTERNAL-Stein, Tom (6900-Affiliate), Crichton, Daniel J (3902), Joyner, Ronald (398G), Hughes, John S (398B), amacfarl@sciops.esa.int, dheather@cosmos.esa.int, Gopala Krishna, EXTERNAL-Mafi, Joseph N (4600-Affiliate), Morgan, Thomas H. (GSFC-6901), Richard Simpson, sbesse@sciops.esa.int, Susan Slavney, tanya.lim@sciops.esa.int, Yukio Yamamoto, Jesse Stone, Law, Emily S (3980), Lynn Neakrase, Matt Tiscareno, EXTERNAL-Showalter, Mark R (4500-Affiliate), EXTERNAL-Martinez Sanmartin, Santa (3266-Affiliate), Todd King, Trent M Hare

CC: Ed Guinness

Folks -

There is one new SCR that is ready for our review. Emily has recommended an e-vote but if anyone thinks that there are issues associated with this SCR, please let me know and I'll schedule a telecon for that discussion.

The SCR is:

-- [CCB-221](#): Add "Laboratory Analog" to target type in Target_Identification. (L.Neakrase)

Deadline for voting by CCB members is Tuesday 12 June, 17:00 UTC.

-Steve-