

Subject: Re: CCB Telecon Announcement for Tuesday, Feb. 25, 2014, 8:30am PST

Date: Tuesday, February 25, 2014 10:02:58 AM PT

From: Lynn Neakrase

To: Law, Emily S (3980), Showalter, Mark R (4500-Affiliate), Carol Neese, Stein, Tom (6900-Affiliate), Trent M Hare, dheather@rssd.esa.int, Joy, Steven P (4600-Affiliate), Todd King

CC: Crichton, Daniel J (3902), Joyner, Ronald (398J), Hughes, John S (3980), Rye, Elizabeth D (398J), Simpson, Richard A (6020-Affiliate), Richard Simpson

Hi CCB,

Please review the results and captured discussion points and let me know if there needs to be edits.
Thanks to everyone who participated today. The discussions were very helpful.

Thanks,
-Lynn

Today's results are as follows:

CCB-22: Adopt Rules for Case Enumeration

(previously passed with a recommendation from CCB for "steward_id")

Voted to remove 'steward_id' and it's values from the xls spreadsheet for consideration. Effectively leaving it the way it was originally used -- node abbreviations, lower-case. It was deemed an identifier attribute used mainly for system references.

ATM: YES

GEO: YES

IMG: YES

IPDA: YES

PPI: abstain (email)

RINGS: YES

SBN: YES

Passes with majority vote.

CCB-29: Deprecate Display_2D_Image class

Elizabeth added information to JIRA, and presented examples via ppt/pdf.

Voted to deprecate the Display_2D_Image class.

ATM: YES

GEO: YES

IMG: YES
IPDA: YES
PPI: abstain (email)
RINGS: YES
SBN: YES

Passes with majority vote.

CCB-48: Apply constraints M.n.o.p Versioning

Voted to accept as is.

ATM: YES
GEO: YES
IMG: YES
IPDA: YES
PPI: absent
RINGS: YES
SBN: YES

Passes with majority vote.

CCB-47, CCB-49 kept as bug fixes -- aligning Stds. Ref. and DPH. No vote necessary.
Comments on JIRA for CCB-49 from IPDA for consideration while fixing.

Lynn D. V. Neakrase, Ph.D.
Senior Research Scientist
Science Infusion Manager
PDS4 CCB Chair
NASA Planetary Data System
Department of Astronomy
New Mexico State University
P.O. Box 30001, MSC 4500
Las Cruces, NM 88003

Office: (575)646-1862
Cell: (602)502-2462